Thorax

THE JOURNAL OF THE BRITISH THORACIC SOCIETY

Indexes and contents lists for volume 44 1989

MAIN INDEX OF AUTHORS AND TITLES (EXCLUDING ABSTRACTS) *page 1*

INDEX OF BRITISH THORACIC SOCIETY ABSTRACTS *page 19*

CONTENTS LISTS

BRITISH MEDICAL ASSOCIATION · TAVISTOCK SQUARE · LONDON WC1H 9JR

Thorax

The Journal of the British Thoracic Society

(*President:* M W McNICOL)

Executive Editor: Anne E Tattersfield

Associate Editors: A R Gibbs, A J Hance, G Laszlo, N B Pride, D J Shale, S G Spiro, N C Thomson, J D Wisheart

Editorial Board
E G Anderson
P J Barnes
G M Cochrane
G K Crompton
S Freedman
P Goldstraw
D J Hendrick
M D L Morgan
J R Stradling
Editor, *British Medical Journal*
Technical Editor: Daphne Gloag

Main Index to Volume 44

E refers to editorials. There is a separate index for abstracts of papers given at the meetings of the British Thoracic Society.

A

ABERNETHY VE. *See* HARRISON DJ, 373
Abrams punch compared with Tru-cut biopsy needle for pleural biopsy, 794
Abscess, lung, recurrent, metastatic uterine leiomyosarcoma in association with, case of, 597
retropharyngeal, tuberculous, producing respiratory obstruction, case of, 599
Accident and emergency department attendance by asthmatic children, 620, 700
Acebutolol, bronchiolitis obliterans organising pneumonia in patients taking, 711
Acquired immune deficiency syndrome *See* AIDS
Actinomycosis, pericardial, with cardiac tamponade from a contiguous thoracic lesion: case report, 442
Activated carbon workers, clinical and radiographic study of, 303
Acute chest syndrome in sickle cell trait, evolution of, case of, 1057
Addis Ababa: clinical and laboratory study of bronchial asthma, 586
Adrenal function in patients with active tuberculosis, 422, (*Letter*) 768
Aerosol, pressurised, deposition in human lung with and without an "open" spacer device, 706
AGUSTÍ C. *See* PLAZA V, 289
AGUSTÍ-VIDAL A. *See* FIZ JA, 419
——. *See* PLAZA V, 289
AIDS, aprons, and elbow grease: preventing the nosocomial spread of HIV and associated organisms (*AIDS and the Lung*), 778
empirical treatment without bronchoscopy for *Pneumocystis carinii* pneumonia in, 559
nebulised pentamidine for *Pneumocystis carinii* pneumonia in, 565; (*Letter*), 831
primary pulmonary lymphoma in: case report, 438
AINSLIE GM, POULTER LW, DU BOIS R: Relation between immunocytological features of bronchoalveolar lavage fluid and clinical indices of sarcoidosis, 501
Airflow limitation, chronic, inspiratory and skeletal muscle strength and endurance and diaphragmatic activation in, 903
obstruction and bronchial responsiveness in asthmatic children, circadian change in, 803
obstruction, chronic, beta adrenoceptor binding and induced relaxation in airway smooth muscle, 28
obstruction, chronic, Doppler echocardiography of the inferior vena cava, detection of pulmonary hypertension, 396
obstruction, chronic, how many manoeuvres needed to measure maximal inspiratory mouth pressure?, 419
obstruction, chronic, hypoxaemic, cardiopulmonary response to oxygen therapy in, 930
Airway calibre and responsiveness in asthmatics, effects of platelet activating factor, 108
effects, contractile and relaxant, in vitro in the rat, effect of three weeks' treatment with budesonide, 25
response to histamine, effect of changing dietary sodium, 36
responsiveness, relation to duration of work in a dusty environment, 116
smooth muscle in chronic airflow obstruction, beta adrenoceptor binding and induced relaxation, 28
Airways disease, chronic obstructive, adverse effect of additional weight on exercise against gravity in, 716
disease, chronic obstructive, in the United Kingdom, trends in mortality from, 529
nasal, reversibility and reproducibility of histamine induced plasma leakage, 13
ALBAZZAZ MK, NEALE MG, PATEL KR: Dose-response study of nebulised nedocromil sodium in exercise induced asthma, 816
ALEXANDER F. *See* CAPEWELL S, 925
ALEXANDER WD. *See* ROBERTS JA, 603
ALKNER U. *See* SVENSSON C, 13
ALLAN GW. *See* BONE MF, 654
ALLAN SG. *See* ECCLES DM, 749
ALLEN MB, PROWSE K: Peripheral nerve function in patients with chronic bronchitis receiving almitrine or placebo, 292
Allergen inhalation in asthmatic subjects, diurnal variation in serum cortisol concentrations after, 582
Allergic bronchopulmonary aspergillosis, pulmonary eosinophilia with and without, 919
Allergy distribution in a population sample from Tucson, Arizona (*Research Overview*), 425
ALMIND M, LANGE P, VISKUM K: Spontaneous pneumothorax: comparison of simple drainage, talc pleurodesis, and tetracycline pleurodesis, 627
Almitrine or placebo, peripheral nerve function in patients with chronic bronchitis receiving, 292
peripheral neuropathy, and hypoxia (E), 247
ALP M. *See* DOĞAN R, 192
Alveolitis associated with sulphamethoxypyridazine: case report, 310; (*Letter*) 766
cryptogenic fibrosing, prednisolone alone compared with cyclophosphamide and low dose prednisolone in, 280
extrinsic allergic, in pigeon breeders: longitudinal course, 415
fibrosing, decreased pulmonary distensibility and its relation to decreased lung volume in, 725
AL-ZEERAH M, JEYASINGHAM K: Limited thoracoplasty in the management of complicated pulmonary aspergillomas, 1027
AMATO MBP. *See* CARVALHO CRR DE, 601
Aminophylline, causing increase in ventilation in absence of changes in ventral medullary extracellular fluid pH and carbon dioxide tension, 121
Amiodarone, bronchiolitis obliterans organising pneumonia in patients taking, 711
Ammonium chloride and zinc chloride contained in soft corrosive soldering fluxes, occupational asthma due to, 220
Anaesthesia, nasal, topical, for fibreoptic bronchoscopy: patients' preference for lignocaine gel, 674
ANDERSON G. *See* ESMONDE TF, 812
ANDERSON HR: Increase in hospital admissions for childhood asthma: trends in referral, severity, and readmissions from 1970 to 1985 in a health region of the United Kingdom, 614
——. *See* LITTLEJOHNS P, 797
ANDERSON JV. *See* WINTER RJD, 58
ANGELINI GD, BRYAN AJ, WEST RR, NEWBY AC, BRECKENRIDGE IM: Coronary artery byass surgery: current practice in the United Kingdom, 721
Anginal chest pain in sarcoidosis, 391
Angiosarcoma, primary cardiac, causing rupture of the heart and spontaneous bilateral pneumothorax: case report, 78
Angiotensin converting enzyme inhibition, renal and pulmonary effects in chronic hypoxic lung disease, 513
Antibodies to neutrophil cytoplasmic antigens in Wegener's granulomatosis and other conditions, 373
to neutrophil cytoplasmic components (E), 369
α_1 Antitrypsin, FZ phenotype, deficiency associated with severe emphysema and hepatic disease, case of, 758
ANTOCI B. *See* BASILE A, 232

Aortic dissection, haemoptysis as sole presenting symptom: case report, 444
Apnoea. *See* Sleep apnoea
Arizona: allergy distribution in a population sample from Tucson (*Research Overview*), 425
Arteriovenous malformation, pulmonary, large, successful percutaneous balloon occlusion: case report, 76
Arthritis, rheumatoid, with extensive lung lesions: case report, 70
Ascites, malignant, palliation with a Tenckhoff catheter, case of, 828
ASHER MI. *See* PATTEMORE PK, 168
Aspergilloma and bronchocentric granulomatosis complicating postirradiation pulmonary fibrosis, case of, 676
Aspergillomas, pulmonary, complicated, limited thoracoplasty in the management of, 1027
Aspergillosis, bronchopulmonary, allergic, pulmonary eosinophilia with and without, 919
pulmonary, invasive, bronchoscopy findings in, cases of, 822
pulmonary, locally invasive, in a gardener, case of, 678
pulmonary, necrotising, chronic, treated with itraconazole, case of, 820
Aspergillus niger causing chronic necrotising pneumonia: case report, 440
species on the wall of a lung cavity, early report of growth, 66
Asthma, acute, in children, recurrent accident and emergency department attendance for, 620
acute, patient self care, 97
acute, radiographic measurement of total lung capacity in, 510
acute severe, ventilation-perfusion mismatching: effects of salbutamol and 100% oxygen, 258
adult, self management plan, 200
adult, treatment of: is the diagnosis relevant? 797
airway calibre, airway responsiveness, and circulating cells, effect of platelet activating factor, 108
and chronic bronchitis, cellular characteristics of sputum from, 693
atopy, and bronchial hyperreactivity in bronchiectasis, prevalence of, 948
bronchial, at high altitude: clinical and laboratory study in Addis Ababa, 586
bronchoconstrictor responses to sodium metabisulphite aerosol in atopic subjects with and without, 1009
childhood, increase in hospital admissions for, 614
dependent on inhaled corticosteroids, nedocromil sodium in adults with, 654
epidemics and epidemiology (E), 609
exercise induced, dose-responsive study of nebulised nedocromil sodium in, 816
histamine induced bronchoconstriction, refractory period following, 146
in relation to smoking habits (*Letter*), 447
mild, effect of nebulised salbutamol on maximal exercise performance in men with, 942
mortality and morbidity, increased by current treatment? (E), 81: (*Letter*), 686
nocturnal, and posture, 579
nocturnal, breathing patterns during sleep in (*Letter*), 527
occupational, due to soft corrosive soldering fluxes containing zinc chloride and ammonium chloride, 220
occupational, in pharmaceutical worker exposed to penicillamine: case report, 157
pseudo-occupational, case of, 760
symptoms in New Zealand schoolchildren, ethnic differences in prevalence, 168
with history of gastro-oesophageal reflux, effects of ranitidine, 19
Asthmatic and normal children, circadian rhythm of peak expiratory flow in, 410
children, accident and emergency department attendance by, 620, 700
children, circadian change in bronchial responsiveness and airflow obstruction in, 803
subjects after allergen inhalation, diurnal variation in serum cortisol concentrations in, 582
subjects, changes in serum potassium concentrations during exercise in, 605
subjects, laryngeal resistance immediately after panting in, 743
Atopic subjects with and without asthma, bronchoconstrictor responses to sodium metabisulphite aerosol in, 1009
Atopy, bronchial hyperreactivity, and asthma in bronchiectasis, prevalence of, 948
Atrial natriuretic peptide concentrations in hypoxic secondary pulmonary hypertension, 58
AU J, CAMPANELLA C: Mitral prosthetic valve regurgitation due to stent fracture of a porcine bioprosthesis: case report, 236
AUERBACH HS. *See* RETTINGER SD, 829
AUSTGEN M. *See* MORGENROTH A, 177
AVERY AJ. *See* CONNOLLY MJ, 146
AVITAL A, SHULMAN DL, BAR-YISHAY E, NOVISKI N, SCHACHTER J, KRAUSZ Y, GODFREY S: Differential lung function in an infant with the Swyer-James syndrome, 298

B

BAAK JPA. *See* VAN BODEGOM PC, 788
BACKHOUSE A, HOLLAND WW: Trends in mortality from chronic obstructive airways disease in the United Kingdom (*Report*), 529
Bacteraemia following orotracheal intubation and oesophageal balloon dilatation, 684
BAIN RJI. *See* CARROLL N, 599
BAKKER W. *See* DE JONG PM, 230
BALLESTER E, REYES A, ROCA J, GUITART R, WAGNER PD, RODRIGUEZ-ROISIN R: Ventilation-perfusion mismatching in acute severe asthma: effects of salbutamol and 100% oxygen, 258
Balloon occlusion, percutaneous, of large pulmonary arteriovenous malformation: case report, 76
BANHAM SW. *See* BOURKE SJ, 415
BANKS J: Treatment of pulmonary disease caused by opportunist mycobacteria (*E*), 449
BARBAS CSV. *See* CAVALHO CRR DE, 601
BAR-EL Y, SMOLINSKY A, YELLIN A: Chylopericardium as a complication of mitral valve replacement, 74
BARNES DJ, NARAQI S, TEMU P, TURTLE JR: Adrenal function in patients with active tuberculosis, 422, (*Letter*) 768
BARNES PJ: Muscarinic receptor subtypes: implications for lung disease (E), 161
BARNES PJ. *See also* BLACK PW, 491
——. *See* CHUNG KF, 102, 108
——. *See* NICHOL GM, 1009
BARNETT AH. *See* WEIR D, 446
BARONI CD. *See* RICCI C, 455
BARTER CE. *See* HUNT JM, 930
BAR-YISHAY E. *See* AVITAL A, 298
BASILE A, GREGORIS A, ANTOCI B, ROMANELLI M: Malignant change in a benign pulmonary hamartoma: case report, 232
BATEMAN C. *See* BURNEY PGJ, 36
BATEMAN NT. *See* BAUDOUIN SV, 808
——. *See* O'DOHERTY MJ, 1059
BATES CA, RAHAMIM J: Tracheal lipoma, 980
BAUDOUIN SV, BATEMAN NT: Contractility of papillary muscle from rats exposed to 28 days of hypoxia, hypercapnia, and hypoxia with hypercapnia, 808
BAUMGARTEN CR. *See* SVENSSON C, 13
BAXTER M. *See* MOSS SF, 432
BEASLEY R, CUSHLEY M, HOLGATE ST: A self management plan in the treatment of adult asthma, 200
BEASLEY R. *See also* CRANE J, 136, 767
BEAUCHAMP PK: Fall in peak expiratory flow during haemodialysis in patients with chronic renal failure (*Letter*), 159
BECKER H. *See* JUETTNER FM, 516
BECKLAKE MR. *See* ERNST P, 116
BEGGS D. *See* REDWOOD N, 826
BÉLANGER J. *See* CORMIER Y, 469
BELCHER NG. *See* O'HICKEY SP, 650

BELD AJ. *See* VAN KOPPEN CJ, 28
BELL D, COLLIER DAW: Transfer factor for carbon monoxide in patients with diabetes mellitus with and without microangiopathy (*Letter*), 446
BENSON MK. *See* DURHAM S, 582
BEN-YAAKOV D. *See* GUIDETTI AS, 444
BERG PA. *See* DANIEL PT, 307
BERKEL J. *See* VAN BODEGOM PC, 788
BERTELSEN S. *See* HANSEN CP, 684
Beta adrenoceptor binding and induced relaxation in airway smooth muscle from patients with chronic airflow obstruction, 28
BHUYAN U, PETERS AM, GORDON I, DAVIES H, HELMS P: Effects of posture on the distribution of pulmonary ventilation and perfusion in children and adults, 480
BIBBY RJ. *See* MCILLMURRAY MB, 215
BILTON D. *See* SALH W, 1006
Bioprosthesis, porcine, mitral prosthetic valve regurgitation due to stent fracture of: case report, 236
Biopsy, fine needle, dissemination of tumour cells from, case of, 826
perthoracic core needle, in pulmonary lesions: six years' experience, 177
pleural: comparison of Tru-cut needle with Abrams punch, 794
transbronchial, without fluoroscopy: a five year experience in outpatients, 956
Bird fancier's lung, impaired non-specific delayed cutaneous hypersensitivity in, 132
BISHOP JM, CSUKAS M: Combined use of non-invasive techniques to predict pulmonary arterial pressure in chronic respiratory disease, 85
BJERMER L, LUNDGREN R, HÄLLGREN R: Hyaluronan and type III procollagen peptide concentrations in bronchoalveolar lavage fluid in idiopathic pulmonary fibrosis, 126
BLACK PN, FULLER RW, TAYLOR GW, BARNES PJ, DOLLERY CT: Effect of inhaled leukotriene B_4 alone and in combination with prostaglandin D_2 on bronchial responsiveness to histamine in normal subjects, 491
BLOOM SR. *See* WINTER RJD, 58
BLUNT SB, HARRIES MG: Discrète pleural masses without effusion in a young man: an unusual presentation of tuberculosis, 436
Bochdalek hernia, strangulated, in an adult, causing colopleural fistula, case of, 762
BONE MF, KUBIK MM, KEANEY NP, SUMMERS GD, CONNOLLY CK, BURGE PS, DENT RG, ALLAN GW: Nedocromil sodium in adults with asthma dependent on inhaled corticosteroids: a double blind placebo controlled study, 654
Bone marrow transplant recipients with interstitial pneumonitis, pulmonary cell populations in, 570
BOOK NOTICES
Barnes PJ, Rodger IW, Thomson NC, eds: *Asthma: Basic Mechanisms and Clinical Management* (1988), 608
Bignon J, Peto J, Saracci R, eds: *Non-occupational Exposure to Mineral Fibres* (1989), 764
Chang HK, Paiva M: *Respiratory Physiology (Lung Biology in Health and Disease Vol 40)* (1989), 688
Cookson JB, Finlay DBL: *Essential Chest Radiology* (1988), 608
Daniele RP: *Immunology and Immunologic diseases of the Lung* (1988), 313
Elliott JA: *Case Presentations in Respiratory Medicine*, (1989), 1005
Evans TW, Crockford M: *Chest Medicine* (1989), 833
Friedmann I, Ferlito A: *Granulomas and Neoplasms of the Larynx* (1988), 448
Green GM, *et al*, eds. *Year Book of Pulmonary Disease* 1988, (1988), 608.
Jamieson GG, ed: *Surgery of the Oesophagus* (1988), 159
Jamieson, GG, Duranceau A: *Gastroesophageal Reflux* (1987), 80
Merritt TA, Northway WH, Boynton BR: *Bronchopulmonary Dysplasia* (1988), 687
Murray JF, Nadel JA, eds: *Textbook of Respiratory Medicine Vol I* (1989), 832
O'Donnell SR, Persson CGA: *Directions for New Anti-asthma Drugs* (1988), 687
Rees J: *Diagnostic Tests in Respiratory Medicine* (1988), 448
Sarrazin R, Vrousos C, Vincent F: *Thymic Tumours* (1989), 687
Scharf SM, Cassidy SS, eds: *Heart-Lung Interactions in Health and Disease*, (1989), 1005
Schonfeld H: *Treatment Modalities in Lung Cancer* (1988), 448
Shneerson J: *Disorders of Ventilation* (1988), 607
Singleton DB, Wagner ML, Dutton RV: *Radiologic Atlas of Pulmonary Abnormalities in Children 2nd ed* (1988), 528
Sluiter HJ, van der Lende R: *Bronchitis IV 4th ed* (1989), 764
BOORSMA M. *See* KOËTER GH, 1022
BORYSIEWICZ LK. *See* SISSONS JGP, 241
Botulism: a potentially common problem (E), 901
BOURKE SJ, BANHAM SW, CARTER R, LYNCH P, BOYD G: Longitudinal course of extrinsic allergic alveolitis in pigeon breeders, 415
BOYD G. *See* BOURKE SJ, 415
Bracing, effect on respiratory mechanics in mild idiopathic scoliosis, 548
BRADBURNE RM, ETTENSOHN DB, OPAL SM, MCCOOL FD: Relapse of *Pneumocystis carinii* pneumonia in the upper lobes during aerosol pentamidine prophylaxis, 591; (*Letter*), 1060
BRADLEY GW: Antibodies to neutrophil cytoplasmic antigens in Wegener's granulomatosis and other conditions (*Letter*), 831
BRADLEY GW, CLOVER A: Apparent response of small cell lung cancer to an extract of mistletoe and homoeopathic treatment, 1047
BRAIDY J, BRETON G, CLEMENT L: Effect of corticosteroids on post-intubation tracheal stenosis, 753
Brain tissue, heterotopic, in the lung causing acute respiratory distress in an infant, 1045
Breathing patterns during sleep in nocturnal asthma (*Letter*), 527
BRECKENRIDGE IM. *See* ANGELINI GD, 721
——. *See* PARRY W, 72
BRENNAN SR. *See* KING AD, 523
BRETON G. *See* BRAIDY J, 753
BRISCOE D. *See* MCILLMURRAY MB, 215
BROK K-E. *See* HANSEN CP, 684
Bronchial artery embolisation for treating severe haemoptysis in cystic fibrosis, case of, 523
asthma at high altitude: clinical and laboratory study in Addis Ababa, 586
carcinoma recurring after external irradiation, diathermy resection and radioactive gold grains for palliation of obstruction due to, 48
casts associated with hilar lymphatic and pulmonary lymphoid abnormalities: case report, 226
hyperreactivity, asthma, and atopy in bronchiectasis, prevalence of, 948
hyperresponsiveness, effect of theophylline and enprofylline on, 1022
hyperresponsiveness in New Zealand schoolchildren, ethnic differences in prevalence, 168
hyperresponsiveness induced by platelet activating factor in man, effects of salbutamol, 102
obstruction, expandable metal stents in, 680
reactivity and lung function in farmers, 645
reactivity in non-asthmatic patients, effect of hyperthyroidism on, 603
responsiveness and airflow obstruction in asthmatic children, circadian change in, 803
responsiveness to histamine in normal subjects, effect of inhaled leukotriene B_4 alone and in combination with prostaglandin D_2, 491
Bronchiectasis, immunological component of cellular inflammatory infiltrate in, 668
prevalence of asthma, atopy, and bronchial hyperreactivity in, 948
Bronchioloalveolar carcinoma presenting as a thin walled cavity in a young man: case report, 230
Bronchiolitis, acute, in infancy: treatment and prognosis (E), 1
in infants, disturbance in respiratory mechanics, 660
obliterans organising pneumonia in patients taking acebutolol or amiodarone, 711
Bronchitis, chronic, and asthma, cellular characteristics of sputum from, 693
chronic, patients receiving almitrine or placebo, peripheral nerve function, 292

Bronchoalveolar lavage cell analysis in HIV related diseases, 289
lavage cell counts as a predictor of short term outcome in pulmonary sarcoidosis, 732
lavage fluid, immunocytological features of, and clinical indices in sarcoidosis, relation between, 501
lavage fluid in idiopathic pulmonary fibrosis, hyaluronan and type III procollagen peptide concentrations in, 126
lavage in sarcoidosis, prognostic value of, 6
lavage in talc induced lung disease (*Letter*), 607
Bronchocentric granulomatosis and aspergilloma complicating post-irradiation pulmonary fibrosis, case of, 676
Bronchoconstriction, histamine induced, in asthmatics, refractory period following, 146
induced by hypertonic saline, role of histamine release in, 650
induced by platelet activating factor in man: effects of salbutamol, 102
Bronchoconstrictor responses to sodium metabisulphite aerosol in atopic subjects with and without asthma, 1009
Bronchogenic carcinoma in patients over the age of 80: results of resection, 189
Bronchopleural fistula, squamous cell carcinoma of the pleura following, case of, 1053
Bronchopulmonary aspergillosis, allergic, pulmonary eosinophilia with and without, 919
Bronchoscopy, fibreoptic, sedation for (E), 769
fibreoptic, topical nasal anaesthesia: patients' preference for lignocaine gel, 674
flexible fibreoptic, severe methaemoglobinaemia after: case report, 234
of symptom free HIV infected patients for detection of pneumocystosis, 68
BROPHY C. *See* MIER A, 990
BROWNE K. *See* VENABLES KM, 760
BRUDERMAN I. *See* SHACHOR Y, 151
BRYAN AJ. *See* ANGELINI GD, 721
Budesonide, in vitro contractile and relaxant airway effects in rat, effect of three weeks' treatment with, 24
Bullae, ephysematous, origin and behaviour of, 533
BURGE PS. *See* BONE MF, 654
——. *See* WEIR DC, 220, 446
BURGESS C. *See* CRANE J, 136, 767
BURGESS S. *See* ONG ELC, 739
BURKE M. *See* HANGARTNER JRW, 154
BURKE P: Attitudes to smoking and smoking habit among the staff of a hospital (*Letter*), 765
BURNEY PGJ, NEILD JE, TWORT CHC, CHINN S, JONES TD, MITCHELL WD, BATEMAN C, CAMERON IR: Effect of changing dietary sodium on the airway response to histamine, 36
BURROWS B. *See* CLINE MG, 425
BUSSCHER DLT. *See* DE JONG PM, 230
BUTLAND RJ. *See* LOBO AJ, 78

C

CALVERLEY PMA. *See* SMITH PEM, 997, 1002
CAMERON EWJ. *See* PRASAD US, 784
CAMERON IR. *See* BURNEY PGJ, 36
CAMPANELLA C. *See* AU J, 236
CAMPBELL P, NEIL T, WAKE PN: Horner's syndrome caused by an intercostal chest drain, 305
CAMUS P, LOMBARD J-N, PERRICHON M, PIARD F, GUÉRIN J-C, THIVOLET FB, JEANNIN L: Bronchiolitis obliterans organising pneumonia in patients taking acebutolol or amiodarone, 711
CANT BR. *See* WALKER EB, 205
CAPEWELL S, CHAPMAN BJ, ALEXANDER F, GREENING AP, CROMPTON GK: Corticosteroid treatment and prognosis in pulmonary eosinophilia, 925
CAPEWELL S. *See also* CHAPMAN BJ, 919
CAPRON F. *See* DE FENOYL O, 956
Captopril: renal and pulmonary effects in chronic hypoxic lung disease, 513
Carbon. *See* Activated carbon
Carbon monoxide, transfer factor for, in diabetes with and without microangiopathy (*Letter*), 446
Carcinoid tumour, malignant, of the oesophagus, case of, 594
tumour, pulmonary, and synchronous non-Hodgkin's lymphoma: report of two cases, 516
Carcinoma, bronchial, recurring after external irradiation, diathermy resection and radioactive gold grains for palliation of obstruction due to, 48
bronchioloalveolar, presenting as a thin walled cavity in a young man: case report, 230
bronchogenic, in patients over the age of 80: results of resection, 189
of lung, primary, second: importance of long term follow up, 788
of oesophagus in Transkei: intubation, 42
of rectum, metastatic, causing spontaneous pneumothorax (*Letter*), 80
small cell, of lung: apparent response to an extract of mistletoe and homoeopathic treatment, 1047
small cell, of lung, etoposide compared with combination of vincristine, doxorubicin, and cyclophosphamide, 215
small cell, of lung, long term survival after pulmonary resection, 784
small cell, of lung, phase II study of oral etoposide in elderly patients, 631
small cell, of oesophagus, combined chemotherapy and surgical resection: two cases and review, 751
small cell, of oesophagus: three cases and review, 749
squamous cell, of the pleura, following bronchopleural fistula, case of, 1053
Cardiac angiosarcoma, primary, causing rupture of the heart and spontaneous bilateral pneumothorax: case report, 78
sarcoidosis (E), 371
tamponade due to pericardial actinomycosis from a contiguous thoracic lesion: case report, 442
Cardiopulmonary response to oxygen therapy in hypoxaemic chronic airflow obstruction, 930
Cardiovascular and hypokalaemic effects of inhaled salbutamol, fenoterol, and isoprenaline, 136; (*Letter*) 767
CARNEY DN. *See* SMIT EF, 631
CARSWELL F. *See* HENDERSON AJW, 410
CARROLL N, BAIN RJI, TSEUNG MH, EDWARDS RHT: Tuberculous retropharyngeal abscess producing respiratory obstruction, 599
CARTER R. *See* BOURKE SJ, 415
CARTIER A. *See* LAGIER F, 157
CARVALHO CRR DE, AMATO MBP, DA SILVA LMMF, BARBAS CS, KAIRALLA RA, SALDIVA PHN: Obstructive respiratory failure in cicatricial pemphigoid, 601
CASEY MP. *See* KOTLER RL, 234
CAUL EO. *See* ONG ELC, 739
CAYTON RM. *See* FREEMAN W, 942
ÇETIN G. *See* DOĞAN R, 192
CHAMBERLAIN D. *See* SLINGERLAND JM, 212
CHAN HS. *See* PANG J, 948
CHAN N, SILVERMAN M: Repeatability of ventilatory function measurements in a population survey of seven year old children (*Letter*), 1059
CHAPMAN BJ, CAPEWELL S, GIBSON R, GREENING AP, CROMPTON GK: Pulmonary eosinophilia with and without allergic bronchopulmonary aspergillosis, 919
CHAPMAN BJ. *See also* CAPEWELL S, 925
CHAUHAN MS. *See* TEWARI SC, 824
Chest, acute. *See* Acute chest syndrome
drain, intercostal, causing Horner's syndrome: case report, 305
pain, anginal, in sarcoidosis, 391
trauma, blunt, causing coronary artery-left ventricular fistula and multiple ventricular septal defects, case of, 1055
Chickenpox pneumonia: an association with pregnancy, case of, 812
CHINN S. *See* BURNEY PGJ, 36
CHOTT A. *See* POELZLEITNER D, 438
CHRISTIE J. *See* SINGH R, 952
CHUNG KF, BARNES PJ: Effects of platelet activating factor on airway calibre, airway responsiveness, and circulating cells in asthmatic subjects, 108

CHUNG KF, DENT G, BARNES PJ: Effects of salbutamol on bronchoconstriction, bronchial hyperresponsiveness, and leucocyte responses induced by platelet activating factor in man, 102
CHUNG KF. *See also* NICHOL GM, 1009
——. *See also* SEDDON DJ, 519
Chylopericardium as a complication of mitral valve replacement: case report, 74
Cicatricial pemphigoid, obstructive respiratory failure in, case of, 601
Circadian change in bronchial responsiveness and airflow obstruction in asthmatic children, 803
rhythm of peak expiratory flow in asthmatic and normal children, 410
CLARK AR. *See* NEWMAN SP, 706
CLARK JV. *See* MARKUS HS, 525
CLARK TJH. *See* WIGGINS J, 440
CLARKE SW. *See* NEWMAN SP, 706
——. *See* SIMONDS AK, 680
CLAYPOOL WD. *See* SLUTZKER AD, 442
CLEMENT L. *See* BRAIDY J, 753
CLINE MG, BURROWS B: Distribution of allergy in a population sample residing in Tucson, Arizona (*Research Overview*), 425
CLOVER A. *See* BRADLEY GW, 1047
Coeliac disease, disseminated T cell lymphoma presenting with tracheal obstruction in: long term survival after treatment, 519
COLE PJ. *See* SILVA JRLE, 668
COLEBATCH HJH. *See* THOMPSON MJ, 725
COLLIER DAW. *See* BELL D, 446
COLLINS JV. *See* HANSON PJV, 778
Colopleural fistula due to strangulated Bochdalek hernia in an adult, 762
Computed tomography showing anomalous pulmonary venous drainage, 63
CONNOLLY CK. *See* BONE MF, 654
——. *See* FARR BM, 1031
CONNOLLY MJ, STENTON SC, AVERY AJ, WALTERS EH, HENDRICK DJ: Refractory period following bronchoconstriction provoked by histamine in asthmatic subjects, 146
COOKSON WOCM. *See* DURHAM SR, 582
COOPER BG. *See* SWINBURN CR, 716
COOREMAN J, PRETET S: Attitudes to smoking and smoking habit among the staff of a hospital (*Letter*), 765
COPLAND J. *See* HUNT JM, 930
CORAL AP. *See* FOLEY NM, 732
CORMIER Y, BÉLANGER J: The fluctuant nature of precipitating antibodies in dairy farmers, 469
CORMIER Y. *See also* SÉRIÈS F, 52, 275, 521
CORNBLEET MA. *See* ECCLES DM, 749
Coronary artery bypass surgery: current practice in the UK, 721
artery-left ventricular fistula and multiple ventricular septal defects due to blunt chest trauma, case of, 1055
artery surgery, physiotherapy after: are breathing exercises necessary?, 634
artery surgery using the internal mammary artery and saphenous vein, lung function after, 209
Corrections, 160, 833
CORRIN B. *See* MOSS SF, 432
——. *See* VAN BODEGOM PC, 788
——. *See* WIGGINS J, 226, 440
CORRIS PA. *See* DARK J, 689
——. *See* SWINBURN CR, 434, 716
Corticosteroids, effect on post-intubation tracheal stenosis, case of, 753
inhaled, changes in maximum expiratory flow-volume curve configuration after, 1015
inhaled, nedocromil sodium in adults with asthma dependent on, 654
treatment and prognosis in pulmonary eosinophilia, 925
Cortisol, diurnal variation in serum concentrations in asthmatic subjects after allergen inhalation, 582
COTES JE: Predicted values: how should we use them? (*Letter*), 240
COTES JE. *See also* KING B, 402
COTTON MH, SAMMON AM: Carcinoma of the oesophagus in Transkei: treatment by intubation, 42
CRADDOCK CF. *See* DURHAM SR, 582
CRANE J, BURGESS C, BEASLEY R: Cardiovascular and hypokalaemic effects of inhaled salbutamol, fenoterol, and isoprenaline, 136; (*Letter*), 767
CROMPTON GK. *See* CAPEWELL S, 925
——. *See* CHAPMAN BJ, 919
CSUKAS M *See* BISHOP JM, 85
CULLEN MH. *See* WALKER SJ, 751
CUMBERLAND DC. *See* KING AD, 523
CUMMING D. *See* ELLIOTT JA, 820
CURRIE DC. *See* MOSS SF, 432
CURULL V. *See* ORRIOLS R, 132
CUSHLEY M. *See* BEASLEY R, 200
Cutaneous hypersensitivity, impaired non-specific delayed, in bird fancier's lung, 132
Cyclophosphamide and low dose prednisolone compared with prednisolone alone in cryptogenic fibrosing alveolitis, 280
vincristine, doxorubicin, combination of, compared with etoposide in small cell lung cancer, 215
Cystic fibrosis, effect of exercise and physiotherapy in aiding sputum expectoration in adults with, 1006
fibrosis, infective exacerbations in young adults with: role of viruses and atypical microorganisms, 739
fibrosis, management of severe haemoptysis by bronchial artery embolisation, case of, 523
fibrosis, sarcoidosis in an adult with, 829
Cysts, hydatid, of the lung, surgical treatment: report of 1055 patients, 192
Cytomegalovirus infection, human (E), 241
Cytoplasmic antigens of neutrophils in Wegener's granulomatosis and other conditions, antibodies to, 373; (*Letter*), 831
components of neutrophils, significance of antibodies to (E), 369

D

DAHL R. *See* IVERSEN M, 645
Dairy farmers, fluctuant nature of precipitating antibodies in, 469
DALES RE. *See* ERNST P, 116
DALTON HR. *See* WEBB AR, 674
DANIEL PT, HOLZSCHUH J, BERG PA: Sulfadoxine specific lymphocyte transformation in a patient with eosinophilic pneumonia induced by sulfadoxine-pyrimethamine (Fansidar), 307
DARBYSHIRE JH. *See* JOHNSON MA, 280
DARK J, CORRIS PA: The current state of lung transplantation (E), 689
DA SILVA LMMF. *See* CARVALHO CRR DE, 601
DAVENPORT A. *See* WILLIAMS AJ, 159
DAVIDSON AC. *See* WINTER RJD, 58
DAVIES M. *See* BHUYAN U, 480
DAVIES PDO, RAJAN K: Attitudes to smoking and smoking habit among the staff of a hospital, 378; (*Letter*), 765
DAVISKAS E. *See* YOUNG IH, 387
DAVISON AG. *See* VENABLES KM, 760
DE FENOYL O, CAPRON F, LEBEAU B, ROCHEMAURE J: Transbronchial biopsy without fluoroscopy: a five year experience in outpatients, 956
DE JONG PM, BUSSCHER DLT, BAKKER W: Bronchioloalveolar carcinoma presenting as a thin walled cavity in a young man: case report, 230
DELANEY JC. *See* ZUK JA, 678
DENBURG J. *See* GIBSON PG, 693
DENISON DM. *See* MILLAR AB, 485
DENT G. *See* CHUNG KF, 102
DENT RG. *See* BONE MF, 654
DEREMEE RA. *See* SPECKS U, 369
DE VUYST P, DUMORTIER P, LEOPHONTE P: Bronchoalveolar lavage in talc induced lung disease (*Letter*), 607
Dextrocardia and situs inversus, total oesophageal duplication associated with, case of, 1049
Diabetes mellitus, hypoxia and hypercapnia in, ventilatory and heart rate responses, 251
with and without microangiopathy, transfer factor for carbon monoxide in (*Letter*), 446
Diaphragm weakness, twitch pressures in the assessment of, 990

Diaphragmatic activation in chronic airflow limitation, 903
paresis: pathophysiology, clinical features, and investigation (*Review*), 960
Diathermy resection and radioactive gold grains for palliation of obstruction due to recurrence of bronchial carcinoma after external irradiation, 48
DICK R. *See* SIMONDS AK, 680
DIEBOLD B. *See* LAABAN JP, 396
Dietary sodium, changing, effect on airway response to histamine, 36
DILWORTH JP, HIGGS CMB, JONES PA, WHITE RJ: Prescription of oxygen concentrators: adherence to published guidelines, 576
DI TOLLA R. *See* RICCI C, 455
Diurnal variations in serum cortisol concentrations in asthmatic subjects after allergen inhalation, 582
DODD M. *See* ONG ELC, 739
——. *See* SALH W, 1006
DOĞAN R, YÜKSEL M, ÇETIN G, SÜZER K, ALP M, KAYA S, ÜNLÜ M, MOLDIBI B: Surgical treatment of hydatid cysts of the lung: report on 1055 patients, 192
DOLLERY CT. *See* BLACK PN, 491
DOLOVICH J. *See* GIBSON PG, 693
——. *See* LAGIER F, 157
DOMEJ W. *See* FELLBAUM C, 70
DONNELLY RJ. *See* MUEHRCKE DD, 141
Doppler echocardiography of the inferior vena cava in chronic airflow obstruction, detection of pulmonary hypertension by, 396
DOUGLAS NJ. *See* JEFFREY AA, 1036
——. *See* MORGAN AD, 527
——. *See* WHYTE KF, 579
Doxorubicin, cyclophosphamide, vincristine, combination of, compared with etoposide in small cell lung cancer, 215
DOYLE L: An early report of growth of an *Aspergillus* species on the wall of a lung cavity, 66
DU BOIS RM. *See* AINSLIE GM, 501
——. *See* MILBURN HJ, 570
Duchenne muscular dystrophy, oxygen treatment of sleep hypoxaemia in, 997
muscular dystrophy, protriptyline treatment of sleep hypoxaemia in, 1002
DUGGAN CJ, GRINNELL VS, PIGGOTT PC: Successful percutaneous balloon occlusion of a large pulmonary arteriovenous malformation, 76
DUMORTIER P. *See* DE VUYST P, 607
Duplex sonography showing anomalous pulmonary venous drainage, 63
DURHAM SR, KEENAN J, COOKSON WOCM, CRADDOCK CF, BENSON MK: Diurnal variation in serum cortisol concentrations in asthmatic subjects after allergen inhalation, 582
Dusty environment, relation of airway responsiveness to duration of work in, 116

E

EBRAHIM S. *See* LITTLEJOHNS P, 797
ECCLES DM, ALLAN SG, SANG CTM, CORNBLEET MA: Small cell carcinoma of the oesophagus: report of three cases and review of published cases, 749
Echocardiography *See* Doppler echocardiography
EDGE JR. *See* MCILLMURRARY MB, 215
Editorials
Acute bronchiolitis in infancy: treatment and prognosis, 1
Asthma: epidemics and epidemiology, 609
Botulism: a potentially common problem, 901
Cardiac sarcoidosis, 371
Current state of lung transplantation, 689
Human cytomegalovirus infection, 241
Hypoxia, almitrine, and peripheral neuropathy, 247
Is current treatment increasing asthma mortality and morbidity? 81
Missing link from Tibet, 981
Muscarinic receptor subtypes: implications for lung disease, 161
Sedation for fibreoptic bronchoscopy, 769
Significance of antibodies to cytoplasmic components of neutrophils, 369
Treatment of pulmonary disease caused by opportunist mycobacteria, 449
EDWARDS CW. *See* MORGAN MDL, 533
EDWARDS RHT. *See* CARROLL N, 599
——. *See* SMITH PEM, 997, 1002
EICHACKER PQ. *See* ROTHSTEIN MS, 510
EKSTRÖM T, LINDGREN BR, TIBBLING L: Effects of ranitidine treatment on patients with asthma and a history of gastro-oesophageal reflux: a double blind crossover study, 19
ELLIOTT JA, MILNE LJR, CUMMING D: Chronic necrotising pulmonary aspergillosis treated with itraconazole, 820
ELLIS ME. *See* ONG ELC, 739
Embolotherapy, percutaneous, of large pulmonary arteriovenous malformation, 76
Emphysema, severe, and hepatic disease, with associated heterozygous FZ α_1 antitrypsin deficiency, case of, 758
Emphysematous bullae, origin and behaviour of, 533
Empyema, bilateral, and purulent pericarditis due to *Haemophilus influenzae* capsular type b (*Letter*), 80
Enprofylline and theophylline, effect on bronchial hyperresponsiveness, 1022
Eosinophilia, pulmonary, corticosteroid treatment and prognosis in, 925
pulmonary, with and without allergic bronchopulmonary aspergillosis, 919
Eosinophilic pleural effusion, Q fever pneumonia presenting as: case of, 228
pneumonia induced by sulfadoxine pyrimethamine (Fansidar), sulfadoxine specific lymphocyte transformation in, case of, 307
ERNST P, DALES RE, NUNES F, BECKLAKE MR: Relation of airway responsiveness to duration of work in a dusty environment, 116
ESMONDE TF, HERDMAN G, ANDERSON G: Chickenpox pneumonia: an association with pregnancy, 812
Etoposide compared with combination of vincristine, doxorubicin, and cyclophosphamide in small cell lung cancer, 215
oral, in elderly patients with small cell lung cancer, phase II study of, 631
ETTENSOHN DB, REDONDO AA, KHAN M, KESSIMAN N: Bronchoalveolar lavage in talc induced lung disease (*Letter*), 607
ETTENSOHN DB. *See also* BRADBURNE RM, 591, 1060
EVANS TW. *See* MOSS SF, 432
EVERS JAM. *See* JAVAHERI S, 121
Exercise against gravity in chronic obstructive airways disease, adverse effect of additional weight on, 716
and physiotherapy in aiding sputum expectoration in adults with cystic fibrosis, 1006
capacity and lung function in relation to mood and attitudes to health, 402
changes in serum potassium concentrations in asthmatic and normal subjects during, 605
endurance in chronic lung disease, effect of low dose nebulised morphine, 387
induced asthma, dose-response study of nedocromil sodium in, 816
performance and nutritional state in chronic obstructive lung disease, 937
performance, maximal, in men with mild asthma, effect of nebulised salbutamol on, 942
responses in patients treated for pulmonary tuberculosis by thoracoplasty, 268
Expiratory flow *See* Peak expiratory flow
flow-volume curve, maximum, changes in configuration after inhaled corticosteroids, 1015

F

Fansidar *See* Sulfadoxine-pyrimethamine
Farmers, lung function and bronchial reactivity in, 645
FARR BM, KAISER DL, HARRISON BDW, CONNOLLY CK: Prediction of microbial aetiology at admission to hospital for pneumonia from the presenting clinical features, 1031

FELLBAUM C, DOMEJ W, POPPER H: Rheumatoid arthritis with extensive lung lesions, 70
FELLBAUM C. *See also* JUETTNER FM, 516
Fenoterol, isoprenaline, and salbutamol, inhaled: cardiovascular and hypokalaemic effects, 136, (*Letter*), 767
Fibreoptic bronchoscopy *See* Bronchoscopy
FINNEGAN MJ, HODSON ME: Prolonged hypoxaemia following inhalation of hydrogen chloride vapour: case report, 238
Fistula, bronchopleural, squamous cell carcinoma of the pleura following, case of, 1053
colopleural, due to strangulated Bochdalek hernia in an adult, case of, 762
coronary artery-left ventricular, and multiple ventricular septal defects due to blunt chest trauma, case of, 1055
FITZGERALD MS. *See* WARD K, 6
FIZ JA, MONTSERRAT JM, PICADO C, PLAZA V, AGUSTI-VIDAL A: How many manoeuvres should be done to measure maximal inspiratory mouth pressure in patients with chronic airflow obstruction?, 419
FLEMING JS. *See* OLIVER RM, 513
Flow-volume curve *See* Expiratory flow-volume curve
FOLEY NM, CORAL AP, TUNG K, HUDSPITH BN, JAMES DG, JOHNSON NMCI: Bronchoalveolar lavage cell counts as a predictor of short term outcome in pulmonary sarcoidosis, 732
FONTAN-BUESO J. *See* VEREA-HERNANDO H, 822
FORSYTH A. *See* JENKINS SC, 209
FRANCONIERI N. *See* GIANOTTI A, 527
FREEMAN R. *See* SWINBURN CR, 434
FREEMAN W, PACKE GE, CAYTON RM: Effect of nebulised salbutamol on maximal exercise performance in men with mild asthma, 942
FRIEDLAND JS. *See* PORTER JC, 766
FRITH RW. *See* WALKER EB, 205
FULLER C, GIBBS AR: Heterotopic brain tissue in the lung causing acute respiratory distress in an infant, 1045
FULLER RW. *See* BLACK PN, 491

G

GANDEVIA SC. *See* NEWELL SZ, 903
Gardener, locally invasive pulmonary aspergillosis in, 678
Gastro-oesophageal reflux, effects of ranitidine on patients with asthma and a history of, 19
GEDDES DM. *See* WIGGINS J, 226
GIANOTTI A, FRANCONIERI N: Breathing patterns during sleep in patients with nocturnal asthma (*Letter*), 527
GIBBONS P. *See* SINHA M, 762
GIBBS AR. *See* FULLER C, 1045
GIBBS AR. *See* MAKKER H, 676
GIBSON GJ: Diaphragmatic paresis: pathophysiology, clinical features, and investigation (*Review*), 960
GIBSON GJ. *See also* ROBERTSON DR, 461
——. *See also* SWINBURN CR, 716
GIBSON PG, GIRGIS-GABARDO A, MORRIS MM, MATTOLI S, KAY JM, DOLOVICH J, DENBURG J, HARGREAVE FE: Cellular characteristics of sputum from patients with asthma and chronic bronchitis, 693
GIBSON R. *See* CHAPMAN BJ, 919
GIRGIS-GABARDO A. *See* GIBSON PG, 693
Glasgow, western: malignant pleural mesothelioma 1980–6, 496
GOLGAR D. *See* HUEBSCH P, 63
GODFREY S. *See* AVITAL A, 298
GODFREY-FAUSSETT P. *See* GRIFFITHS MGH, 554
——. *See* MILLER RF, 565
Gold grains, radioactive, with diathermy resection, for palliation of obstruction due to recurrences of bronchial carcinoma after external irradiation, 48
GOLDSTRAW P. *See* LEDINGHAM SJM, 48
GORDON I. *See* BHUYAN U, 480
GOULD FK. *See* SWINBURN CR, 434
Granulomatosis, bronchocentric, and aspergilloma complicating postirradiation pulmonary fibrosis, case of, 676
GREEN M. *See* LAROCHE CM, 913
——. *See* MIER A, 990
GREENING AP. *See* CAPEWELL S, 925
——. *See* CHAPMAN BJ, 919
GREGG E: Is current treatment increasing asthma mortality and morbidity; (*Letter*), 686
GREGORIS A. *See* BASILE A, 232
GREVE LH. *See* SCHOLS AMWJ, 937
GREWAL HP, LEVERMENT JN: Total oesophageal duplication associated with dextrocardia and situs inversus, 1049
GRIFFITHS M. *See* SHERON N, 597
GRIFFITHS MH, KOCJAN G, MILLER RF, GODFREY-FAUSSETT P: Diagnosis of pulmonary disease in human immunodeficiency virus infection: role of transbronchial biopsy and bronchoalveolar lavage, 554
GRIGG JA. *See* WEBB AR, 674
GRINNELL VS. *See* DUGGAN CJ, 76
GROSSMAN RF. *See* SLINGERLAND JM, 212
GUÉRIN J-C. *See* CAMUS P, 711
GUGGER M: Changes in serum potassium concentration in asthmatic and normal subjects during exercise, 605
GUHA T. *See* PRABHAKAR G, 1053
GUIDETTI AS, PIK A, PEER A, SHIKIAR S, BEN-YAAKOV D: Haemoptysis as the sole presenting symptom of dissection of the aorta, 444
GUITART R. *See* BALLESTER E, 258
GUSTAFSSON B, PERSSON CGA: Effect of three weeks' treatment with budesonide on in vitro contractile and relaxant airway effects in the rat, 24

H

Haemodialysis in chronic renal failure, fall in peak expiratory flow (*Letter*), 159
Haemophilus influenzae capsular type b, causing bilateral empyema and purulent pericarditis (*Letter*), 80
influenzae type b infection in adults (*Letter*), 313
Haemoptysis as sole presenting symptom of aortic dissection, case of, 444
severe, in cystic fibrosis, management by bronchial artery embolisation, case of, 523
HALLAS T. *See* IVERSEN M, 645
HÄLLGREN R. *See* BJERMER L, 126
Hamartoma, pulmonary, benign, malignant change in: case report, 232
HANGARTNER JRW, LOOSEMORE TM, BURKE M, PEPPER JR: Malignant primary pulmonary paraganglioma, 154
HANNING CD: Minitracheotomy: a simple alternative to tracheostomy in obstructive sleep apnoea (*Letter*), 766
HANSEN CP, WESTH H, BROK K-E, JENSEN R, BERTELSEN S: Bacteraemia following orotracheal intubation and oesophageal balloon dilatation, 684
HANSEN-FLASCHEN J. *See* KOTLER RL, 234
HANSON PJV, COLLINS JV: AIDS, aprons, and elbow grease: preventing the nosocomial spread of human immunodeficiency virus and associated organisms (*AIDS and the Lung I*), 778
HARDING DA. *See* WALKER EB, 205
HARFORD P. *See* SMIT EF, 631
HARGREAVE FE. *See* GIBSON PG, 693
HARRIES MG. *See* BLUNT SB, 436
HARRISON AC. *See* PATTEMORE PK, 168
HARRISON BDW. *See* FARR BM, 1031
HARRISON DJ, SIMPSON R, KHARBANDA R, ABERNETHY VE, NIMMO G: Antibodies to neutrophil cytoplasmic antigens in Wegener's granulomatosis and other conditions, 373; (*Letter*), 831
HASAN A, MCGUIGAN J, MORGAN MDL, MATTHEWS HR: Minitracheotomy: a simple alternative to tracheostomy in obstructive sleep apnoea: case report, 224; (*Letter*), 766
HASLETON PS, ORR K, WEBSTER A, LAWSON RAM: Evolution of acute chest syndrome in sickle cell trait: an ultrastructural and light microscopic study, 1057
HEAF DP. *See* O'HALLORAN SM, 620, 700
Health, attitudes to, and mood in relation to lung function and exercise capacity, 402

Heart rate and ventilatory responses to hypoxia and hypercapnia in diabetes mellitus, 251
rupture, and spontaneous bilateral pneumothorax, caused by primary cardiac angiosarcoma, case of, 78
HEATH D: Missing link from Tibet (E), 981
HELMS P. *See* BHUYAN U, 480
HENDERSON AJW, CARSWELL F: Circadian rhythm of peak expiratory flow in asthmatic and normal children, 410
HENDRICK DJ: Asthma: epidemics and epidemiology (E), 609
——. *See* CONNOLLY MJ, 146
HENDY MS. *See* WEIR D, 446
Henoch-Schönlein purpura, pulmonary haemorrhage in, case of, 525
Hepatic disease and severe emphysema with associated FZ α_1 antitrypsin deficiency, case of, 758
HERDMAN G. *See* ESMONDE TF, 812
Hernia, Bochdalek, strangulated, in an adult, colopleural fistula due to, 762
HERTZ J. *See* LUNDGREN JD, 68
HIGGS CMB. *See* DILWORTH JP, 576
Hilar lymphatic abnormalities associated with bronchial casts: case report, 226
HILTON CJ. *See* RENZULLI A, 1055
HIROTA N. *See* SHIRAKUSA T, 189
Histamine, airway response to, effect of changing dietary sodium, 36
bronchial responsiveness to, in normal subjects, effect of inhaled leukotriene B_4 alone and in combination with prostaglandin D_2, 491
induced bronchoconstriction in asthmatics, refractory period following, 146
induced plasma leakage in nasal airways: reversibility and reproducibility, 13
release in hypertonic saline induced bronchoconstriction, 650
HIV disease, antiretroviral treatment in (*AIDS and the Lung*), 971
infection, diagnosis of pulmonary disease in, 554
infection: prevention of associated lung infections (*AIDS and the Lung*), 1038
preventing the nosocomial spread of (*AIDS and the Lung*), 778
related diseases, bronchoalveolar lavage cell analysis in, 289
symptom free infected patients, bronchoscopy for detection of pneumocystosis in, 68
HJEMDAHL P. *See* LARSSON K, 767
HODSON ME. *See* FINNEGAN MJ, 238
HOLGATE ST. *See* BEASLEY R, 200
HOLLAND WW. *See* BACKHOUSE A, 529
HOLZSCHUH J. *See* DANIEL PT, 307
Homoeopathic treatment and an extract of mistletoe, apparent response of small cell lung cancer to, case of, 1047
HOOPER TL. *See* SWINBURN CR, 434
HOPEWELL PC: Prevention of lung infections associated with human immunodeficiency virus infection (*AIDS and the Lung 3*), 1038
Horner's syndrome caused by an intercostal chest drain, case of, 305
HORSFIELD N. *See* MCILLMURRAY MB, 215
HOWARD P: Hypoxia, almitrine, and peripheral neuropathy (E), 247
HUDSON I. *See* KENNEDY JD, 548
——. *See* SEIDENBERG J, 660
HUDSPITH BN. *See* FOLEY NM, 732
HUEBSCH P, NEUHOLD A, MAYR H, GLOGAR D: Anomalous pulmonary venous drainage shown by duplex sonography, computed tomography, and plain radiography, 63
HUEBSCH P. *See also* POELZLEITNER D, 438
HULANDS G. *See* THOMAS PS, 382
HULKS G, THOMAS JSTJ, WACLAWSKI E: Malignant pleural mesothelioma in western Glasgow 1908–6, 496
Human immunodeficiency virus *See* HIV
HUNT JM, COPLAND J, MCDONALD CF, BARTER CE, ROCHFORD PD, PIERCE RJ: Cardiopulmonary response to oxygen therapy in hypoxaemic chronic airflow obstruction, 930
Hyaluronan and type III procollagen peptide concentrations in bronchoalveolar lavage fluid in idiopathic pulmonary fibrosis, 126
Hydatid cysts of the lung, surgical treatment: report on 1055 patients, 192
Hydrogen chloride vapour inhalation, prolonged hypoxaemia following: case report, 238
Hypercapnia and hypoxia in diabetes mellitus, ventilatory and heart rate responses to, 251
contractility of papillary muscle from rats exposed to, 808
Hypertension, pulmonary, hypoxic secondary, atrial natriuretic peptide concentrations in, 58
pulmonary, in chronic airflow obstruction, detection by Doppler echocardiography of the inferior vena cava, 396
systemic, and sleep apnoea (*Review*), 984
Hyperthyroidism, effect on bronchial reactivity in non-asthmatic patients, 603
Hypokalaemic and cardiovascular effects of inhaled salbutamol, fenoterol, and isoprenaline, 136; (*Letter*), 767
Hypoxaemia, prolonged, following inhalation of hydrogen chloride vapour, case of, 238
sleep related, in Duchenne muscular dystrophy, oxygen treatment of, 997
sleep related, in Duchenne muscular dystrophy, protriptyline treatment of, 1002
Hypoxia, almitrine, and peripheral neuropathy (E), 247
and hypercapnia in diabetes mellitus, ventricular and heart rate responses to, 251
contractility of papillary muscle from rats exposed to, 808
Hypoxic secondary pulmonary hypertension, atrial natriuretic peptide concentrations in, 58

I

Inferior vena cava: Doppler echocardiography for detection of pulmonary hypertension in chronic airflow obstruction, 396
Inspiratory mouth pressure, maximal, in chronic airflow obstruction, how many manoeuvres needed to measure? 419
muscle strength and endurance in chronic airflow limitation, 903
Intercostal chest drain causing Horner's syndrome, case of, 305
Intubation, orotracheal, and oesophageal balloon dilatation, bacteraemia following, 684
tracheal stenosis after, effect of corticosteroids, case of, 753
Ipratropium bromide, nebulised, causing supraventricular tachycardia, case of, 312
IRIKI N. *See* SHIRAKUSA T, 189
IRVING JD. *See* SIMONDS AK, 680
Iscador *See* Mistletoe extract
Isoprenaline, salbutamol, fenoterol, inhaled, cardiovascular and hypokalaemic effects of, 136; (*Letter*), 767
Itraconazole in chronic necrotising pulmonary aspergillosis, case report, 820
IVERSEN J. *See* LUNDGREN JD, 68
IVERSEN M, DAHL R, JENSEN EJ, KORSGAARD J: Lung function and bronchial reactivity in farmers, 645
IWASAKI T. *See* SHIRAKUSA T, 189

J

JAMES DG. *See* FOLEY NM, 732
JAVAHERI S, EVERS JAM, TEPPEMA LJ: Increase in ventilation caused by aminophylline in the absence of changes in ventral medullary extracellular fluid pH and carbon dioxide tension, 121
JAYASWAL R. *See* TEWARI SC, 824
JEANNIN L. *See* CAMUS P, 711
JEFFERY PK. *See* WIGGINS J, 226
JEFFREY AA, RAY S, DOUGLAS NJ: Accuracy of inpatient oxygen administration, 1036
JENKINS SC, SOUTAR SA, FORSYTH A, KEATES JRW, MOXHAM J: Lung function after coronary artery surgery using the internal mammary artery and the saphenous vein, 209
——, ——, LOUKOTA JM, JOHNSON LC, MOXHAM J: Physiotherapy after coronary artery surgery: are breathing exercises necessary? 634
JENNINGS PE. *See* WEIR D, 446
JENSEN EJ. *See* IVERSEN M, 645

JENSEN R. *See* HANSEN CP, 684
JEYASINGHAM K. *See* AL-ZEERAH M, 1027
JIMENEZ P. *See* PLAZA V, 289
JOHNSON CE. *See* MCILLMURRAY MB, 215
JOHNSON DC: Predicted values: how should we use them? (*Letter*), 527
JOHNSON LC. *See* JENKINS SC, 634
JOHNSON MA, KWAN S, SNELL NJC, NUNN AJ, DARBYSHIRE JH, TURNER-WARWICK M: Randomised controlled trial comparing prednisolone alone with cyclophosphamide and low dose prednisolone in combination in cryptogenic fibrosing alveolitis, 280
JOHNSON NMCI. *See* FOLEY NM, 732
——. *See* SHERON N, 597
JONES JAH. *See* SILVA JRLE, 668
JONES PA. *See* DILWORTH JP, 576
JONES S. *See* WEIR DC, 220
JONES TD. *See* BURNEY PGJ, 36
JONKMAN JHG. *See* KOËTER GH, 1022
JOSHI RC. *See* SINGH R, 952
JUETTNER FM, FELLBAUM C, POPPER H, LEHNERT M, NEUBAUER M, WAGNER W, BECKER H: Synchronous pulmonary carcinoid tumour and non-Hodgkin's lymphoma: report of two cases, 516

K

KAIRALLA RA. *See* CARVALHO CRR DE, 601
KAISER DL. *See* FARR BM, 1031
KAPLAN DK. *See* MUEHRCKE DD, 141
KAPOOR R. *See* SHARMA BK, 978
KARAKUZU M: Does right ventricular function predict survival in patients with chronic obstructive lung disease? (*Letter*), 447
KAUL SK. *See* TEWARI SC, 824
KAWAKAMI Y. *See* NISHIMURA M, 251
KAY JM. *See* GIBSON PG, 693
KAYA S. *See* DOĞAN R, 192
KEAL EE. *See* STEINFORT CL, 310
KEANEY NP. *See* BONE MF, 654
KEATES JRW. *See* JENKINS SC, 209
KEENA VA. *See* YOUNG IH, 387
KEENAN J. *See* DURHAM SR, 582
KELLY CP, TYRRELL DNM, MCDONALD GSA, WHITEHOUSE DB, PRICHARD JS: Heterozygous FZ α_1 antitrypsin deficiency associated with severe emphysema and hepatic disease: case report and family study, 758
KENNEDY JD, ROBERTSON CF, HUDSON I, PHELAN PD: Effect of bracing on respiratory mechanics in mild idiopathic scoliosis, 548
KENNEDY SC. *See* SINHA M, 762
KESSIMAN N. *See* ETTENSOHN DB, 607
KHALIL YF. *See* PARRY W, 72
KHAN M. *See* ETTENSOHN DB, 607
KHARBANDA R. *See* HARRISON DJ, 373
KING AD, CUMBERLAND DC, BRENNAN SR: Management of severe haemoptysis by bronchial artery embolisation in a patient with cystic fibrosis, 523
KING B, COTES JE: Relation of lung function and exercise capacity to mood and attitudes to health, 402
KING D. *See* ZUK JA, 678
KINNEAR WJM. *See* PHILLIPS MS, 268
KISHI F. *See* NISHIMURA M, 251
KNOL K: Attitudes to smoking and smoking habit among the staff of a hospital (*Letter*), 765
——. *See also* VAN AALDEREN WMC, 803
KOCJAN G. *See* GRIFFITHS MH, 554
KOËTER GH, KRAAN J, BOORSMA M, JONKMAN JHG, VAN DER MARK THW: Effect of theophylline and enprofylline on bronchial hyperresponsiveness, 1022
KOËTER GH. *See also* KRAAN J, 1015
——. *See also* VAN AALDEREN WMC, 803
KORSGAARD J. *See* IVERSEN M, 645
KOTLER RL, HANSEN-FLASCHEN J, CASEY MP: Severe methaemoglobinaemia after flexible fibreoptic bronchoscopy: case report, 234
KRAAN J, VAN DER MARK THW, KOËTER GH: Changes in maximum expiratory flow-volume curve configuration after treatment with inhaled corticosteroids, 1015
——. *See also* KOËTER GH, 1022
KRAUSZ Y. *See* AVITAL A, 298
KUBIK MM. *See* BONE MF, 654
KUONO J. *See* SHIRAKUSA T, 189
KWAN S. *See* JOHNSON MA, 280

L

LAABAN JP, DIEBOLD B, LAFAY M, ROCHEMAURE J, PERONNEAU P: Detection of pulmonary hypertension by Doppler echocardiography of the inferior vena cava in chronic airflow obstruction, 396
LAFAY M. *See* LAABAN JP, 396
LA FORGE J. *See* SÉRIÈS F, 52, 275, 521
LAGIER F, CARTIER A, DOLOVICH J, MALO J-L: Occupational asthma in a pharmaceutical worker exposed to penicillamine, 157
LAMB D. *See* PRASAD US, 784
Lambert-Eaton myasthenic syndrome, respiratory muscle weakness in, 913
LAMMERS J-W J. *See* VAN KOPPEN CJ, 28
LAMPRON N. *See* SÉRIÈS F, 52
LANGE P. *See* ALMIND M, 627
LAPA E SILVA JR. *See* SILVA JRLE, 668
LAROCHE CM, MIER AK, SPIRO SG, NEWSOM-DAVIS J, MOXHAM J, GREEN M: Respiratory muscle weakness in the Lambert-Eaton myasthenic syndrome, 913
LARSSON K, HJEMDAHL P: Cardiovascular and hypokalaemic effects of inhaled salbutamol, fenoterol, and isoprenaline, (*Letter*), 767
Laryngeal resistance immediately after panting in asthmatic subjects, 743
Laser light scattering spectroscopy: new method to measure tracheobronchial mucociliary activity, 539
LAWSON RAM. *See* HASLETON PS, 1057
LEBEAU B. *See* DE FENOYL O, 956
LEDINGHAM JGG. *See* PORTER JC, 766
LEDINGHAM SJM, GOLDSTRAW P: Diathermy resection and radioactive gold grains for palliation of obstruction due to recurrence of bronchial carcinoma after external irradiation, 48
LEE TH. *See* O'HICKEY SP, 650
Legionella bozemanii, opportunist pulmonary infection with, case of, 434
LEHNERT M. *See* JUETTNER FM, 516
Leiomyosarcoma, uterine, metastatic, in association with recurrent lung abscess, case of, 597
LEOPHONTE P. *See* DE VUYST P, 607
Leucocyte responses induced by platelet activating factor in man, effects of salbutamol, 102
Leucocytes, circulating, in asthmatics, effects of platelet activating factor, 108
Leukotriene B_4 alone and in combination with prostaglandin D_2, effect on bronchial responsiveness to histamine in normal subjects, 491
LEVERMENT JN. *See* GREWALL HP, 1049
LIEBERMAN D. *See* SHACHOR Y, 151
Lignocaine gel for topical nasal anaesthesia before fibreoptic bronchoscopy: patients' preference, 674
LINDGREN BR. *See* EKSTRÖM T, 19
Lipoma, tracheal, case of, 980
LITTLEJOHNS P, EBRAHIM S, ANDERSON HR: Treatment of adult asthma: is the diagnosis relevant?, 797
LOBO AJ, BUTLAND RJ, STEWART S, SHNEERSON JM: Primary cardiac angiosarcoma causing rupture of the heart and spontaneous bilateral pneumothorax, 78
LOMAS DA, WALLIS PJW, STOCKLEY RA: Palliation of malignant ascites with a Tenckhoff catheter, 828
LOMBARD J-N. *See* CAMUS P, 711
LOOSEMORE TM. *See* HANGARTNER JRW, 154
LOUKOTA JM. *See* JENKINS SC, 634
LUNDGREN JD, ORHOLM M, NIELSEN TL, IVERSEN J, HERTZ J, NIELSEN JO: Bronchoscopy of symptom free patients infected with human immunodeficiency virus for detection of pneumocystosis, 68
LUNDGREN R. *See* BJERMER L, 126

Lung abscess, recurrent, metastatic uterine leiomyosarcoma in association with, case of, 597
annular lesion in sarcoidosis, case of, 756
bird fancier's, impaired non-specific delayed cutaneous hypersensitivity in, 132
cancer, primary, second: importance of long term follow up, 788
cancer, small cell: apparent response to an extract of mistletoe and homoeopathic treatment, 1047
cancer, small cell, etoposide compared with combination of vincristine, doxorubicin, and cyclophosphamide, 215
cancer, small cell, long term survival after pulmonary resection for, 784
cancer, small cell, phase II study of oral etoposide in elderly patients, 631
capacity, total, in acute asthma, radiographic measurement of, 510
cavity, early report of growth of an *Aspergillus* species on the wall of, 66
cavity, thin walled, in a young man, broncioalveolar carcinoma presenting as, case of, 230
cystic, in Marfan's syndrome, case of, 978
density in healthy supine men, vertical gradients of, 485
disease, chronic, effect of low dose nebulised morphine on exercise endurance in, 387
disease, chronic hypoxic, renal and pulmonary effects of angiotensin converting enzyme inhibition in, 513
disease, chronic interstitial, increased incidence of pulmonary tuberculosis in, 151
disease, chronic obstructive, changes in day and night time oxygenation with protriptyline in, 275
disease, chronic obstructive: does right ventricular function predict survival? (*Letter*), 447
disease, chronic obstructive, effects of an external resistance on maximal flow in, 461
disease, chronic obstructive, nutritional state and exercise performance in, 937
disease, chronic obstructive, supplemental oxygen and quality of sleep in, 184
disease, talc induced, broncholaveolar lavage in (*Letter*), 607
function after coronary artery surgery using the internal mammary artery and the saphenous vein, 209
function and bronchial reactivity in farmers, 645
function and exercise capacity in relation to mood and attitudes to health, 402
function, differential, in an infant with the Swyer-James syndrome, 298
function, use of predicted values (*Letters*), 240, 527
heterotopic brain tissue in, causing acute respiratory distress in an infant, 1045
human: pressurised aerosol deposition with and without an "open" spacer device, 706
infections associated with HIV infection, prevention of (*AIDS and the Lung*), 1038
lesions, extensive, in rheumatoid arthritis: case report, 70
lymphatics, abnormal, and respiratory failure, case of, 432
tissue mass in *Pneumocystis carinii* pneumonia, measurement of, 640
transplantation, current state of, (E), 689
volume, decreased, in fibrosing alveolitis, relation of decreased pulmonary distensibility to, 725
volume, influence in sleep apnoea, 52
Lymphatic and lymphoid abnormalities of the lung associated with bronchial casts: case report, 226
drainage of lung, abnormal, and respiratory failure, case of, 432
Lymphocyte transformation, sulfadoxine specific, in eosinophilic pneumonia induced by sulfadoxine-pyrimethamine (Fansidar), case of, 307
Lymphoma, non-Hodgkin's, and synchronous pulmonary carcinoid tumour: report of two cases, 516
pulmonary, primary, in AIDS, case of, 438
T cell, disseminated, presenting with tracheal obstruction in coeliac disease: long term survival after treatment, case of, 519
LYNCH P. *See* BOURKE SJ, 415

M

McCONNOCHIE K. *See* MAKKER H, 676
McCOOL FD. *See* BRADBURNE RM, 591, 1060
McDONALD CF. *See* HUNT JM, 930
McDONALD GSA. *See* KELLY CP, 758
McGREGOR CGA. *See* SWINBURN CR, 434
McGUIGAN J. *See* HASAN A, 224
McILLMURRAY MB, BIBBY RJ, TAYLOR BE, ORMEROD LP, EDGE JR, WOLSTENHOLME RJ, WILLEY RF, O'REILLY JF, HORSFIELD N, JOHNSON CE, MUSTCHIN CP, BRISCOE D: Etoposide compared with the combination of vincristine, doxorubicin, and cyclophosphamide in the treatment of small cell lung cancer, 215
MACKAY B. *See* RETTINGER SD, 829
McKENZIE DK. *See* NEWELL SZ, 903
McKEON JL, MURREE-ALLEN K, SAUNDERS NA: Supplemental oxygen and quality of sleep in patients with chronic obstructive lung disease, 184
McLELLAN AR. *See* ROBERTS JA, 603
McLEOD DT, TERNOUTH I, NKANZA N: Comparison of the Tru-cut biopsy needle with the Abrams punch for pleural biopsy, 794
MacNEE W: Does right ventricular function predict survival in patients with chronic obstructive lung disease? (*Letter*) 447
MAKKER H, McCONNOCHIE K, GIBBS AR: Postirradiation pulmonary fibrosis complicated by aspergilloma and bronchocentric granulomatosis, 676
MALO J-L. *See* LAGIER F, 157
Mammary artery, internal, and saphenous vein, lung function after coronary artery surgery using, 209
Marfan's syndrome, cystic lung in, case of, 978
MARKUS HS, CLARK JV: Pulmonary haemorrhage in Henoch-Schönlein purpura, 525
MARTIN-EGAÑA MT. *See* VEREA-HERNANDO H, 822
MASTERS IB. *See* SEIDENBERG J, 660
MATSUBA K. *See* SHIRAKUSA T, 189
MATTHEWS HR. *See* HASAN A, 224, 766
——. *See* MORAN A, 1051
——. *See* MORGAN MDL, 533
——. *See* READY AR, 594
——. *See* SINHA M, 762
——. *See* WALKER SJ, 751
MATTOLI S. *See* GIBSON PG, 693
MAYERHOFER S. *See* POELZLEITNER D, 438
MAYR H. *See* HUEBSCH P, 63
Medullary extracellular fluid pH and carbon dioxide tension, ventral, increase in ventilation caused by aminophylline in the absence of changes in, 121
MELEAGROS L. *See* WINTER RJD, 58
Mesothelioma, pleural, malignant, in western Glasgow, 1980–6, 496
Methaemoglobinaemia, severe, after flexible fibreoptic bronchoscopy: case report, 234
Microangiopathy, transfer factor for carbon monoxide in diabetes with and without (*Letter*), 446
MIER A: Bilateral empyema and purulent pericarditis due to *Haemophilus influenzae* capsular type b (*Letter*), 80
——. BROPHY C, MOXHAM J, GREEN M: Twitch pressures in the assessment of diaphragm weakness, 990
MIER AK. *See* LAROCHE CM, 913
MIKULSKI Y. *See* SHACHOR Y, 151
MILBURN HJ, POULTER LW, PRENTICE HG, DU BOIS RM: Pulmonary cell populations in recipients of bone marrow transplants with interstitial pneumonitis, 570
MILLAR AB, DENISON DM: Vertical gradients of lung density in healthy supine men, 485
——. *See also* MILLER RF, 559
MILLARD FJC. *See* WEBB AR, 674
MILLEDGE JS. *See* THOMAS PS, 382
MILLER MR, PINCOCK AC: Predicted values: how should we use them? (*Letter*), 240, 527
MILLAR RF, GODFREY-FAUSSETT P, SEMPLE SJG: Nebulised pentamidine as treatment for *Pneumocystis pneumonia* in the acquired immunodeficiency syndrome, 565; (*Letter*), 831

——, MILLAR AB, WELLER PL, SEMPLE SJG. Empirical treatment without bronchoscopy for *Pneumocystis carinii* pneumonia in the acquired immunodeficiency syndrome, 559
——. *See also* GRIFFITHS MH, 554
MILNE LJR. *See* ELLIOTT JA, 820
MILNER AD, MURRAY M: Acute bronchiolitis in infancy: treatment and prognosis (E), 1
Minitracheotomy, in obstructive sleep apnoea, case of, 224; (*Letter*), 766
MINODA S. *See* SHIRAKUSA T, 189
Mistletoe extract and homoeopathic treatment, apparent response of small cell lung cancer to, 1047
MITCHELL DM, WOODCOCK AA: Introduction to AIDS and the Lung, (*Series*), 776
MITCHELL EA. Is current treatment increasing asthma mortality and morbidity? (E), 81; (*Letter*), 686
——. *See also* PATTEMORE PK, 168
MITCHELL IM. *See* PRABAKHAR G, 1053
MITCHELL WD. *See* BURNEY PGJ, 36
Mitral prosthetic valve regurgitation due to stent fracture of porcine bioprosthesis: case reports, 236
valve replacement, complicated by chylopericardium: case report, 74
MIYAMOTO K. *See* NISHIMURA M, 251
MIZUNO Y. *See* TADA H, 756
MOLDIBI B. *See* DÖGAN R, 192
MONTERO-MARTINEZ C. *See* VEREA-HERNANDO H, 822
MONTSERRAT JM. *See* FIZ JA, 419
Mood and attitudes to health in relation to lung function and exercise capacity, 402
MORAN A, STABLEFORTH DE, MATTHEWS HR: Treatment of late complications of plombage by simultaneous removal of plomb and decortication, 1051
MORGAN AD, DOUGLAS NJ: Breathing patterns during sleep in patients with nocturnal asthma (*Letter*), 527
MORGAN MDL, EDWARDS CW, MORRIS J, MATTHEWS HR: Origin and behaviour of emphysematous bullae, 533
——. *See also* HASAN A, 224; (*Letter*), 766
MORGAN WE. *See* REDWOOD N, 826
MORGENROTH A, PFEUFFER HP, AUSTGEN M, VIERECK HJ, TRENDELENBURG F: Six years' experience with perthoracic core needle biopsy in pulmonary lesions, 177
MORELL F. *See* ORRIELS R, 132
Morpine, low dose nebulised: effect on exercise endurance in chronic lung disease, 387
MORRIS J. *See* MORGAN MDL, 533
MORRIS MM. *See* GIBSON PG, 693
MOSS SF, CURRIE DC, SHEFFIELD EA, BAXTER M, CORRIN B, EVANS TW: Abnormal lung lymphatics and respiratory failure, 432
MOSTERT R. *See* SCHOLS AMWJ, 937
MOULD H. *See* SWINBURN CR, 716
Mountain sickness, infantile, subacute: missing link from Tibet (E), 981
Mouth pressure, inspiratory, maximal, in chronic airflow obstruction, how many manoeuvres needed to measure? 419
MOVAHED A. *See* WAIT JL, 391
MOXHAM J. *See* JENKINS SC, 209, 634
——. *See* LAROCHE CM, 913
——. *See* MIER A, 990
Mucociliary activity, tracheobronchial, measurement of: laser light scattering spectroscopy, 539
MUEHRCKE DD, KAPLAN DK, DONNELLY RJ: Oesophagogastrectomy in patients over 70, 141
MURPHY PP, RICHARDSON SG: Q fever pneumonia presenting as an eosinophilic pleural effusion: case report, 228
MURRAY M. *See* MILNER AD, 1
MURREE-ALLEN K. *See* McKEON JL, 184
Muscarinic receptor subtypes: implications for lung diseases (E), 161
MUSCAT I. *See* ROUND A, 313
Muscles, inspiratory and skeletal: strength and endurance in chronic airflow limitation, 903
respiratory: weakness in the Lambert-Eaton myasthenic syndrome, 913
MUSTCHIN CP. Adrenal function in patients with active tuberculosis (*Letter*), 768
——. *See also* McILLMURRAY MB, 215
Mycobacteria, opportunist, treatment of pulmonary disease caused by (E), 449

N

NARAQI S. *See* BARNES DJ, 422, 768
NARAYANAN VA. *See* TEWARI SC, 824
Nasal airways, reversibility and reproducibility of histamine induced plasma leakage in, 13
anaesthesia, topical, for fibreoptic bronchoscopy: patients' preference for lignocaine gel, 674
continuous positive airway pressure for treating non-apnoeic REM sleep induced nocturnal oxygen desaturation, case of, 521
NAYLOR AR. *See* PRASAD US, 784
NEAL KR. *See* ONG ELC, 739
NEALE MG. *See* ALBAZZAZ MK, 816
Nedocromil sodium in adults with asthma dependent on inhaled corticosteroids, 654
sodium, nebulised, dose-response study in exercise induced asthma, 816
NEIL T. *See* CAMPBELL P, 305
NEILD JE. *See* BURNEY PGJ, 36
Nerve function, peripheral, in patients with chronic bronchitis receiving almitrine or placebo, 292
NEUBAUER M. *See* JUETTNER FM, 516
NEUHOLD A. *See* HUEBSCH P, 63
Neuropathy, peripheral, hypoxia, and almitrine (E), 247
peripheral, in patients with chronic bronchitis receiving almitrine or placebo, 292
Neutrophil cytoplasmic antigens in Wegener's granulomatosis and other conditions, antibodies to, 373; (*Letter*), 831
cytoplasmic components, significance of antibodies to (E), 369
New Zealand schoolchildren, ethnic differences in prevalence of asthma symptoms and bronchial hyperresponsiveness in, 168
NEWBY AC. *See* ANGELINI GD, 721
NEWELL SZ, McKENZIE DK, GANDEVIA SC: Inspiratory and skeletal muscle strength and endurance and diaphragmatic activation in patients with chronic airflow limitation, 903
NEWLANDS ES. *See* SEDDON DJ, 519
NEWMAN J. *See* READY AR, 594
NEWMAN SP, CLARK AR, TALAEE N, CLARKE SW: Pressurised aerosol deposition in the human lung with and without an "open" spacer device, 706
NEWSOM-DAVIS F. *See* LAROCHE CM, 913
NICHOL GM, NIX A, CHUNG KF, BARNES PJ: Characterisation of bronchoconstrictor responses to sodium metabisulphite aerosol in atopic subjects with and without asthma, 1009
NIELSEN JO. *See* LUNDGREN JD, 68
NIELSEN TL. *See* LUNDGREN JD, 68
NIMMO G. *See* HARRISON DJ, 373
NISHIMURA M, MIYAMOTO K, SUZUKI A, YAMAMOTO H, TSUJI M, KISHI F, KAWAKAMI Y: Ventilatory and heart rate responses to hypoxia and hypercapnia in patients with diabetes mellitus, 251
NIX A. *See* NICHOL GM, 1009
NKANZA N. *See* McLEOD DT, 794
Non-Hodgkin's lymphoma and synchronous pulmonary carcinoid tumour: report of two cases, 516
NORMAN J. *See* SHELLEY MP, 769
NORTON R. *See* PRABHAKAR G, 1053
NOVISKI N. *See* AVITAL A, 298
NUNES F. *See* ERNST P, 116
NUNN AJ. *See* JOHNSON MA, 280
Nutritional state and exercise performance in chronic obstructive lung disease, 937

O

OAKLEY C: Cardiac sarcoidosis (E), 371

Obese, morbidly: respiratory function before and after weight loss, 382
Occupational asthma due to soft corrosive soldering fluxes containing zinc chloride and ammonium chloride, 220
asthma in pharmaceutical worker exposed to penicillamine: case report, 157
O'CONNOR C. *See* WARD K, 6
ODLUM C. *See* WARD K, 6
O'DOHERTY MJ, THOMAS SHL, BATEMAN NT: Relapse of *Pneumocystis* pneumonia in the upper lobes during aerosol pentamidine prophylaxis (*Letter*), 1059
ODOM NJ. *See* SWINBURN CR, 434
O'DRISCOLL BR: Supraventricular tachycardia caused by nebulised ipratropium bromide, 312
Oesophageal balloon dilatation and orotracheal intubation, bacteraemia following, 684
carcinoma in Transkei: intubation, 42
carcinoma, small cell, combined chemotherapy and surgical resection: two cases and review, 751
carcinoma, small cell: three cases and review, 749
duplication, total, associated with dextrocardia and situs inversus, case of, 1049
Oesophagogastrectomy in patients over 70, 141
Oesophagus, malignant carcinoid tumour of, case of, 594
O'HALLORAN SM, HEAF DP: Accident and emergency department attendance by asthmatic children, 700
——, ——: Recurrent accident and emergency department attendance for acute asthma in children, 620
O'HICKEY SP, BELCHER NG, REES JP, LEE TH: Role of histamine release in hypertonic saline induced bronchoconstriction, 650
OHRUI T. *See* YANAI M, 743
OLINSKY A. *See* SEIDENBERG J, 660
OLIVER RM, PEACOCK AJ, FLEMING JS, WALLER DG: Renal and pulmonary effects of angiotensin converting enzyme inhibition in chronic hypoxic lung disease, 513
ONG ELC, ELLIS ME, WEBB AK, NEAL KR, DODD M, CAUL EO, BURGESS S: Infective respiratory exacerbations in young adults with cystic fibrosis: role of viruses and atypical microorganisms, 739
OPAL SM. *See* BRADBURNE RM, 591, 1060
O'REILLY JF. *See* McILLMURRAY MB, 215
ORHOLM M. *See* LUNDGREN JD, 68
ORMEROD LP. *See* McILLMURRAY MB, 215
Orotracheal intubation and oesophageal balloon dilatation, bacteraemia following, 684
ORR K. *See* HASLETON PS, 1057
ORRIOLS R, MORELL F, CURULL V, ROMAN A, SAMPOL G: Impaired non-specific delayed cutaneous hypersensitivity in bird fancier's lung, 132
OWEN ERTC. *See* THOMAS PS, 382
Oxygen administration, inpatient, accuracy of, 1036
concentrators, prescription of: guidelines to published literature, 576
desaturation, non-apnoeic nocturnal, induced by REM sleep, treated by nasal continuous positive airway pressure, case of, 521
domiciliary, studies in a common cause, 588
effects on ventilation-perfusion mismatching in acute severe asthma, 258
supplemental, and quality of sleep in chronic obstructive lung disease, 184
therapy in hypoxaemic chronic airflow obstruction, cardiopulmonary response to, 930
treatment of sleep hypoxaemia in Duchenne muscular dystrophy, 997
Oxygenation, day and night time, in chronic obstructive lung disease, changes with protripyline in, 275

P

PACKE GE. *See* FREEMAN W, 942
Pancreatitis, chronic, asymptomatic, bilateral recurrent haemorrhagic pleural effusion in, case of, 824
PANG J, CHAN HS, SUNG JY: Prevalence of asthma, atopy, and bronchial hyperreactivity in bronchiectasis: a controlled study, 948
Panting in asthmatic subjects, laryngeal resistance immediately after, 743
Papillary muscle contractility in rats exposed to hypoxia and hypercapnia, 808
PARADINAS FJ. *See* SEDDON DJ, 519
Paraganglioma, pulmonary, malignant primary: case report, 154
PARRY W, BRECKENRIDGE I, KHALIL YF. Bilateral clicking ribs, 72
PATEL KR. *See* ALBAZZAZ MK, 816
PATTEMORE PK, ASHER MI, HARRISON AC, MITCHELL EA, REA HH, STEWART AW: Ethnic differences in prevalence of asthma symptoms and bronchial hyperresponsiveness in New Zealand schoolchildren, 168
PEACOCK AJ. *See* OLIVER RM, 513
Peak expiratory flow, fall during haemodialysis in patients with chronic renal failure (*Letter*), 159
expiratory flow in asthmatic and normal children, circadian rhythm of, 410
PEER A. *See* GUIDETTI AS, 444
Pemphigold, cicatricial, obstructive respiratory failure in, case of, 601
Penicillamine, occupational asthma in a pharmaceutical worker exposed to: case report, 157
Pentamidine, nebulised, for *Pneumocystis carinii* pneumonia in AIDS, 565; (*Letter*), 831
prophylaxias, aerosol, relapse of *Pneumosystis carinii* pneumonia in the upper lobes during, case of, 591; (*Letter*), 1059
PEPPER JR. *See* HANGARTNER JRW, 154
Pericardial actinomycosis with cardiac tamponade from a contiguous thoracic lesion, case of, 442
Peripheral nerve function in patients with chronic bronchitis receiving almitrine or placebo, 292
neuropathy, hypoxia, and almitrine (E), 247
PERONNEAU P. *See* LAABAN JP, 396
PERRICHON M. *See* CAMUS P, 711
PERSSON CGA. *See* GUSTAFSSON B, 24
——. *See* SVENSSON C, 13
PESCARMONA EO. *See* RICCI C, 455
PETERS AM. *See* BHUYAN U, 480
PETTY TL. Studies of domiciliary oxygen in a common cause (*Personal view*), 588
PFEUFFER HP. *See* MORGENROTH A, 177
Pharmaceutical worker exposed to penicillamine, occupational asthma in: case report, 157
PHELAN PD. *See* KENNEDY JD, 548
——. *See* SEIDENBERG J, 660
PHILLIPS MS, KINNEAR WJM, SHAW D, SHNEERSON JM: Exercise responses in patients treated for pulmonary tuberculosis by thoracoplasty, 268
Physiotherapy after coronary artery surgery: are breathing exercises necessary? 634
and exercise in aiding sputum expectoration in adults with cystic fibrosis, 1006
PIARD F. *See* CAMUS P, 711
PICADO C. *See* FIZ JA, 419
——. *See* PLAZA V, 289
PIERCE RJ. *See* HUNT JM, 930
Pigeon breeders: longitudinal course of extrinsic allergic alveolitis, 415
PIGOTT PC. *See* DUGGAN CJ, 76
PIK A. *See* GUIDETTI AS, 444
PINCHING AJ: Antiretroviral treatment in human immunodeficiency virus disease (*AIDS and the Lung 2*), 971
PINCOCK AC. *See* MILLER MR, 240, 527
PIPKORN U. *See* SVENSSON C, 13
Plasma leakage, histamine induced, in nasal airways: reversibility and reproducibility, 13
Platelet activating factor: effects of salbutamol on bronchial and leukocyte responses in man, 102
activating factor: effects on airway calibre, airway responsiveness, and circulating cells in asthmatics, 108
PLAZA V, JIMÉNEZ P, XAUBET A, PICADO C, TORRES A, AGUSTÍ C, AGUSTÍ-VIDAL A: Bronchoalveolar lavage cell analysis in patients with human immunodeficiency virus related diseases, 289
——. *See also* FIZ JA, 419
Pleura, squamous cell carcinoma of, following bronchopleural fistula, case of, 1053

Pleural biopsy: comparison of Tru-cut biopsy needle with Abrams punch, 794
effusion, eosinophilic, Q fever pneumonia presenting as, case of, 228
effusion, haemorrhagic, recurrent, bilateral, in asymptomatic chronic pancreatitis, case of, 824
masses, discrete, without effusion, in a young man, presentation of tuberculosis, case of, 436
mesothelioma, malignant, in western Glasgow, 1980–6, 496
tumour, giant, unilateral pulmonary oedema following removal of, case of, 682
Plombage, late complications of, treatment by simultaneous removal of plomb and decortication, case of, 1051
Pneumocystis carinii pneumonia in AIDS, empirical treatment without bronchoscoy for, 559
carinii pneumonia in AIDS, nebulised pentamidine for, 565; (*Letter*), 831
carinii pneumonia in the upper lobes, relapse during aerosol pentamidine prophylaxis, case of, 591; (*Letter*), 1059
carinii pneumonia, measurement of lung tissue mass in, 640
Pneumocystosis, bronchoscopy of symptom free HIV infected patients for detection of, 68
Pneumonia associated with Q fever, presenting as an eosinophilic pleural effusion: case report, 228
bronchiolitis obliterans organising, in patients taking acebutolol or amiodarone, 711
chickenpox: an association with pregnancy, cases of, 812
chronic necrotising, caused by *Aspergillus niger*, case of, 440
eosinophilic, induced by sulfadoxine-pyrimethamine (Fansidar), sulfadoxine specific lymphocyte transformation in, case of, 307
prediction of microbial aetiology at admission to hospital from the presenting clinical features, 1031
See also Pneumocystis carinii pneumonia
Pneumonitis, interstitial, in bone marrow transplant recipients: pulmonary cell populations, 570
Pneumothorax, spontaneous: comparison of simple drainage, talc pleurodesis, and tetracycline pleurodesis, 627
spontaneous, due to metastatic carcinoma of rectum (*Letter*), 80
spontaneous bilateral, and rupture of the heart, caused by primary cardiac angiosarcoma: case report, 78
POELZLEITNER D, HUEBSCH P, MAYERHOFER S, CHOTT A, ZIELINSKI C: Primary pulmonary lymphoma in a patient with the acquired immune deficiency syndrome, 438
POPPER H. *See* FELLBAUM C, 70
——. *See* JUETTNER FM, 516
Porcine bioprosthesis, mitral valve regurgitation due to stent fracture of: case reports, 236
PORTER JC, FRIEDLAND JS, WOJNAROWSKA F, LEDINGHAM JGG: Alveolitis associated with sulphamethoxypyridazine (*Letter*), 766
Positive airway pressure, continuous, nasal, for treating non-apnoeic REM sleep induced nocturnal oxygen desaturation, case of, 521
POSTMA DS. *See* VAN AALDEREN WMC, 803
POSTMUS PE. *See* SMIT EF, 631
Postural effects on distribution of pulmonary ventilation and perfusion in children and adults, 480
Posture and nocturnal asthma, 579
Potassium, changes in serum concentration in asthmatic and normal subjects during exercise, 605
POULTER LW. *See* AINSLIE GM, 501
——. *See* MILBURN HJ, 570
——. *See* SILVA JRLE, 668
PRABHAKAR G, MITCHELL IM, GUHA T, NORTON R. Squamous cell carcinoma of the pleura following bronchopleural fistula, 1053
PRASAD US, NAYLOR AR, WALKER WS, LAMB D, CAMERON EWJ, WALBAUM PR: Long term survival after pulmonary resection for small cell carcinoma of the lung, 784
Precipitating antibodies in dairy farmers, fluctuant nature of, 469
Prednisolone, alone compared with cyclophosphamide in combination with low dose prednisolone in cryptogenic fibrosing alveolitis, 280
PRENTICE HG. *See* MILBURN HJ, 570
PRETET S. *See* COOREMAN J, 765
PRICHARD JS. *See* KELLY CP, 758
Procollagen peptide, type III, and hyaluronan concentrations in bronchoalveolar lavage fluid in idiopathic pulmonary fibrosis, 126
Prostaglandin D_2 in combination with inhaled leukotriene B_4, effect on bronchial responsivenesss to histamine in normal subjects, 491
Protriptyline: changes in day and night time oxygenation in chronic obstructive lung disease, 275
treatment of sleep hypoxaemia in Duchenne muscular dystrophy, 1002
PROWSE K. *See* ALLEN MB, 292
Pulmonary arterial pressure in chronic respiratory disease: combined non-invasive techniques to predict, 85
arteriovenous malformation, large, successful percutaneous balloon occlusion: case report, 76
aspergillomas, complicated, limited thoracoplasty in the management of, 1027
aspergillosis, invasive, bronchoscopy findings in, cases of, 822
aspergillosis, locally invasive, in a gardener, case of, 678
aspergillosis, necrotising, chronic, treated with itraconazole, case of, 820
carcinoid tumour and synchronous non-Hodgkin's lymphoma: report of two cases, 516
cell populations in recipients of bone marrow transplants with interstitial pneumonitis, 570
disease caused by opportunist mycobacteria, treatment of, (E), 449
disease in HIV infection, diagnosis of, 554
distensibility, decreased, in fibrosing alveolitis and its relation to decreased lung volume, 725
effects of angiotensin converting enzyme inhibition in chronic hypoxic lung disease, 513
eosinophilia, corticosteroid treatment and prognosis in, 925
eosinophila with and without allergic bronchopulmonary aspergillosis, 919
fibrosis, idiopathic, hyaluronan and type III procollagen peptide concentrations in bronchoalveolar lavage fluid, 126
fibrosis, idopathic, prednisolone alone compared with cyclophosphamide and low dose prednisolone in, 280
fibrosis, postirradiation, complicated by aspergilloma and bronchocentric granulomatosis, case of, 676
haemorrhage in Henoch-Schönlein purpura, case of, 525
hamartoma, benign, malignant change in: case report, 232
hypertension, hypoxic secondary, atrial natriuretic peptide concentrations in, 58
hypertension in chronic airflow obstruction: detection by Doppler echocardiography of the inferior vena cava, 396
infection, opportunist, with *Legionella bozemanii*, case of, 434
lesions, six years' experience with perthoracic core needle biopsy in, 177
lymhatic and lymphoid abnormalities associated with bronchial casts, case of, 226
lymphoma, primary, in a patient with AIDS, case of, 438
manifestations of tuberous sclerosis, 212
oedema, unilateral, following removal of giant pleural tumour, case of, 682
paraganglioma, malignant primary: case report, 154
resection for small cell carcinoma of lung, long term survival after, 784
sarcoidosis, bronchoalveolar lavage cell counts as a predictor of short term outcome in, 732
tuberculosis, increased incidence in chronic interstitial lung disease, 151
tuberculosis treated by throacoplasty, exercise responses in, 268
venous drainage, anomalous, shown by duplex sonography, computed tomography and plain radiography, 63
ventilation and perfusion in children and adults, effects of posture on distribution of, 480
See also Lung
Purpura, Henoch-Schönlein, pulmonary haemorrhage in, case of, 525
Pyrimethamine. *See* Sulphadoxine-pyrimethamine

Q

Q fever pneumonia presenting as an eosinophilic pleural effusion: case report, 228

R

Radiocative gold grains with diathermy resection for palliation of obstruction due to recurrence of bronchial carcinoma after external irradiation, 48

RAHAMIM J. *See* BATES CA, 980

RAJAN K. *See* DAVIES PDO, 378

RAJANI M. *See* SHARMA S, 80

Ranitidine, effects on asthma with history of gastro-oesophageal reflux, 19

RAY S. *See* JEFFREY AA, 1036

REA HH. *See* PATTEMORE PK, 168

READY AR, SOUL JO, NEWMAN J, MATTHEWS HR: Malignant carcinoid tumour of the oesophagus, 594

Rectum, metastatic carcinoma of, causing spontaneous pneumothorax (*Letter*), 80

REDONDO AA. *See* ETTENSOHN DB, 607

REDWOOD N, BEGGS D, MORGAN WE: Dissemination of tumour cells from fine needle biopsy, 826

REES JR. *See* O'HICKEY SP, 650

Reflux, gastro-oesophageal, effects of ranitidine on patients with asthma and a history of, 19

Renal effects of angiotensin converting enzyme inhibition in chronic hypoxic lung disease, 513

failure, chronic, fall in peak expiratory flow during haemodialysis (*Letter*), 159

RENDINA EA. *See* RICCI C, 455

RENZULLI A, WREN C, HILTON CJ: Coronary artery-left ventricular fistula and multiple ventricular septal defects due to blunt chest trauma, 1055

Respiratory disease, chronic, combined non-invasive techniques to predict pulmonary arterial pressure in, 85

distress, acute, in an infant, heterotopic brain tissue causing, 1045

failure and abnormal lung lymphatics, case of, 432

failure, obstructive, in cicatricial pemphigoid, case of, 601

function in the morbidly obese before and after weight loss, 382

mechanics in mild idiopathic scoliosis, effect of bracing on, 548

mechanics in infants with bronchiolitis, disturbance in, 660

muscle weakness in the Lambert-Eaton myasthenic syndrome, 913

obstruction, tuberculous retropharyngeal abscess producing, case of, 599

Retropharyngeal abscess, tuberculous, producing respiratory obstruction, case of, 599

RETTINGER SD, TRULOCK EP, MACKAY B, AUERBACH HS: Sarcoidosis in an adult with cystic fibrosis, 829

REYES A. *See* BALLESTER E, 258

Rheumatoid arthritis with extensive lung lesions, case of, 70

RIBEIRO DE CARVALHO CR. *See* CARVALHO CRR DE, 601

Ribs, bilateral clicking: case report, 72

RICCI C, RENDINA EA, PESCARMONA EO, VENUTA F, DI TOLLA R, RUCO LP, BARONI CD: Correlations between histological type, clinical behaviour, and prognosis in thymoma, 455

RICHARDSON SG. *See* MURPHY PP, 228

RIGLER R. *See* SVARTENGREN K, 539

ROBERTS JA, MCLELLAN AR, ALEXANDER WD, THOMSON NC: Effect of hyperthyroidism on bronchial reactivity in non-asthmatic patients, 603

ROBERTSON AS. *See* WEIR DC, 220

ROBERTSON CF. *See* KENNEDY JD, 548

ROBERTSON DR, SWINBURN CR, STONE TN, GIBSON GJ: Effects of an external resistance on maximum flow in chronic obstructive lung disease: implications for recognition of coincident upper airway obstruction, 461

ROCA J. *See* BALLESTER E, 258

ROCHEMAURE J. *See* DE FENOYL O, 956

——. *See* LAABAN JP, 396

ROCHFORD PD. *See* HUNT JM, 930

RODRIGUES DE MIRANDA JF. *See* VAN KOPPEN CJ, 28

RODRIGUEZ-ROISIN R. *See* BALLESTER E, 258

ROMAN A. *See* ORRIOLS R, 132

ROMANELLI M. *See* BASILE A, 232

ROTHSTEIN MS, ZELEFSKY MN, EICHACKER PQ, RUDOLPH DJ, WILLIAMS MH: Radiographic measurement of total lung capacity in acute asthma, 510

ROUND A, MUSCAT I: *Haemophilus influenzae* type b infections in adults (*Letter*), 313

RUCO LP. *See* RICCI C, 455

RUDD RM. *See* WINTER RJD, 58

RUDDOLPH DJ. *See* ROTHSTEIN MS, 510

S

SAITO T. *See* SHIRAKUSA T, 189

Salbutamol, effects on bronchial and leucocyte responses to platelet activating factor in man, 102

effects on ventilation-perfusion mismatching in acute severe asthma, 258

fenoterol, and isoprenaline, inhaled, cardiovascular and hypokalaemic effects of, 136; (*Letter*), 767

nebulised, effect on maximal exercise performance in men with mild asthma, 942

SALDIVA PHN. *See* CARVALHO CRR DE, 601

SALH W, BILTON D, DODD M, WEBB AK: Effect of exercise and physiotherapy in aiding sputum expectoration in adults with cystic fibrosis, 1006

SAMMON AM. *See* COTTON MH, 42

SAMPOL G. *See* ORRIOLS R, 132

SANG CTM. *See* ECCLES DM, 749

Saphenous vein and internal mammary artery, lung function after coronary artery surgery using, 209

Sarcoidosis, anginal chest pain in, 391

annular lesion of lung in, case of, 756

cardiac (E), 371

in an adult with cystic fibrosis, case of, 829

prognostic value of bronchoalveolar lavage in, 6

pulmonary, bronchoalveolar lavage cell counts as a predictor of short term outcome in, 732

relation between immunocytological features of bronchoalveolar lavage fluid and clinical indices in, 501

SASAKI H. *See* YANAI M, 743

SATO M. *See* TADA H, 756

SAUNDERS NA. *See* MCKEON JL, 184

SAUNDERS NR. *See* WALLER DA, 682

SCHACHTER J. *See* AVITAL A, 298

SCHINDLER D. *See* SHACHOR Y, 151

SCHOLS AMWJ, MOSTERT R, SOETERS PB, GREVE LH, WOUTERS EFM: Nutritional state and exercise performance in patients with chronic obstructive lung disease, 937

Scimitar syndrome (anomalous pulmonary venous drainage) shown by duplex sonography, computed tomography, and plain radiography, 63

Scoliosis, idiopathic, mild, effect of bracing on respiratory mechanics in, 548

Sedation for fibreoptic bronchoscopy (E), 769

SEDDON DJ, CHUNG KF, PARADINAS FJ, NEWLANDS ES, SNASHALL PD: Long term survival after treatment of disseminated T cell lymphoma presenting with tracheal obstruction in a patient with coeliac disease, 519

——, SNASHALL PD: Measurement of lung tissue mass in *Pneumocystis carinii* pneumonia, 640

SEIDENBERG J, MASTERS IB, HUDSON I, OLINSKY A, PHELAN PD: Disturbance in respiratory mechanics in infants with bronchiolitis, 660

SEKIZAWA K. *See* YANAI M, 743

SEMPLE SJG. *See* MILLER RF, 559, 565

SÉRIÈS F, CORMIER Y, LA FORGE J: Changes in day and night time oxygenation with protriptyline in patients with chronic obstructive lung disease, 275

——,——,——: Non-apnoeic REM sleep induced nocturnal oxygen desaturation treated by nasal continuous positive airway pressure, 521

——,—— LAMPRON N, LA FORGE J: Influence of lung volume on sleep apnoea, 52

SHACHOR Y, SCHINDLER D, SIEGAL A, LIEBERMAN D, MIKULSKI Y, ARUDERMAN I. Increased incidence of pulmonary tuberculosis in chronic interstitial lung disease, 151

SHARMA BK, TALUKDAR B, KAPOOR R: Cystic lung in Marfan's syndrome, 978

SHARMA S, RAJANI M: Spontaneous pneumothorax due to metastatic carcinoma of the rectum (*Letter*), 80
SHAW D. *See* PHILLIPS MS, 268
SHEFFIELD EA. *See* MOSS SF, 432
——. *See* STEINFORT CL, 310
——. *See* WIGGINS J, 226
SHELLEY MP, WILSON P, NORMAN J: Sedation for fibreoptic bronchoscopy (E), 769
SHERON N, GRIFFITHS M, JOHNSON NM: Metastatic uterine leiomyosarcoma in association with recurrent lung abscess, 597
SHIKIAR S. *See* GUIDETTI AS, 444
SHIRAKUSA T, TSUTSUI M, IRIKI N, MATSUBA K, SAITO T, MINODA S, IWASAKI T, HIROTA N, KUONO J: Results of resection for bronchogenic carcinoma in patients over the age of 80, 189
SNHEERSON JM: Botulism: a potentially common problem (E), 901
——. *See also* LOBO AJ, 78
——. *See also* PHILLIPS MS, 268
SHULMAN DL. *See* AVITAL A, 298
SIBBALD B: Patient self care in acute asthma, 97
Sickle cell trait, evolution of acute chest syndrome in, case of, 1057
SIEGAL A. *See* SHACHOR Y, 151
SILVA JRLE, JONES JAH, COLE PJ, FOULTER LW: The immunological component of the cellular inflammatory infiltrate in bronchiectasis, 668
SILVERMAN M. *See* CHAN N, 1059
SIMONDS AK, IRVING JD, CLARKE SW, DICK R: Use of expandable metal stents in the treatment of bronchial obstruction, 680
SIMPSON R. *See* HARRISON DJ, 373
SINGH R, JOSHI RC, CHRISTIE J: Generalised non-reactive tuberculosis: a clinicopathological study of four patients, 952
SINHA M, GIBBONS P, KENNEDY SC, MATTHEWS HR: Colopleural fistula due to strangulated Bochdalek hernia in an adult, 762
SISSONS JGP, BORYSIEWICZ LK: Human cytomegalovirus infection (E), 241
Situs inversus and dextrocardia, total oesophageal duplication associated with, case of, 1049
Skeletal muscle strength and endurance in chronic airflow limitation, 903
Sleep apnoea and systemic hypertension (*Review*), 984
  apnoea, influence of lung volume in, 52
  apnoea, obstructive, minitracheotomy in: case report, 224; (*Letter*), 766
  apnoea syndrome, idiopathic obstructive, severe: uvulopalatopharyngoplasty, 205
  breathing patterns in, during nocturnal asthma (*Letter*), 527
  hypoxaemia in Duchenne muscular dystrophy: oxygen treatment, 997; protriptyline treatment, 1002
  quality of, and supplemental oxygen in chronic obstructive lung disease, 184
  REM, inducing non-apnoeic nocturnal oxygen desaturation treated by nasal continuous positive airway pressure, case of, 521
SLEIJFER DT. *See* SMIT EF, 631
SLINGERLAND JM, GROSSMAN RF, CHAMBERLAIN D, TREMBLAY CE: Pulmonary manifestations of tuberous sclerosis in first degree relatives, 212
SLUTZKER AD, CLAYPOOL WD: Pericardial actinomycosis with cardiac tamponade from a contiguous thoracic lesion, 442
Small cell carcinoma. *See under* Carcinoma
SMIT EF, CARNEY DN, HARFORD P, SLEIJFER DT, POSTMUS PE: A phase II study of oral etoposide in elderly patients with small cell lung cancer, 631
SMITH PEM, EDWARDS RHT, CALVERLEY PMA: Oxygen treatment of sleep hypoxaemia in Duchenne muscular dystrophy, 997
——,——,——: Protriptyline treatment of sleep hypoxaemia in Duchenne muscular dystrophy, 1002
Smoking habit and attitudes to smoking among the staff of a hospital, 378; (*Letters*), 765
  habits in relation to asthma (*Letter*), 447
SMOLINSKY A. *See* BAR-EL Y, 74
SNASHALL PD. *See* SEDDON DJ, 519, 640
SNELL NJC. *See* JOHNSON MA, 280
Sodium, dietary, changing, effect on airway responses to histamine, 36
  metabisulphite aerosol: bronchoconstrictor responses in atopic subjects with and without asthma, 1009
SOETERS PS. *See* SCHOLS AMWJ, 937
Soldering fluxes, soft corrosive, containing zinc chloride and ammonium chloride, occupational asthma due to, 220
SOUL JO. *See* READY AR, 594
SOUTAR SA. *See* JENKINS SC, 209, 634
SPECKS U, DEREMEE RA: Significance of antibodies to cytoplasmic components of neutrophils (E), 369
SPIRO SG. *See* LAROCHE CM, 913
Sputum expectoration in adults with cystic fibrosis, effect of exercise and physiotherapy in aiding, 1006
  from patients with asthma and chronic bronchitis, cellular characteristics of, 693
Squamous cell carcinoma of the pleura following bronchopleural fistula, case of, 1053
STABLEFORTH DE. *See* MORAN A, 1051
STEEL A. *See* WALKER SJ, 751
STEINFORT CL, WIGGINS J, SHEFFIELD EA, KEAL EE: Alveolitis associated with sulphamethoxypyridazine, 310
STENTON SC. *See* CONNOLLY MJ, 146
Stents, metal, expandable, in bronchial obstruction, 680
STEWART AW. *See* PATTEMORE PK, 168
STEWART S. *See* LOBO AJ, 78
STOCKLEY RA. *See* LOMAS DA, 828
STONE TN. *See* ROBERTSON DR, 461
STRACHAN DP: Repeatability of ventilatory function measurements in a population survey of 7 year old children, 474, (*Letter*), 1059
STRADLING JR: Sleep apnoea and systemic hypertension. (*Review*), 984
Sulfadoxine-pyrimethamine (Fansidar), eosinophilic pneumonia induced by, sulfadoxine specific lymphocyte transformation in, case of, 307
Sulphamethoxypyridazine, alveolitis associated with, case of, 310; (*Letter*), 766
SUMMERS GD. *See* BONE MF, 654
SUMBERS Q: Nebulised pentamidine as treatment for *Pneumocystis carinii* pneumonia in the acquired immunodeficiency syndrome (*Letter*), 831
SUNG JY. *See* PANG J, 948
Supraventricular tachycardia caused by nebulised ipratropium bromide, case of, 312
SUZER K. *See* DOĞAN R, 192
SUZUKI A. *See* NISHIMURA M, 251
SVARTENGREN K, WIMAN L-G, THYBERG P, RIGLER R: Laser light scattering spectroscopy: a new method to measure tracheobronchial mucociliary activity, 539
SVENSSON C, BAUMGARTEN CR, PIPKORN U, ALKNER U, PERSSON CGA: Reversibility and reproducibility of histamine induced plasma leakage in nasal airways, 13
SWINBURN CR, COOPER BG, MOULD H, CORRIS PA, GIBSON CJ: Adverse effect of additional weight on exercise against gravity in patients with chronic obstructive airways disease, 716
——, GOULD FK, CORRIS PA, HOOPER TL, ODOM NJ, FREEMAN R, MCGREGOR CGA: Opportunist pulmonary infection with *Legionella bozemanii*, 434
——. *See also* ROBERTSON DR, 461
Swyer-James syndrome, differential lung function in an infant with, 298

T

T cell lymphoma, disseminated, presenting with tracheal obstruction in coeliac disease, long term survival after treatment, case of, 519
Tachycardia. *See* Supraventricular tachycardia
TADA H, YASUMIZU R, YUASA S, SATO M, MIZUNO Y: Annular lesion of the lung in sarcoidosis, 756
TAKISHIMA T. *See* YANAI M, 743
TALAEE N. *See* NEWMAN SP, 706
Talc induced lung disease, bronchoalveolar lavage in (*Letter*), 607
TALUKDAR B. *See* SHARMA BK, 978
TAYLOR AJN. *See* VENABLES KM, 447, 760

TAYLOR BE. *See* McILLMURRAY MB, 215
TAYLOR GW. *See* BLACK PN, 491
TEKLU B: Bronchial asthma at high altitude: a clinical and laboratory study in Addis Ababa, 586
TEMU P. *See* BARNES DJ, 422, 768
Tenckhoff catheter, palliation of malignant ascites with, 828
TEPPEMA LJ. *See* JAVAHERI S, 121
TERNOUTH I. *See* McLEOD DT, 794
TEWARI SC, JAYASWAL R, CHAUHAN MS, KAUL SK, NARAYANEN VA: Bilateral recurrent haemorrhagic pleural effusion in asymptomatic chronic pancreatitis, 824
Theophylline and enprofylline, effect on bronchial hyperresponsiveness, 1022
THIVOLET FB. *See* CAMUS P, 711
THOMAS PS, OWEN ERTC, HULANDS G, MILLEDGE JS: Respiratory function in the morbidly obese before and after weight loss, 382
THOMAS SHL. *See* O'DOHERTY MJ, 1059
THOMAS T STJ. *See* HULKS G, 496
THOMPSON MJ, COLEBATCH HJH: Decreased pulmonary distensibility in fibrosing alveolitis and its relation to decreased lung volume, 725
THOMSON NC. *See* ROBERTS JA, 603
Thoracoplasty, exercise responses in patients treated for pulmonary tuberculosis by, 268
  limited, in the management of complicated pulmonary aspergillomas, 1027
THYBERG P. *See* SVARTENGREN K, 539
Thymoma, correlations between histological type, clinical behaviour and prognosis in, 455
TIBBLING L. *See* EKSTRÖM T, 19
Tibet, missing link from (E), 981
TORRES A. *See* PLAZA V, 289
Tracheal lipoma, case of, 980
  obstruction caused by disseminated T cell lymphoma in coeliac disease, long term survival after treatment, case of, 519
  stenosis, post-intubation, effect of corticosteroids on, case report, 753
Tracheobronchial mucociliary activity, measurement by laser light scattering spectroscopy, 539
Transbronchial biopsy without fluoroscopy: a five year experience in outpatients, 956
Transfer factor for carbon monoxide in diabetes with and without microangiopathy (*Letter*), 446
Transkei, carcinoma of oesophagus in: intubation, 42
TREACHER D. *See* WINTER RJD, 58
TREMBLAY CE. *See* SLINGERLAND JM, 212
TRENDELENBURG F. *See* MORGENROTH A, 177
Tru-cut biopsy needle compared with Abrams punch for pleural biopsy, 794
TRULOCK EP. *See* RETTINGER SD, 829
TSEUNG MH. *See* CARROLL N, 599
TSUJI M. *See* NISHIMURA M, 251
TSUTSUI M. *See* SHIRAKUSA T, 189
Tuberculosis, active, adrenal function in, 422; (*Letter*), 768
  non-reactive, generalised: a clinicopathological study of four patients, 952
  presenting as discrete pleural masses without effusion in a young man, case of, 436
  pulmonary, increased incidence in chronic interstitial lung disease, 151
  pulmonary, treated by thoracoplasty, exercise responses in, 268
Tuberculous retropharyngeal abscess, producing respiratory obstruction case of, 599
Tuberous sclerosis in first degree relatives, pulmonary manifestations of, 212
Tucson, Arizona: allergy distribution in a population sample (*Research Overview*), 425
Tumour cells disseminated from fine needle biopsy, case of, 826
TUNG K. *See* FOLEY NM, 732
TURNER-WARWICK M. *See* JOHNSON MA, 280
TURTLE JR. *See* BARNES DJ, 422, 768
Twitch pressures in the assessment of diaphragm weakness, 990
TWORT CHC. *See* BURNEY PGJ, 36
TYRRELL DNM. *See* KELLY CP, 758

U

UNLU M. *See* DOĞAN R, 192
URAGODA CG: Clinical and radiographic study of activated carbon workers, 303
Uterine leiomyosarcoma, metastatic, in association with recurrent lung abscess, case of, 597
Uvulopalatopharyngoplasty in severe idiopathic obstructive sleep apnoea syndrome, 205
VAN AALDEREN WMC, POSTMA DS, V KOËTER GH, KNOL K: Circadian change in bronchial responsiveness and airflow obstruction in asthmatic children, 803
VAN BODEGOM PC, WAGENAAR SJ SC, CORRIN B, BAAK JPA, BERKEL J, VANDERSCHUEREN RGJRA: Second primary lung cancer: importance of long term follow up, 788
VAN DER MARK THW. *See* KOËTER GH, 1022
——. *See* KRAAN J, 1015
VANDERSCHUEREN RGJRA. *See* VAN BODEGOM PC, 788
VAN GINNEKEN CAM. *See* VAN KOPPEN CJ, 28
VAN HERWAARDEN CLA. *See* VAN KOPPEN CJ, 28
VAN KOPPEN CJ, RODRIGUES DE MIRANDA JF, BELD AJ, VAN HERWAARDEN CLA, LAMMERS J-W J, VAN GINNEKEN CAM: Beta adrenoceptor binding and induced relaxation in airway smooth muscle from patients with chronic airflow obstruction, 28
VENABLES KM, DAVISON AG, BROWNE K, TAYLOR AJN: Pseudo-occupational asthma, 760
——, TAYLOR AJN: Prospective study of asthma in relation to smoking habits (*Letter*), 447
Ventilation, increase caused by aminophylline in absence of changes in ventral medullary extracellular fluid pH and carbon dioxide tension, 121
  and perfusion, pulmonary, in children and adults, effects of posture on distribution of, 480
  perfusion mismatching in acute severe asthma: effects of salbutamol and 100% oxygen, 258
Ventilatory and heart rate responses to hypoxia and hypercapnia in diabetes mellitus, 251
  function measurements in a population survey of 7 year old children, repeatability of, 474; (*Letter*), 1059
Ventricular function, right, and prediction of survival in chronic obstructive lung disease (*Letter*), 447
  septal defects, multiple, and coronary artery-left ventricular fistula due to blunt chest trauma, case of, 1055
VENUTA F. *See* RICCI C, 455
VEREA-HERNANDO H, MARTIN-EĞANA MT, MONTERO-MARTINEZ C, FONTAN-BUESO J: Bronchoscopy findings in invasive pulmonary aspergillosis, 822
VIERECK HJ. *See* MORGENROTH A, 177
Vincristine, doxorubicin, and cyclophosphamide, combination of, compared with etoposide in small cell lung cancer, 215
VISKUM K. *See* ALMIND M, 627

W

WACLAWSKI E. *See* HULKS G, 496
WAGENAAR SJ SC. *See* VAN BODEGOM PC, 788
WAGNER PD. *See* BALLESTER E, 258
WAGNER W. *See* JUETTNER FM, 516
WAIT JL, MOVAHED A: Anginal chest pain in sarcoidosis, 391
WAKE PN. *See* CAMPBELL P, 305
WALBAUM PR. *See* PRASAD US, 784
WALKER EB, FRITH RW, HARDING DA, CANT BR: Uvuolopalatopharyngoplasty in severe idiopathic obstructive sleep apnoea syndrome, 205
WALKER SJ, STEEL A, CULLEN MH, MATTHEWS HR: Treatment of oesophageal small cell carcinoma by combined chemotherapy and surgical resection: report of two cases and review of published cases, 751
WALKER WS. *See* PRASAD US, 784
WALLER DA, SAUNDERS NR: Unilateral pulmonary oedema following the removal of a giant pleural tumour, 682
WALLER DG. *See* OLIVER RM, 513

WALLIS PJW. *See* LOMAS DA, 828
WALTERS EH. *See* CONNOLLY MJ, 146
WARD K, O'CONNOR C, ODLUM C, FITZGERALD MX: Prognostic value of bronchoalveolar lavage in sarcoidosis: the critical influence of disease presentation, 6
WEBB AK. *See* ONG ELC, 739
——. *See* SALH W, 1006
WEBB AR, WOODHEAD MA, DALTON HR, GRIGG JA, MILLARD FJC: Topical nasal anaesthesia for fibreoptic bronchoscopy: patients' preference for lignocaine gel, 674
WEBSTER A. *See* HASLETON PS, 1057
Wegener's granulomatosis and other conditions, antibodies to neutrophil cytoplasmic antigens in, 373; (*Letter*), 831
Weight, additional, adverse effect on exercise against gravity in chronic obstructive airways disease, 716
WEIR DC, BARNETT AH, BURGE PS, JENNINGS PE, HENDY MS: Transfer factor for carbon monoxide in patients with diabetes with and without microangiopathy (*Letter*), 446
——, ROBERTSON AS, JONES S, BURGE PS: Occupational asthma due to soft corrosive soldering fluxes containing zinc chloride and ammonium chloride, 220
WELLER IVD. *See* MILLER RF, 559
WEST RR. *See* ANGELINI GD, 721
WESTH H. *See* HANSEN CP, 684
WHITE RJ. *See* DILWORTH JP, 576
WHITEHOUSE DB. *See* KELLY CP, 758
WHYTE KF, DOUGLAS NJ: Posture and nocturnal asthma, 579
WIGGINS J, CLARK TJH, CORRIN B: Chronic necrotising pneumonia caused by *Aspergillus niger*, 440
——, SHEFFIELD E, JEFFERY PK, GEDDES DM, CORRIN B: Bronchial casts associated with hilar lymphatic and pulmonary lymphoid abnormalities: case report, 226
——. *See also* STEINFORT CL, 310
WILLEY RF. *See* McILLMURRAY MB, 215
WILLIAMS AJ, DAVENPORT A: Fall in peak expiratory flow during haemodialysis in patients with chronic renal failure (*Letter*), 159
WILLIAMS MH. *See* ROTHSTEIN MS, 510
WILSON P. *See* SHELLEY MP, 769
WIMAN L-G. *See* SVARTENGREN K, 539
WINTER RJD, DAVIDSON AC, TREACHER D, RUDD RM, ANDERSON JV, MELEAGROS L, BLOOM SR: Atrial natriuretic peptide concentrations in hypoxic secondary pulmonary hypertension: relation to haemodynamic and blood gas variables and response to supplemental oxygen, 58
WOJNAROWSKA F. *See* PORTER JC, 766
WOLSTENHOLME RJ. *See* McILLMURRAY MB, 215
WOODCOCK AA. *See* MITCHELL DM, 776
WOODHEAD MA. *See* WEBB AR, 674
WOUTERS EFM. *See* SCHOLS AMWJ, 937
WREN C. *See* RENZULLI A, 1055

X

XAUBET A. *See* PLAZA V, 289

Y

YAMAMOTO H. *See* NISHIMURA M, 251
YANAI M, OHRUI T, SEKIZAWA K, SASAKI H, TAKISHIMA T: Laryngeal resistance immediately after panting in asthmatic subjects, 743
YASUMIZU R. *See* TADA H, 756
YELLIN A. *See* BAR-EL Y, 74
YOUNG IH, DAVISKAS E, KEENA VA: Effect of low dose nebulised morphine on exercise endurance in patients with chronic lung disease, 387
YUASA S. *See* TADA H, 756
YUKSEL M. *See* DOĞAN R, 192

Z

ZAKHOUR HD. *See* ZUK JA, 678
ZELEFSKY MN. *See* ROTHSTEIN MS, 510
ZIELINSKI C. *See* POELZLEITNER D, 438
Zinc chloride and ammonium chloride contained in soft corrosive soldering fluxes, occupational asthma due to, 220
ZUK JA, KING A, ZAKHOUR HD, DELANEY JC: Locally invasive pulmonary aspergillosis occuring in a gardener: an occupational hazard? 678

Index to Summaries of the Proceedings of the British Thoracic Society

Only the first author is indexed.

A

Abdominal surgery, cough threshold after, 354P
Accident & emergency department, asthma in, 841P
Accident & emergency department, breathlessness in, 355P
N-acetyl cysteine, effect on release of oxygen radicals from neutrophils & alveolar macrophages, 359P
Actinomycosis, pulmonary, in Merseyside, 899P
  review of, 847P
Adenoidectomy and tonsillectomy, effect on overnight hypoxaemia, sleep disturbance, and growth in young children who snore, 353P
Adenosine, effect of theophylline and, on eosinophil activation, 360P
Adenosine, effect on mast cell histamine release, 882P
  monophosphate, repeated challenges in exercise induced bronchoconstriction in asthma, 865P
Adenosine 5'-monophosphate provoked bronchoconstriction in asthmatic subjects, comparative protective effect of inhaled salbutamol, 335P
AIDS, bronchoscopes shown by genetic probing to be infected with HIV, 890P
  pulmonary pentamidine deposition in, 891P
  sputum induction for diagnosing *Pneumocystis carinii* pneumonia in, 318P
Airflow limitation, severe: ability of patients to trigger new breath activator inhaler, 341P
  obstruction, chronic: bronchodilator reversibility in, 844P
  obstruction, chronic: carbon monoxide transfer coefficient in, 836P
  obstruction, chronic: diamorphine in treatment of dyspnoea, 888P
  obstruction, chronic: effect of hypoxia and exercise on platelet activation, 837P
  obstruction, non-asthmatic, chronic, bronchial responsiveness in, 342P
  obstruction, reversible, salbutamol and ipratropium bromide responses, 361P
  obstruction, reversible, nedocromil sodium and sodium cromoglycate in, 362P
Airway blood flow, laser Doppler flowmetry during bronchoscopy, 836P
  calibre, altering does not affect airway responsiveness in asthmatics, 350P
  disease, chronic obstructive: nebulised salbutamol in, 843P
  epithelium, activated eosinophils and neutrophils interaction, 896P
  limitation, chronic, domiciliary oximetry in, 836P
  limitation, chronic, transcutaneous carbon dioxide monitoring in, 852P
  microvascular leakage, inhibition by corticosteroids, 320P
  reactivity, increased, to histamine after smoke inhalation injury, 362P
  resistance, interrupter method for measuring, 862P
  resistance, oral: mask and mouthpiece comparison with nasal resistance and posture, 885P
  responsiveness, temperature influence on nebuliser output, 864P
  smooth muscle, effect of frusemide on inhibition of contraction, 834P
  smooth muscle, effect of protein kinase C inhibition on histamine and methacholine induced constriction of, 316P
  smooth muscle, lithium effects on muscarinic receptor stimulated inositol polyphosphate accumulation, 834P
  smooth muscle, role of G proteins in transduction of inositol triphosphate induced intracellular calcium release, 835P
Airways, bovine and human, effect of Na-K ATPase inhibition on contractility in vitro, 317P
  disease, chronic obstructive, autonomic neuropathy in, 899P
  disease, chronic obstructive, driving and, 900P
  disease, chronic obstructive, in elderly, enprofylline and theophylline in, 361P
  disease, chronic obstructive, severe, nebulised fenoterel & ipratropium in, 339P
  manifestations of pigeon fanciers lung, 349P
  microvascular leak and changes in lung resistance, 895P
  obstruction, progressive, bronchoscopic findings in sarcoidosis, 846P
  obstruction, reversible, in Zimbabwe, 848P
AL JARAD N, *et al*: Effect of histamine challenge on carbon monoxide transfer factor and its components: membrane diffusing capacity and pulmonary capillary volume in normal subjects, 863P
AL-KASSIMI FA, *et al*: Tuberculosis epidemiology in the Western Region of Saudi Arabia, 869P
AL-ZEERAH M, JEYASINGHAM K: Role of limited thoracoplasty in management of complicated pulmonary aspergilloma, 364P
ALI NJ, *et al*: Bronchodilator efficacy of salbutamol delivered by breath actuated inhaler compared with conventional aerosol and the "Volumatic" device, 341P
ALI NJ, *et al*: Radial artery puncture: comparison of three haemostatic techniques, 879P
ALI NJ, *et al*: Bone turnover during high dose inhaled corticosteroid therapy, 900P
ALLEN M, *et al*: Salbutamol output from two jet nebulisers, 343P
ALLEN, M, *et al*: Is an acclimatisation night necessary in the investigation of sleep apnoea?, 354P
ALLEN M, *et al*: Accuracy of the Medilog sleep stager in overnight polysomnography, 854P
ALLEN M, *et al*: Clinical features of typical and atypical bronchial carcinoid tumours, 877P
Allergen challenge, effect of lipoxygenase inhibition on late phase bronchoconstriction, 867P
  challenge to the lung, urinary eicosanoids in acute asthma after, 866P
  effect of natural exposure on cellular infiltration in upper respiratory tract, 894P
Allergy, smoking, and airways obstruction in elderly, 870P
Alpha$_1$ antitrypsin synthesis by monocyte subpopulations, 874P
Altitude, peak expiratory flow at, 862P
ALTON EWFW, *et al*: Measurement of nasal potential differences in patients with "equivocal" sweat tests, 314P
ALTON EWFW, *et al*: Characteristics of ion transport in the guinea pig trachea, 330P
Alveolar drug delivery using simple nebuliser modification, 860P
  macrophage function and chemotherapy in small cell lung cancer, 884P
  macrophages, effect of *N*-acetyl cysteine on release of oxygen radicals, 359P
Alveolitis, cryptogenic fibrosing, circulating concentrations of free radical activity in, 347P
  cryptogenic fibrosing, diagnostic coding in hospital admissions, 871P
  cryptogenic fibrosing, management in 1980s, 346P
  cryptogenic fibrosing, mortality from, 870P
Ampicillin effect on haemophil; of sputum and saliva in lower respiratory tract infections, 857P
Anaesthetics, local, inhaled, antitussive properties of, 355P

Angiotensin converting enzyme inhibitor cough, cough challenge in, 329P
Anti-inflammatory agents, effect on neutrophil chemotactic response in vitro & in vivo, 320P
Anticholinergics in reversibility testing of COPD, 342P
Antitussive properties of inhaled local anaesthetics, 355P
ARM JP, *et al*: Airways responsiveness to histamine and leukotriene E_4 in aspirin induced asthma, 866P
ARNOLD JD, *et al*: Comparative assessment of enprofylline and theophylline for chronic obstructive airways disease in elderly, 361P
Arterial blood sample with modified standard plastic syringe, 356P
Arteriovenous malformations, pulmonary, investigation and treatment, 364P
Arthritis, rheumatoid, pulmonary manifestations in, 349P
Asbestos pleural plaques, abnormal pulmonary function due to, 898P
Aspergilloma, pulmonary, role of limited thoracoplasty in, 364P
Aspergillus fumigatus: eosinophils kill spores, 335P
Aspirin induced asthma, inhalation and nasal challenge in, 840P
ASSOUFI B, *et al*: Differences in time course of respiratory heat loss in asthma induced by exercise and isocapnic hyperventilation, 329P
Asthma: activated T lymphocytes and eosinophils in bronchial biopsy specimens, 882P
acute: urinary eicosanoids in, 866P
acute, preventable: cost of hospital admission, 366P
acute, severe: changes in hospital management in Birmingham and Manchester, 366P
acute, severe: reversible ECG T wave abnormalities in, 879P
acute, severe: serum neutrophil chemotactic activity is elaborated spontaneously by cultured peripheral blood mononuclear cells, 319P
acute, severe: ventilation in, 840P
airways obstruction site in, 887P
aspirin induced: airways responsiveness to histamine and LTE_4, 866P
aspirin induced: inhalation and nasal challenge in, 840P
assessment of histamine tachyphylaxis in, 867P
beclomethasone dipropionate and nedocromil sodium compared, 897P
brittle: IgG subclass activities in, 892P
brittle: raised creatine kinase activity in, 880P
bronchial, mononuclear cell derived peptide enhances granulocyte leukotriene generation in, 316P
bronchial mucosal eosinophil and mast cell populations compared with healthy controls, 872P
chronic corticosteroid resistance in, 319P
circulating autoantibodies to recombinant lipocortin-1 in, 883P
circumstances of death in, 362P
diary cards: accuracy, 343P
distress due to respiratory symptoms and daily life, 886P
differences in time course of respiratory heat loss induced by exercise & isocapnic hyperventilation, 329P
dose-response effect of terfenadine on resting bronchomotor tone in, 346P
effect of grass pollen exposure on diurnal variation of peak expiratory flow in pollen sensitive children, 864P
effect of flurbiprofen on refractoriness following bradykinin induced bronchoconstriction in, 332P
effect of inhaled budesonide on bronchial reactivity in, 350P
effect of inhaled frusemide on metabisulphate and methacholine induced bronchoconstriction, 851P
effect of inhaled steroid reduction on airway responsiveness, 851P
effect of intravenous atrial natriuretic peptide on bronchomotor tone, 865P
effect of repeated adenosine monophosphate on exercise induced bronchoconstriction, 865P
emphysema in, 877P
exercise induced, effects of terfenadine and ipratropium bromide, 851P
fatal, drug prescribing in, 366P
hospital duration after acute attack, 839P
hypothalamo-pituitary-adrenal axis suppression, 878 P (bis)
improving control in general practice, 344P
in 12 year olds: 2 surveys 15 years apart, 847P
infection in exacerbations of, 344P
inflammatory cell metabolic activity in BAL fluid, 881P
management in accident & emergency department, 841P
measure of sleep disturbance, 852P
mechanism for role of steroids, 359P
mild: effect of lithium in, 868P
mild: salbutamol controlled release in, 864P
mild: subepithelial fibrosis and inflammatory cell infiltration in, 896P
mild: ventilation-perfusion mismatching after methacholine challenge in, 329P
mild atopic: effect of cetirizine on bronchoconstriction, 851P
mortality & morbidity in Netherlands, 1980–6, 365P
mortality in New Zealand, 1911–86, 869P
nebulisation of beta agonists in, 361P
nocturnal, and dreams, 841P
nocturnal: influence of adrenergic modulation of vagal tone, 889P
occupational, ethylenediamine induced, 870P
occupational, in nurses due to chlorhexidine & alcohol aerosols, 344P
peripheral blood mononuclear cell corticosteroid receptors in, 882P
potassium channel activator in morning dipping, 852P
prevalence in Nottingham primary schoolchildren, 847P
reduced selenium concentrations, in New Zealand, 881P
relative responsiveness to LTC_4, LTD_4 and LTE_4 to histamine and metacholine in airways, 866P
respiratory symptoms questionnaire for epidemiology, 871P
rise in last decade, underestimation, 365P
severe nocturnal, effect of controlled release salbutamol, 367P
side effects of sublingual salbutamol in, 361P
survey of patients' beliefs during drug therapy, 880P
Asthmatic children: osmolality and pH of nebulised drug solutions: effect on airway calibre, 899P
children, ventilated: long term outcome, 840P
reaction, late: comparison with histamine bronchoprovocation test, 867P
reaction, late, in guinea pig, bronchial T lymphocyte subsets in, 320P
response to inhaled allergen, effect of CGS 12970, 316P
response, early, to inhaled antigen, role of histamine & leukotrienes in, 334P
response, late, to inhaled antigen, histamine & leukotriene antagonists protect against, 316P
subjects, altering baseline airway calibre does not affect airway responsiveness in, 350P
Asthmatics, comparative protective effect of inhaled salbutamol on bronchoconstriction provoked by histamine, methacholine & AMP, 335P
outcome of rehabilitation programmes for, 352P
who die, characteristics & potentially preventable factors, 343P
Atenolol: effect on airway beta adrenergic responsiveness, 865P
Atopy and lung function in shipyard workers, 345P
Atrial natriuretic peptide in acute exacerbations of COPD, 338P
natriuretic peptide, intravenous: effect on bronchomotor tone in asthma, 865P
natriuretic peptide release in response to acute hypoxic and hypocapnic hyperventilation, 837P
AYRES JG, *et al*: Underestimation of rise in asthma over last decade: evidence from general practice in UK, 365P
AYRES JG, *et al*: IgG subclass deficiencies in brittle asthma, asthma with recurrent infective exacerbations, and stable asthma, 892P
Azithromycin: pulmonary tissue concentrations in lung resection, 856P
AZZAWI M, *et al*: Activated T lymphocytes and eosinophils in bronchial biopsy specimens in asthma: association with airway hyperresponsiveness, 882P

B

BAKKE P, *et al*: Occupational airborne pollutants and respiratory symptoms in a general population of Norway, 345P

BALDWIN DR, *et al*: Changes in hospital management of acute severe asthma by thoracic and general physicians in Birmingham and Manchester during 1978 and 1985, 366P

BARKER R, *et al*: Evaluation of automatic metered dose inhalers, 862P

BARROS MJ, *et al*: Salbutamol and ipratropium bromide responses in patients with partially reversible airflow obstruction, 361P

BARROS MJ, *et al*: Inspiratory flow rate and cough response to citric acid inhalations, 860P

BASRAN GS, *et al*: Radioisotopic method for measuring pleural fluid drainage, 330P

BAUDOUIN SV, *et al*: Selective bronchography using Iotrolan 240, a non-ionic, iso-osmolar contrast agent, 315P

BAUDOUIN SV, *et al*: Symptomatic bullae in normal adult lungs: clinical and histological features, 845P

BCG vaccination, infant, Heaf status 12 years after, 843P

BCG vaccination, stopping in 1990, prediction of possible effect on tuberculosis notification, 319P

Beclomathasone dipropionate compared with nedocromil sodium in asthma, 897P

Beta agonists in asthma, optimal time for nebulisation, 361P

Beta$_2$ adrenergic receptor gene, expression in lung, 835P

BICKNESS S, *et al*: Stanozolol corrects haemostatic abnormalities in small cell lung cancer, 883P

BIERMAN CW, *et al*: Dose-response study of salmeterol, a long acting beta$_2$ agonist, 850P

BIERNACKI W, *et al*: Severity of emphysema, assessed in life by quantitative computed tomography, does not relate to the "blue bloated" or "pink puffing" patterns of chronic bronchitis and emphysema, 337P

BIERNACKI W, *et al*: Does severity of emphysema as assessed by computed tomography predict survival in patients with chronic bronchitis and emphysema?, 342P

BIERNACKI W, *et al*: Does emphysema occur in asthma?, 877P

BILTON D, *et al*: Evaluation of exercise as adjunct to chest physiotherapy in treatment of cystic fibrosis, 859P

Biopsy. *See* Transbronchial

BIRMAN C, *et al*: Nasal vascular permeability: comparative effects of histamine and allergen, 894P

BLACK PN, *et al*: Effect of CGS 12970, a thromboxane synthetase inhibitor, on the response to inhaled allergen, 316P

BLAINEY AD, *et al*: Acute preventable asthma: cost of hospital admission, 366P

BLEASDALE C, *et al*: Management of patients with cryptogenic fibrosing alveolitis in the 1980s: experience in three regions, 346P

BLEASDALE C, *et al*: Circulating concentrations of free radical activity in patients with cryptogenic fibrosing alveolitis, 347P

Bleomycin induced lung fibrosis in mice: development of, 875P

Bleomycin induced lung injury in rat: effects of BN 52021 and platelet depletion, 358P

Blood sampling, arterial, with modified standard plastic syringe, 356P

BLUNT S, *et al*: PEF/FVC a more sensitive index of both restrictive and obstructive lung disease than FEV_1/FVC, 327P

BOLDY DAR, *et al*: Nucleolar organiser regions and histological differentiation in squamous cell carcinoma of bronchus, 357P

BOLDY DAR, AYRES JG: Nedocromil sodium and sodium cromoglycate in patients over 50 years of age with reversible airflow obstruction, 362P

Bombesin: gene transcript localisation in lung large cell carcinoma, 884P

Bone turnover during high dose inhaled corticosteroid therapy, 900P

BOSCHETTO P, *et al*: Inhibition of airway microvascular leakage by corticosteroids, 320P

BOTHAMLEY G, *et al*: Levels of antibody to purified antigens of *Mycobacterium tuberculosis* in pulmonary tuberculosis, 325P

BOTHAMLEY G, *et al*: Prognosis in tuberculosis, 842P

BOURKE S, *et al*: Airways manifestations of pigeon fancier's lung, 349P

BRADLEY A, *et al*: Influence of temperature on nebuliser output and measurement of airway responsiveness, 864P

BRADLEY M, *et al*: Inspiratory and expiratory chest films in diagnosis of pneumothorax, 363P

Bradykinin induced bronchoconstriction in asthma, effect of flurbiprofen on refractoriness following, 332P

Breath alcohol measuring devices, respiratory disease patients and, 846P

activated inhaler compared with aerosol & "Volumatic", bronchodilator efficacy of salbutamol delivered by, 341P

activated inhaler, new, ability of patients with severe airflow limitation to trigger, 341P

Breathing, spontaneous, in man, timing of sighs during, 329P

Breathlessness in accident & emergency department, 355P

relation to minute ventilation in progressive incremental exercise testing, 885P

subjects can differentiate between intensity and distress, 886P

BRIGGS JE, *et al*: Chronic obstructive airways disease, driving, and the roadside alcometer, 900P

BRITTON JR: Effects of social class, sex, and region of residence on age at death from cystic fibrosis in England and Wales, 364P

BRITTON JR, *et al*: Mortality from cryptogenic fibrosing alveolitis in England and Wales, 870P

Bronchial asthma, mononuclear cell derived peptide enhances granulocyte leukotriene generation, 316P

blood flow: neuropeptides and pulmonary resistance in conscious sheep, 884P

carcinoid tumours: clinical features, 877P

carcinoma: serum growth hormone concentrations and finger clubbing, 838P

challenge tests, comparison of two methods of expressing results, with reference to use in epidemiological surveys, 345P

challenge tests, comparison of Yan and dosimeter methods, 887P

hyperactivity in haemodialysis patients, 321P

hyperresponsiveness and respiratory morbidity, 848P

hyperresponsiveness, non-specific, and salbutamol produced bronchodilation, 868P

hyperresponsiveness to methacholine and histamine in heart-lung transplantation, 886P

narrowing in normal subjects, limits to, 350P

obstruction, expandable metallic stents in treatment of, 356P

reactivity: twelve month study, 848P

reactivity and peak flow variability: factors affecting, 870P

reactivity in asthma, effect of inhaled budesonide, 350P

responsiveness in non-asthmatic chronic airflow obstruction: prognostic implications & changes with time, 342P

responsiveness to histamine, eucapnic dry air hyperventilation and exercise in asthma, 351P

T lymphocyte subsets in late asthmatic reaction in guinea pig, 320P

Bronchiectasis, IgA subclasses in sputum from patients with, 315P

rat model: activation markers and lung mononuclear cells, 893P

rat model: kinetics of cell mediated immune response in, 315P

response to antibiotic therapy, 858P

Bronchiectatic sputum: cathepsin B and cystatins in, 892P

Bronchitis, chronic, with airflow limitation, oral high frequency oscillation as aid to physiotherapy, 350P

Bronchoalveolar lavage fluid fibronectin & procollagen peptide reflect inflammation & not early fibrosis in sarcoidosis, 348P

lavage fluid from patients with sarcoidosis, cellular source of collagenase in, 348P

lavage fluid from sarcoidosis patients, effect on production of tumour necrosis factor by human monocytes, 336P

lavage fluid from systemic sclerosis patients, growth promoting factors for fibroblasts in, 347P

lavage fluid in asthma: inflammatory cell metabolic activity in, 881P

lavage fluid: mediators and cells of, during compensatory lung growth, 360P

lavage fluid of smokers & non-smokers, transferrin levels in, 333P

lavage fluid: phenotypically distinct macrophage subsets in, 360P

lavage: lymphocyte counts and T cell phenotypes in heart-lung

transplants, 873P
leucocyte chemotaxis, impaired, in lungs exposed to pathogenic mineral dust, 335P
macrophages & neutrophils, inflammatory fibronectin degrading activity of, 331P
Bronchoconstriction and bronchial hyper-responsiveness, PAF induced, effects of thromboxane receptor antagonist CGR 32191 on, 337P
induced by bradykinin in asthma, effect of flurbiprofen on refractoriness following, 332P
induced by inhaled potassium chloride is safe, 333P
induced by metabisulphite: nedocromil sodium and, 834P
provoked by histamine methacholine & adenosine 5'-monophosphate in asthma, comparative protective effect of inhaled salbutamol, 335P
Bronchodilator efficacy of salbutamol delivered by breath activated inhaler compared with aerosol and "Volumatic", 341P
reversibility in chronic airflow obstruction, 844P
Bronchogenic carcinoma and sputum eosinophilia, 357P
carcinoma tissue, increased levels of vaccenic acid in, 358P
Bronchography, arterial oxygen saturation in, 890P
selective, using Iotrolan 240, a non ionic, iso-osmolar contrast agent, 315P
Bronchopulmonary dysplasia: premature guinea pig as model, 876P
Bronchoscopes used in AIDS contaminated with HIV, 890P
Bronchoscopy clinic, direct referral of patients by general practice, 356P
effect of small volume saline lavage, 890P
is community acquired pneumonia indication for convalescent?, 857P
local anaesthesia for fibreoptic, 890P
measurement of airway blood flow during, 836P
units, time & cost implications of uniform policy of infection control, 325P
Bronchospasm, exercise-induced, formoterol inhibits longer than salbutamol, 363P
Bronchus, non-small cell carcinoma of, endobronchial radiotherapy, 838P
Bronchus, squamous cell carcinoma of, nucleolar organiser regions & histological differentiation in, 357P
BROWN GM, *et al*: Differential plasminogen activator and fibronectin degrading activities of leucocytes from acutely and chronically inflamed lung, 330P
BROWN GM, *et al*: Characteristics of the fibronectin degrading activity of inflammatory bronchoalveolar macrophages and neutrophils, 331P
BROWN PH, *et al*: Hypothalamo-pituitary-adrenal axis suppression in asthmatics taking high dose inhaled corticosteroids, 878P
BROWN PH, *et al*: Screening for hypothalamo-pituitary-adrenal axis suppression in asthmatics taking high dose inhaled corticosteroids, 878P
Buccal cells: fimbriation of non-typable *H influenzae* increases attachment, 893P
Budesonide, inhaled, effect on bronchial reactivity in asthma, 350P
inhaled, effect on bronchial responsiveness to histamine, eucapnic dry air ventilation and exercise in asthma, 351P
Bullae in normal adult lungs, 845P
BUNKER CB, *et al*: Isotretinoin given in treatment of systemic sclerosis may hasten the decline of pulmonary function, 346P
BURGESS CD, *et al*: Oral theophylline potentiates the inotropic effect of inhaled fenoterol, 877P
BURKE LA, *et al*: Effect of nedocromil and sodium cromoglycate on PAF and LTC_4 generation by human eosinophils stimulated by ionophore or unopsionised zymosan, 334P
BURNETT D, *et al*: IgA subclasses in sputum from patients with bronchiectasis, 315P
BURNETT D, *et al*: Cathepsin B and cystatins in bronchiectatic sputum, 892P
BURR ML, *et al*: Asthma in 12 year old children: two surveys 15 years apart, 847P

C

Calcium release, intracellular, role of G proteins in transduction, 835P
CAMPBELL JH, *et al*: Arterial blood sampling with modified standard plastic syringe, 356P
CAMPBELL JH, *et al*: Management of hypercalcaemia in advanced lung cancer, 878P
CAPEWELL S, SANKARAN R: Lung cancer in young patients, 356P
Carbon dioxide rebreathing: inspiratory effort and pulmonary mechanics, 861P
dioxide, transcutaneous: monitoring during sleep in chronic airflow limitation patients, 852P
monoxide transfer coefficient in chronic airflow obstruction, 836P
monoxide transfer factor: effect of histamine challenge, 863P
Carcinoma. *See sites of carcinomas*
CAREY FA, *et al*: DNA heterogeneity in lung cancer and its relevance to studies of prognosis, 358P
CARROLL N, *et al*: Domiciliary oximetry in patients with chronic airflow limitation receiving long term oxygen therapy, 836P
CARROLL N, *et al*: Transcutaneous carbon dioxide monitoring during sleep in patients with chronic airflow limitation, 852P
CARROLL N, *et al*: New device for the measurement of maximal static respiratory pressures, 862P
CARROLL N, *et al*: Domiciliary assessment of overnight oxygenation in Duchenne muscular dystrophy, 855P
CARVALHO PM, *et al*: Computed tomography of folded lung, 845P
Castor bean allergy: work related respiratory symptoms, 871P
Cathepsin B and cystatins in bronchiectatic sputum, 892P
Cell-mediated immune response in rat-model of bronchiectasis, kinetics of, 315P
Cetirizine: effect on histamine and bronchoconstriction in mild atopic asthma, 851P
CGS 12970. *See* Thromboxane synthetase inhibitor
CHADWICK MV, *et al*: Combination chemotherapy with ciprofloxacin for infection with mycobacterium tuberculosis in mouse model, 842P
Chest clinics: video improves patient satisfaction, 880P
Chest infection, postoperative: risk factors after upper abdominal surgery, 856P
Chest radiograph, appearance of, transmission-emission scans in pulmonary oedema and *Pneumocystis carinii* pneumonia correlate with, 318P
CHIDLEY KE, *et al*: Reassessment of asthma management in an accident and emergency department, 841P
CHILVERS ER, *et al*: Lithium effects on muscarinic receptor stimulated inositol polyphosphate accumulation in airway smooth muscle, 834P
CHINN DJ, *et al*: Atopy and lung function in shipyard workers, 345P
Chlorhexidine and alcohol aerosol, occupational asthma in nurses due to, 344P
CHOPRA LC, *et al*: Role of G proteins in transduction of inositol triphosphate induced intracellular calcium release in human airways smooth muscle, 835P
CHOUDRY NB, *et al*: Antitussive properties of inhaled local anaesthetics, 355P
CHUNG KF, *et al*: Circulating autoantibodies in recombinant lipocortin-1 in asthma, 883P
Cigarettes. *See* Smoke; Smokers; Smoking
Ciliary dyskinesia, primary, and male fertility, 314P
Ciprofloxacin: combination chemotherapy for mouse mycobacterium tuberculosis, 842P
Citric acid inhalations: inspiratory flow rate and cough response, 860P
CLAGUE J, *et al*: Control of ventilation and perception of effort in dystrophia myotonica, 352P
CLAGUE JE, *et al*: Inspiratory effort sensation and pulmonary mechanics during carbon dioxide rebreathing in normal man, 861P
CLAGUE JE, *et al*: Respiratory sensation chemosensitivity and muscle fatigue, 861P
CLARK RJ, HASLETT C: Early cessation of neutrophil migration after localised intrapulmonary instillation of *Streptococcus pneumon-*

iae, 332P
CLELLAND CA, *et al*: Histological classification of acute lung rejection in heart-lung transplants, 321P
CLELLAND CA, *et al*: Lymphocyte counts and T cell phenotypes in bronchoalveolar lavage in relation to transbronchial lung biopsy in patients with heart-lung transplants, 873P
CLOUGH JB, *et al*: Twelve month study of bronchial reactivity: relation to atopy and respiratory symptoms, 848P
COCHRANE LM, *et al*: Analysis of effects of subject motivation and intercurrent illness on outcome of rehabilitation programmes for asthmatics, 352P
COCHRANE LM, *et al*: Effects of mode of exercise on the relation of breathlessness to minute ventilation during progressive incremental exercise testing, 885P
Coffee processing plant: work related respiratory symptoms, 871P
Collagen, Type III: synthesis by human lung, 873P
Collagenase in bronchoalveolar lavage fluid from patients with sarcoidosis, cellular source of, 348P
Computed tomography assessment of severity of emphysema, 337P, 342P
tomography lung density, relation between lung function, emphysema and, 338P
tomography sizing of mediastinal lymph nodes, 340P
CONNOLLY CK, *et al*: Infection in exacerbations of asthma: views and practice in the Northern Region, 344P
CONNOLLY CK, *et al*: New model for diurnal variation in peak flow rate, 864P
CONNOLLY MS, *et al*: Arterial oxygen saturation in patients undergoing bronchography, 890P
CONWAY JH, *et al*: Humidification as an aid to tracheobronchial clearance when used as an adjunct to chest physiotherapy, 879P
CORRIGAN CJ, *et al*: Corticosteroid resistance in chronic asthma: correlation of clinical response with in vitro sensitivity of lymphocytes to anti-inflammatory drugs, 319P
CORRIGAN CJ, *et al*: Characteristics of peripheral blood mononuclear cell corticosteroid receptors in CS resistant asthmatics, 882P
Corticosteroid receptors in peripheral blood mononuclear cells in asthmatics, 882P
resistance in chronic asthma, 319P
therapy: bone dose during high dose inhaled, 900P
Corticosteroids, inhibition of airway microvascular leakage by, 320P
inhibition of eosinophil function by, 883P
COSTA DA, *et al*: Abnormal pulmonary function due to asbestos pleural plaques, 898P
Cotton workers: histamine reactivity and atopy, 897P
Cough induced by [Cl^-], inhaled frusemide reduces, 835P
challenge in ACE inhibitor cough, 329P
threshold after abdominal surgery, 354P
CROPLEY IM, *et al*: Respiratory infection in an intensive therapy unit, 856P
CROSBY FRG, *et al*: Improving asthma control in general practice, 344P
CROSBY J, STRADLING J: Reproducibility of home oximeter tracings, 353P
CROSBY J, *et al*: Sleep hypoxaemia and its correlation in 480 men aged 35–65 years, 353P
CUNDELL DR, *et al*: *Haemophilus influenzae*: synthesis of neutrophil migration inhibitory factor or factors, 892P
Cyclosporin, effect on pulmonary arterial smooth muscle, 337P
Cystic fibrosis: aspergillus sensitivity and pseudomonas colonisation in, 857P
fibrosis: adult: endurance exercise in, 889P
fibrosis: blood spot assay for IgG antibodies, 858P
fibrosis: circulating neutrophil products in, 859P
fribrosis: cutaneous and systemic vasculitis in, 314P
fibrosis: effects of social class, sex, and residence on age at death from, 364P
fibrosis: exercise as adjunct to chest physiotherapy, 859P
fibrosis: infective pulmonary exacerbations in, 860P
fibrosis: when should children be referred for heart-lung transplantation?, 859P
Cytokines: effect on synthesis of cathepsin B and leucocyte elastase in U937 cell line, 875P

D

DAVIES PDO: Prediction of the possible effect on tuberculosis notifications of stopping BCG vaccination in 1990 based on published data, 319P
DAVIES PDO: Pattern of tuberculosis in the Indian subcontinent population: evidence for an acquired immunodeficiency, 842P
DAVIES RJO, *et al*: Relationship of obstructive sleep apnoea to neck circumference, obesity, soft palate length, and retroglossal space, 853P
Denver shunt in recurrent malignant pleural effusion, 341P
DE SOUZA AC, *et al*: Pulmonary tissue concentrations after oral administration of azithromycin in lung resections, 856P
Diamorphine in "pink puffer" syndrome, 888P
DILWORTH JP, *et al*: Oxygen concentrators: the patient's view, 338P
DILWORTH JP, *et al*: Cough threshold after abdominal surgery, 354P
DILWORTH JP, *et al*: Risk factors for postoperative chest infection after upper abdominal surgery, 856P
DINH AT, *et al*: Endothelium dependent vasorelaxation in human pulmonary disease, 876P
DIXON CMS, *et al*: Inhaled potassium chloride induced bronchoconstriction is safe, 333P
DIXON CMS, *et al*: Tolerance to metabisulphite induced bronchoconstriction and duration of action of nedocromil sodium, 834P
DIXON CMS, *et al*: Prevention of metabisulphite induced bronchoconstriction by salbutamol, 868P
DJUKANOVIC R, *et al*: Immunocytochemical method comparing bronchial mucosal eosinophil and mast cell population in asthmatics and healthy controls, 872P
DNA heterogeneity in lung cancer, 358P
DONALDSON K, *et al*: Impaired bronchoalveolar leucocyte chemotaxis in lungs exposed to pathogenic mineral dust: an important factor in pneumoconiosis?, 335P
DONALDSON K, *et al*: Injury to pulmonary epithelial cells grown on different extracellular matrices caused by rat mast cell protease, 358P
DOW L, *et al*: Longitudinal study of ethylenediamine induced occupational asthma, 870P
DOW L, *et al*: Smoking, allergy, and airways obstruction in the elderly, 870P
Dreams and nocturnal asthma, 841P
Driving: chronic obstructive airways disease and roadside alcometer, 900P
DROST E, *et al*: Effect of *N*-acetyl cysteine on release of oxygen radicals from neutrophils and alveolar macrophages, 359P
DROST E, *et al*: Variations in neutrophil deformability following in vivo and in vitro cigarette smoke exposure, 874P
Duchenne muscular dystrophy: domiciliary assessment of overnight oxygenation, 855P
DUDDRIDGE M, *et al*: Urea as marker for epithelial lining fluid volume samples by bronchoalveolar lavage, 872P
DUDDRIDGE M, *et al*: Inflammatory cell metabolic activity in sequential aspirates of bronchoalveolar lavage fluid in asthma, 881P
DUGGAN CJ, *et al*: Differences in oral resistance between mask and mouthpiece: comparison with nasal resistance, and the effects of posture, 885P
Dust in wool textile mills, functional effects of exposure to, 348P
Dystrophia myotonica, control of ventilation and perception of effort in, 352P

E

Eicosanoids, urinary, in acute asthma, 866P
EISER N, *et al*: Histamine and leukotriene antagonists together protect against late response to inhaled antigen, 316P
EISER N, *et al*: Role of histamine and leukotrienes in early response to inhaled antigen, 334P

EISER N, *et al*: Diamorphine in the treatment of dyspnoea in the "pink puffer" syndrome of chronic airflow obstruction, 888P
Electrocardiographic T wave abnormalities in severe acute asthma, 879P
ELLIOTT M, *et al*: Endobronchial radiotherapy in treatment of advanced non-small cell carcinoma of bronchus, 838P
Emphysema: does it occur in asthma?, 877P
relation between CT lung density, lung function and, 338P
severity assessed by CT predicts survival in COPD?, 342P
severity assessed by CT does not relate to "blue bloated" or "pink puffing" patterns, 337P
Endobronchial lesions: morbidity and mortality associated with endoscopic laser resection, 839P
Endothelin: effect on isolated rat pulmonary vascular resistance vessels, 895P
Endothelium dependent vasorelaxation in human pulmonary disease, 876P
Endotoxin induced plasma exudation in guinea pig is not dependent on circulating neutrophils, 876P
Enprofylline and theophylline for chronic obstructive airways disease in elderly, 361P
Eosinophil activation, effect of theophylline and adenosine on, 360P
function: inhibition by corticosteroids in vitro, 883P
Eosinophilia, sputum, and bronchogenic carcinoma, 357P
Eosiniophils and activated T lymphocytes in bronchial biopsy specimens in asthma, 882P
activated, interaction with neutrophils in vitro, 896P
human, generation of PAF & LTC_4 stimulated by ionophore or unopsonised zymosan, effect of nedocromil, 334P
kill spores of *Aspergillus fumigatus*, 335P
Epithelial lining fluid volume: urea as marker, 872P
Epithelium. *See* Respiratory epithelium
Erythropoietin, nocturnal, in sleep apnoea, 855P
Ethambutol, ocular toxicity of, 843P
Ethylenediamine induced occupational asthma, 870P
EVANS TW, *et al*: Bleomycin induced lung injury in rat: effects of platelet activating factor receptor antagonist BN 52021 and platelet depletion, 358P
EVANS TW, *et al*: Endotoxin induced plasma exudation in guinea pig airways is not dependent on circulating neutrophils, 876P
Exercise and breathlessness during progressive incremental exercise testing, 885P
and hypoxia effect on platelet aggregate formation and platelet release products in chronic airflow obstruction, 837P
and isocapnic hyperventilation, differences in time course of respiratory heat loss in asthma induced by, 329P
effect of salbutamol, propranolol and isosorbide dinitrate on ventilatory responses, 888P
endurance in adult cystic fibrosis, 889P
histamine and eucapnic dry air hyperventilation, bronchial responsiveness to, in asthma, effect of inhaled budesonide on, 351P
hyperventilation in heart transplant recipient, fall in mixed venous oxygen saturation is associated with, 322P
rehabilitation in fibrosing lung disease, 328P
tests in chronic obstructive pulmonary disease, 351P
Expiratory flow. *See* Peak Expiratory Flow
Expiratory volume, forced, in one second. *See* FEV_1

F

FELDMAN C, *et al*: Pneumolysin damages human respiratory epithelium in vitro and may be an important virulence determinant of *Streptococcus pneumoniae* infection, 893P
Fenoterol & ipratropium, nebulised, in severe chronic obstructive airways disease, 339P
oral theophylline potentiates inotropic effect, 877P
Fertility, male, and primary ciliary dyskinesia, 314P
FEV_1 and FVC measurements in respiratory laboratories in UK, survey of, 326P
diurnal variation in, following heart-lung transplantation, 323P
FVC and PEF: repeatability of, 328P
variability during inhalation test, 869P
FERGUSON H, *et al*: Comparison of three methods of rhinomanometry used in the measurement of nasal airways resistance, 886P
FERGUSON RJ, *et al*: Assessment of human milk fat globule antigen as a tumour marker in serum and bronchial washings, 897P
Fibreoptic bronchoscopy. *See* Bronchoscopy
Fibroblast replication, production of factors by human polymorphonuclear neutrophils capable of stimulating, 336P
Fibroblasts in bronchoalveolar lavage fluid from systemic sclerosis patients, growth promoting factors for, 347P
Fibronectin and procollagen peptide in bronchoalveolar lavage fluid reflect inflammation and not early fibrosis in sarcoidosis, 348P
degrading activity of inflammatory bronchoalveolar macrophages and neutrophils, 331P
degrading and plasminogen activator activities of leucocytes from acutely & chronically inflamed lung, 330P
FINNEGAN MJ, *et al*: Cutaneous and systemic vasculitis in cystic fibrosis, 314P
FINNERTY JP, *et al*: Effects of terfenadine and ipratropium bromide alone and in combination on exercise induced asthma, 851P
FINNERTY JP, *et al*: Effect of repeated bronchial challenges with adenosine monophosphate on exercise induced bronchoconstriction in asthma, 865P
FINNERTY JP, *et al*: Assessment of histamine tachyphylaxis in asthma and its relation to bronchial hyperreactivity, 867P
FISHWICK D, *et al*: Histamine reactivity and atopy in byssinotic and non-byssinotic cotton workers, 897P
FITZPATRICK RW, *et al*: Comparison of two theophylline prediction methods in obstructive lung disease, 879P
FLATT A, *et al*: Reduced selenium concentrations in asthmatic subjects in New Zealand, 881P
Flurbiprofen, effect of refractoriness following bradykinesia induced bronchoconstriction in asthma, 332P
FOLEY NM, *et al*: Effect of bronchoalveolar lavage fluid from patients with sarcoidosis on production of tumour necrosis factor by normal human monocytes, 336P
FOLEY NM, *et al*: Inhibition of tumour necrosis factor by serum of patients with sarcoidosis and tuberculosis, 873P
FONTANA GA, *et al*: Influence of mastication on respiratory activity in man, 328P
Forced expiratory volume in one second. *See* FEV_1
Forced vital capacity ratio. *See* FVC
Formoterol inhibits exercise-induced bronchospasm for longer than salbutamol, 363P
FOWERAKER JA, *et al*: Comparison of effect of ampicillin and erythromycin on haemophili of sputum and saliva in patients with lower respiratory tract infection, 857P
FREEMAN W, *et al*: Endurance exercise in adult cystic fibrosis, 889P
FREW AJ, *et al*: Bronchial T lymphocyte subsets in the late asthmatic reaction in the guinea pig, 320P
Frusemide: effect on airway smooth muscle contraction, 834P
effect on metabisulphite and methacholine induced bronchoconstriction in asthma, 851P
reduces cough induced by $[CL^-]$ solutions, 835P
FVC and FEV_1 measurement in respiratory laboratories in UK, survey of, 326P
PEF and FEV_1, repeatability of, 328P

G

G proteins: role in $InsP_3$ induced intracellular calcium release in airways smooth muscle, 835P
General practice, improving asthma control in, 344P
GHOSH SK, *et al*: Dose-response effect of terfenadine on resting bronchomotor tone in patients with asthma, 346P
GHOSH SK, *et al*: Effect of cetirizine on histamine and LTD induced bronchoconstriction in subjects with mild atopic asthma, 851P

GHOSH SK, *et al*: Effect of physiological manoeuvres on the absorption of inhaled nedocromil sodium, 888P
GIBSON SP, *et al*: Is community acquired pneumonia an indication for convalescent bronchoscopy?, 857P
GILLIGAN D, *et al*: Pulmonary manifestations of rheumatoid arthritis, 349P
Glucose intolerance in pulmonary tuberculosis, 325P
GODDEN DJ, *et al*: Measurement of airway blood flow during bronchoscopy by laser Doppler flowmetry, 836P
GOLDMAN JM, *et al*: Nocturnal erythropoietin levels in sleep apnoea, 855P
GOSNEY MA, *et al*: Serum growth hormone concentrations and finger clubbing in bronchial carcinoma, 838P
GR32191. *See* Thromboxane receptor antagonist
GRAHAM DR, *et al*: Pulmonary actinomycosis in Merseyside, 899P
GRANEEK BJ, *et al*: Variability in FEV_1 during inhalation test with normal saline, 869P
Granule esterase activity: mast cells in airways show heterogeneity with, 894P
Granulocyte leukotriene generation, mononuclear cell derived peptide in bronchial asthma enhances, 316P
GREENING AP, *et al*: Transferrin levels in bronchoalveolar lavage fluid of smokers and non-smokers, 333P
Growth, overnight hypoxaemia and sleep disturbance in young children who snore, effect of tonsillectomy & adenoidectomy on, 353P
  hormone concentrations, serum, and finger clubbing in bronchial carcinoma, 838P
  promoting factors for fibroblasts in bronchoalveolar lavage fluid from patients with systemic sclerosis, 347P
GUNAWARDENA KA, *et al*: Repeatability of FEV_1, FVC and PEF: relation to the size of the measurement, 328P

H

HABIBI P, *et al*: Nocturnal hypoxaemia due to adenotonsillar hypertrophy in homozygous sickle cell disease, 853P
Haemodialysis, bronchial hyperactivity in patients undergoing, 321P
Haemophilus influenzae attaches exclusively to areas of damaged human respiratory epithelium in vitro, 331P
Haemophilus influenzae: fimbriation increases attachement to dispersed buccal cells, 893P
Haemophilus influenzae: neutrophil migration inhibitory factor synthesis, 892P
HALEPOTA MA, HANLEY SP: Breathlessness in accident and emergency department: a management problem?, 355P
HAMID Q, *et al*: Expression of $beta_2$ adrenergic receptor gene in rat and human lung, 835P
HAMID Q, *et al*: Localisation of bombesin gene transcript in large cell carcinoma of the lung, 884P
HAMILTON AH, *et al*: Aspergillus sensitivity, pseudomonas colonisation and outcome in cystic fibrosis, 857P
HAMILTON AH, *et al*: Improving the diagnostic accuracy of the sweat test, 858P
HAN LY, *et al*: Effect of the antiviral drug ribavirin on human respiratory epithelium in vitro and nasal mucoliary clearance in vivo, 332P
HANSON PJV, *et al*: Time and cost implications of a uniform policy of infection control in bronchoscopy units, 325P
HANSON PJV, *et al*: Evaluation of lung function equipment modified to prevent contamination with HIV and other microorganisms, 326P
HANSON PJV, *et al*: Arterial oxygen saturation in patients undergoing bronchography, 890P
HARCOMBE A, *et al*: Ocular toxicity of ethambutol, 843P
HARPER GD, *et al*: Comparison of inhaled beclomethasone dipropionate and nedocromil sodium as additional therapy in asthma, 897P
HARRISON NK, *et al*: Histopathology of interstitial lung disease in systemic sclerosis: comparison with cryptogenic fibrosing alveolitis and implications for pathogenesis, 346P
HARRISON NK, *et al*: Growth promoting factors for fibroblasts in bronchoalveolar lavage fluid from patients with systemic sclerosis, 347P
HARRISON NK, *et al*: Type III collagen synthesis by the human lung: effect of cardiopulmonary bypass, 873P
HARVEY J, WILLIAMS JG: Treatment of hyperventilation syndrome, 354P
HASANI A, *et al*: Impairment of lung mucociliary clearance in pigeon fanciers, 349P
HASSAN AB, *et al*: Reversible electrocardiographic T wave abnormalities in severe acute asthma, 879P
HATHAWAY TJ, *et al*: Methacholine and histamine bronchial hyperresponsiveness after heart-lung transplantation, 886P
HAY JG, *et al*: Exercise tests in chronic obstructive pulmonary diseases: which test and how many?, 351P
HAY JG, *et al*: Patterns of exertional oxygen saturation—corridor walks and progressive cycle exercise compared, 884P
HAY JG, *et al*: Local anaesthesia in fibreoptic bronchoscopy, 890P
Heaf skin test: how well can general public read reactions?, 898P
  skin test: status 12 years after infant BCG immunisation, 843P
Heart-lung transplantation, diurnal variation in FEV_1 following, 323P
  transplantation: herpes simplex virus infection and cytomegalovirus infection, 850P
  transplantation, histological classification of acute lung rejection in, 321P
  transplantation: lymphocyte counts and T cell phenotypes in BAL in relation to transbronchial lung biopsy, 873P
  transplantation: methacholine and histamine bronchial hyperresponsiveness after, 886P
  transplantation: pulmonary vascular changes, 848P
  transplantation: value of child transbronchial biopsy specimens, 849P
  transplantation: when should children with cystic fibrosis be referred?, 859P
Heart transplant recipients, fall in mixed venous oxygen saturation is associated with exercise hyperventilation, 322P
HENDERSON AJW, *et al*: Effect of grass pollen exposure on the diurnal variation in peak expiratory flow in pollen sensitive children with asthma, 864P
HERDMAN AJ, *et al*: Salbutamol controlled release attenuates airways responsiveness to inhaled methacholine in subjects with mild asthma, 864P
HIGGINS BG, *et al*: Comparison of two methods of expressing results of bronchial challenge tests with reference to their use in epidemiological surveys, 345P
HIGGINS BG, *et al*: Factors affecting bronchial reactivity and peak flow variability in a random population sample, 870P
HILL RA, *et al*: Time trends in the prevalence of wheezing and asthma diagnosis in Nottingham primary schoolchildren, 847P
Histamine, increased airway reactivity to, after smoke inhalation injury, 362P
  and leukotrienes, role in early response to inhaled antigen, 334P
  and leukotriene antagonists together protect against late response to inhaled antigen, 316P
  and leukotriene E_4, airways responsiveness in aspirin induced asthma, 866P
  and methacholine induced constriction of airway smooth muscle, effect of protein kinase C inhibition on, 316P
  challenge on carbon monoxide transfer factor, 863P
  eucapnic dry air hyperventilation and exercise, bronchial responsiveness to, in asthma, effect of inhaled budesonide, 351P
  methacholine & adenosine 5′-monophosphate provoking bronchoconstriction in asthmatics, comparing protective effect of inhaled salbutamol, 335P
  tachyphylaxis in asthma: relation to bronchial hyperreactivity, 867P
HIV and other micro-organisms, lung function equipment modified to prevent contamination with, 326P
  antibody positive: DTPA lung clearance in respiratory symptoms,

891P
infection: lung function after *P carinii* pneumonia, 892P
HOOD SK, *et al*: Altering baseline airway calibre does not affect airway responsiveness in asthmatic subjects, 350P
HOSKER HSR, *et al*: Alveolar macrophage function before and during chemotherapy in patients with small cell lung cancer, 884P
HOUNSLOW NJ, *et al*: Respiratory burst of sarcoid neutrophils and blood monocytes is normal, 336P
HUI KP, *et al*: Airways microvascular leak and changes in lung resistance and compliance induced by aerosolised allergen challenge in sensitised guinea pig in vivo, 895P
HULKS G, *et al*: Malignant pleural mesothelioma in Western Glasgow 1980–6, 340P
HULKS G, *et al*: Effect of intravenous atrial natriuretic peptide on bronchomotor tone in asthmatic patients, 865P
Human milk fat globule antigen as tumour marker, 897P
Humidification as aid to tracheobronchial clearance in chest physiotherapy, 879P
HUTCHISON DCS, *et al*: Survey of FEV_1 and FVC measurements in respiratory laboratories in the UK, 326P
Hypercalcaemia in advanced lung cancer, 878P
Hyperventilation, dry air, exercise and histamine, bronchial responsiveness to, in asthma, effect of inhaled budesonide, 351P
exercise, in heart transplantation, fall in mixed venous oxygen saturation is associated with, 322P
isocapnic, and exercise, differences in time course of respiratory heat loss in asthma induced by, 329P
syndrome, treatment of, 354P
Hypothalmo-pituitary-adrenal axis suppression in asthmatics taking high dose inhaled corticosteroids, 878 P (*bis*)
Hypoxaemia, nocturnal, due to adenotonsillar hypertrophy in sickle cell disease, 853P
overnight, sleep disturbance and growth in young children who snore, effect of tonsillectomy & adenoidectomy on, 353P
sleep, and its correlates in 480 men aged 35–65, 353P
Hypoxia: effect on platelet aggregate formation in chronic airflow obstruction, 837P
Hypoxia, nocturnal postoperative, following thoracotomy, resolution of, 353P

I

IgA subclasses in sputum from bronchiectasis patients, 315P
IgG subclass deficiencies in brittle asthma, 892P
ILTARS: expert system to interpret results of pulmonary function tests, 327P
Immune response, cell mediated, in rate model of bronchiectasis, kinetics of, 315P
Indian subcontinent, pattern of TB acquired immunodeficiency, 842P
variations in pattern of TB in, 324P
Infections in exacerbations of asthma, 344P
Inhaler. *See* Breath activated inhaler
Inositol triphosphate induced intracellular calcium release in airways smooth muscle, 835P
Inspiratory effort sensation and pulmonary mechanics during CO_2 rebreathing, 861P
flow rate and cough response to citric acid inhalations, 860P
Intensive therapy unit, respiratory infection in, 856P
Ion transport in guinea pig trachea, 330P
Ionophore stimulated effect of nedocromil and sodium cromoglycate on PAF and LTC, generation by human eosinophils, 334P
Iotrolan 240, a non-ionic iso-osmolar contrast agent, selective bronchography using, 315P
IP M, *et al*: Effect of anti-inflammatory agents on neutrophil chemotactic response in vitro and in vivo, 320P
Ipratropium bromide and salbutamol responses in partially reversible airflow obstruction, 361P
bromide and terfenadine effects on exercise induced asthma, 851P
Ireland: epidemiology of TB in, 1986 national survey, 324P
Isoniazid resistant TB: outbreak in secondary school, 323P

J

JIE C, *et al*: Trends in operated non-small cell lung cancer, 1969–85, 326P
JOHN LCH, *et al*: Microscopic residual tumour at bronchial resection margin after lung resection: 11 year series, 838P
JOHNSON NMCI, *et al*: Ability of patients with respiratory diseases to use breath alcohol measuring devices, 846P
JOHNSON I, *et al*: Cryptogenic fibrosing alveolitis: accuracy of diagnostic coding in hospital admissions, 871P
JONES HA, *et al*: Metabolic response to acute and chronic localised pulmonary inflammatory stimuli measured in vivo, 895P
JOYCE H, *et al*: Evolution of changes in carbon monoxide transfer coefficient in chronic airflow obstruction, 836P
JUNIPER EF, *et al*: Effect of inhaled steroid reduction on airway responsiveness and clinical asthma severity: a double blind, randomised controlled trial, 851P

K

KEELEY DJ, *et al*: Comparison of prevalence of reversible airways obstruction in rural and urban Zimbabwean children, 848P
KELLY CA, *et al*: Pulmonary function in primary Sjögren's syndrome: a longitudinal study, 846P
KELLY P, *et al*: Should a positive reaction to the tuberculin test in health care workers be an indication for chemoprophylaxis, 324P
KINNEAR WJM, *et al*: Prospective study of the value of direct general practitioner referral for spirometry and reversibility studies, 355P
KINNEAR WJM, *et al*: Acceptibility of direct referral of patients by general practitioner to bronchoscopy clinic, 356P
KINNEAR WJM, *et al*: Prospective study of pneumonia developing in surgical wards, 363P
KINNEAR WJM, *et al*: Review of thoracic actinomycosis, 847P
KINSELLA J, *et al*: Increased airway reactivity to histamine after smoke inhalation injury, 362P
KIRBY M, *et al*: Tuberculosis as a cause of pleural effusion, 1980–7, 324P
KNOX AJ, *et al*: Effect of protein kinase C inhibition on histamine and methacholine induced constriction of airway smooth muscle, 316P
KNOX AJ, *et al*: Effect of Na-K ATPase inhibition on the contractility of bovine and human airways in vitro, 317P
KNOX AJ, *et al*: Effect of frusemide on histamine, KCl, and hypersomolar saline induced contraction of airway smooth muscle, 834P
KNOX AJ, *et al*: Effect of lithium on bronchial reactivity, airway calibre and asthma symptoms in subjects with mild asthma, 868P
KNOX AJ, *et al*: Comparison of the Yan and dosimeter methods of bronchial challenge in naive and experienced subjects, 887P

L

LAI CKW, *et al*: Nebulised salbutamol (s) in chronic obstructive airway disease: how safe is it?, 843P
LANE S, *et al*: The interrupter method for measuring airway resistance, 862P
LAPA JR, *et al*: Kinetics of cell mediated immune response in rat model of bronchioectasis, 315P
LAPA JR, *et al*: Expression of activation markers by lung mononuclear cells in a rat model of bronchiectasis, 893P
Laser Doppler flowmetry: airway blood flow during, 836P
LAWSON N, *et al*: Increased levels of vaccenic acid in bronchogenic carcinoma tissue, 358P
LEACH RM, *et al*: Effect of endothelin on isolated rat pulmonary vascular resistance vessels, 895P
LEDINGHAM SJM, *et al*: Relevance of intraoperative nodal staging for lung cancer, 340P
LEIGH TR, *et al*: Sputum induction as reliable method of diagnosing *Pneumocystis carinii* pneumonia in AIDS patients, 318P
LEIGH TR, *et al*: Immunofluorescent staining improves the diagnostic sensitivity of sputum induction in *P carinii* pneumonia, 891P

Leucocyte chemotaxis, bronchoalveolar, impaired in lungs exposed to pathogenic mineral dust, 335P
plasminogen activator & fibronectin degrading activities from acutely & chronically inflamed lung, 330P
Leucocytes, human polymorphonuclear, pyocyanin stimulates superoxide generation in vitro, 331P
See also Macrophages; Neutrophils
Leukotriene & histamine antagonists together protect against late response to inhaled antigen, 316P
generation, granulocyte mononuclear cell derived peptide in bronchial asthma enhances, 316P
E_4 & histamine: airways responsiveness in aspirin induced asthma, 866P
Leukotrienes & histamine, role in early response to inhaled antigen, 334P
histamine & methacholine in airways of asthmatics, 866P
Lipocortin-1 in asthma: circulating antibodies, 883P
Lipoxygenase inhibition in late phase bronchoconstriction, 867P
LIPWORTH BJ, *et al*: Efficacy and side effects of sublingual salbutamol in asthma, 361P
LISTER J, *et al*: How accurate are asthma diary cards?, 343P
Lithium effect on bronchial reactivity in mild asthma, 868P
effects on muscarinic receptor stimulated inositol polyphosphate in airway smooth muscle, 834P
LOVE RG, *et al*: Functional effects of exposure to dust in wool textile mills, 348P
LOZEWICZ S, *et al*: Effect of natural exposure to allergen on cellular infiltration in the upper respiratory tract: modifying effect of nedocromil sodium, 894P
LOZEWICZ S, *et al*: Subepithelial fibrosis and inflammatory cell infiltration in mild asthma, 896P
LOZEWICZ S, *et al*: Mast cells in human airways show heterogeneity with respect to granule esterase activity, 894P
LTC_4 and PAF generation by human eosinophils stimulated by ionosphore or unopsonized zymosan, effect of nedocromil & sodium cromoglycate on, 334P
Lung. *See also* Pulmonary
Lung, acutely & chronically inflamed, differential plasminogen activator & fibronectin degrading activities of leucocytes from, 330P
cancer, advanced, hypercalcaemia in, 878P
cancer, DNA heterogeneity in, 358P
cancer in young patients, 356P
cancer, intraoperative nodal staging for, 340P
cancer, large cell, bombesin gene transcript localisation, 884P
cancer, non-small cell, trends in operated, 1969–85, 326P
cancer, palliative treatment by high dose rate intraluminal radiotherapy, 839P
cancer, small cell, alveolar macrophage function & chemotherapy, 884P
cancer, small cell, cell lines in vitro, resistance modification in, 357P
cancer, small cell, randomised trial of planned versus "as required" chemotherapy in, 340P
cancer, small cell, stanozolol corrects haemostatic abnormalities, 883P
density, CT, relation between lung function, emphysema and, 338P
disease, chronic obstructive, mortality & morbidity in Netherlands 1980–6, 365P
disease, fibrosing, exercise rehabilitation in, 328P
disease, interstitial, histopathology in systemic sclerosis, 346P
disease, interstitial, influence of cigarette smoking on bronchoalveolar lavage cellular indices in, 347P
disease, interstitial, supplemental oxygen effect on breathlessness & ventilation in hypoxaemic patients, 861P
disease, obstructive, theophylline prediction methods, 879P
disease, restrictive & obstructive, PEF/FVC a more sensitive index than FEV_1/FVC, 327P
fibrosis, bleomycin induced, 875P
folded, computed tomography of, 845P
function & atopy in shipyard workers, 345P
function: beta$_2$ adrenergic receptor gene expression, 835P
function equipment modified to prevent contamination with HIV & other microorganisms, 326P
function testing using automated system (Gould 2400) in normal healthy subjects, repeatability of, 327P
function tests, interpretation by ILTARS, 327P
growth, compensatory, mediators & cells of bronchoalveolar lavage fluid during, 360P
injury, bleomycin induced: effects of BN52021 and platelet depletion, 358P
mononuclear cells as activation markers in bronchiectasis, 893P
mucociliary clearance in pigeon fanciers, 349P
pigeon fanciers, airway manifestations, 349P
preservation: methylprednisolone and prostacyclin, 850P
preservation: perfusion solutions in ischaemic lung injury, 849P
rejection, acute in heart-lung transplantation, histological classification of, 321P
resection: microscopic residual tumour after, 838P
resection: pulmonary tissue concentrations after azithromycin, 856P
synthesis of type III collagen, 873P
transplanted: distribution of rejection, 321P
transplanted: gas exchange & dead space during exercise, 849P
transplanted: monitoring function by home spirometry, 322P
transplanted: value of transbronchial lung biopsy, 321P
Lungs exposed to pathogenic mineral dust, impaired bronchoalveolar leucocyte chemotaxis in, 335P
symptomatic bullae in, 845P
Lymph nodes, mediastinal, sizing by CT, 340P
Lymphocyte(s). *See also* T cell(s)
Lymphocytes, peripheral blood, platelet activating factor and, 882P

M

McALPINE LG, THOMSON NC: Formoterol inhibits exercise-induced bronchospasm for longer than salbutamol, 363P
McANULTY RJ, *et al*: Mediators and cells of bronchoalveolar lavage fluid during compensatory lung growth, 360P
McDONALD SK, *et al*: Tuberculous meningitis in children in England and Wales, 1983, 323P
McDONALD SK, *et al*: Tuberculosis in England and Wales in 1988, 841P
McLEOD DT, *et al*: Pulmonary rejection following transplantation: the value of transbronchial lung biopsy, 321P
MacNEE W, *et al*: Effect of cigarette smoke on neutrophil proteolytic activity in vitro, 333P
MacNEE W, *et al*: Relation between computed tomography lung density, lung function and emphysema, 338P
MacNEE W, *et al*: Variations in neutrophil elastase and products of lipid peroxidation during smoking, 874P
Macrophage subsets, phenotypically distinct, found in bronchoalveolar lavage fluid, 360P
Macrophages, alveolar, effect of *N*-acetyl cysteine on release of oxygen radicals, 359P
and neutrophils, inflammatory bronchoalveolar, fibronectin degrading activity of, 331P
MAK VHF, *et al*: Sternomastoid relaxation rate: a simple technique to assess muscle fatigue, 887P
Mast cell granules, mediator release from, 896P
cell histamine release: antiadrenergic effect of adenosine, 882P
cells in human airways show heterogeneity, 894P
Mastication, influence on respiratory activity in man, 328P
MATTHEWS AW, *et al*: Thoracoscopy in diagnosis of persistent pleural effusion, 839P
Mediastinal lymph node sizing by CT, 340P
Mediastinoscopy, diagnostic, in superior vena caval obstruction, 339P
Meningitis, tuberculous, in children in England & Wales, 1983, 323P
Mesothelioma, pleural, malignant, in Western Glasgow 1980–6, 340P
Metabisulphate induced bronchoconstriction & nedocromil sodium, 834P
induced bronchoconstriction: prevention by salbutamol, 868P

Metered dose inhalers, automatic, evaluation of, 862P
Methacholine, adenosine 5'-monophosphate & histamine provoking bronchoconstriction in asthma, comparative protective effect of inhaled salbutamol, 335P
and histamine induced constriction of airway smooth muscle, effect of protein kinase C inhibition on, 316P
challenge in mild asthma, ventilation-perfused mismatching after, 329P
MILLAR AB, *et al*: Mechanism for role of steroids in treatment of asthma?, 359P
MILLER RF, SEMPLE SJG: *Pneumocystis carinii* pneumonia treated with nebulised pentamidine using Respigard II nebuliser, 318P
MILROY R, *et al*: Resistance modification in small cell lung cancer cell lines in vitro, 357P
Mineral dust, pathogenic, impaired bronchoalveolar leucocyte chemotaxis in lungs exposed to, 335P
MOHAMMED AF, *et al*: Effects of nebivolol, atenolol, and propranolol on airway beta adrenergic responsiveness in normal subjects, 865P
MOLLOY J, *et al*: Wrist actigraph assessment of sleep in patients with sleep apnoea syndrome, 855P
Monocytes, blood, and neutrophils in sarcoidosis: respiratory burst is normal, 336P
normal human, effect of bronchoalveolar lavage fluid from sarcoidosis patients on production of tumour necrosis factor by, 336P
Mononuclear cell derived peptide in bronchial asthma that enhances leukotriene generation, 316P
Mononuclear cells, cultured peripheral blood, elaborate neutrophil chemotactic activity in acute severe asthma, 319P
MORICE AG, *et al*: Cough challenge in ACE inhibitor cough, 329P
MORRISON JFJ, MUERS MF: Nebulised fenoterol and ipratropium in severe chronic obstructive airways disease, 339P
MORRISON JFJ, *et al*: Diurnal variation in FEV_1 following heart-lung transplantation, 323P
Mucociliary clearance, lung, in pigeon fanciers, 349P
Mucociliary clearance, nasal, in vivo, & human respiratory epithelium in vitro, effect of ribavirin on, 332P
MUNRO NC, *et al*: Primary ciliary dyskinesia and male fertility, 314P
MUNRO NC, *et al*: Response to antibiotic therapy in bronchiectasis measured by indium-III labelled granulocyte scanning, 858P
MURDOCH E, *et al*: Acute pulmonary inflammation following oxygen exposure in the premature guinea pig, 875P
Mycobacterium tuberculosis, antibody levels to purified antigens in pulmonary tuberculosis, 325P

N

Na-K ATPase, effect of inhibition on contractility of bovine and human airways in vitro, 317P
NAGY L, *et al*: Neutrophil chemotactic activity detectable in the serum of patients with acute severe asthma is elaborated spontaneously by cultured peripheral blood mononuclear cells, 319P
Nasal airways resistance: rhinomanometry in, 886P
aspirin provocation in asthma, 840P
mucociliary clearance in vivo and human respiratory epithlium in vitro, effect of antiviral drug ribavirin on, 332P
potential difference in patients with "equivocal" sweat tests, 314P
Nebivolol effect on airways beta adrenergic responsiveness, 865P
Nebulised drug solutions: osmolality and pH in asthmatic children, 899P
Nebuliser: alveolar targeting using simple modification, 860P
Nebulisers for delivering pentamidine isethionate, differences in relative efficiency for delivering, 317P
home: can optimal therapy be predicted by laboratory studies?, 844P
home: long term assessment, 845P
temperature influence on output and airway responsiveness measurement, 864P
Nedocromil sodium and metabisulphite induced bronchoconstriction, 834P
sodium and sodium cromoglycate in over 50s with reversible airflow obstruction, 362P
sodium: effect on physiological manoeuvres on absorption, 888P
sodium: effect on PAF and LTC_4 generation by human eosinophils stimulated by ionophore or unopsonized zymosan, 334P
sodium, radiolabelled, for metred dose inhaler, 863P
Neuropeptides: effect on bronchial blood flow and pulmonary resistance, 884P
Neutrophil chemotactic activity, in acute severe asthma is elaborated spontaneously by cultured blood mononuclear cells, 319P
chemotactic response in vitro and in vivo, effect of anti-inflammatory agents on, 320P
deformability: variations following cigarette smoke exposure, 874P
migration: early cessation after localized intrapulmonary instillation of *Streptococcus pneumoniae*, 332P
traffic in lungs in chronic obstructive pulmonary disease, 874P
proteolytic activity in vitro, effect of cigarette smoke on, 333P
Neutrophils and blood monocytes, in sarcoidosis: respiratory burst is normal, 336P
and macrophages, effects of *N*-acetyl cysteine on release of oxygen radicals, 359P
and macrophages, inflammatory bronchoalveolar, fibronectin degrading activity, 331P
circulating, endotoxin induced plasma exudation and, 876P
human polymorphonuclear, production of factors capable of stimulating fibroblast replication, 336P
New Zealand: asthma mortality 1911–86, 869P
NEWELL-PRICE R, *et al*: Relation between non-specific bronchial hyperresponsiveness and the bronchodilation produced by inhalation of salbutamol, 868P
NG WH, *et al*: Antiadrenergic effect of adenosine on mast cell histamine release, 882P
NICHOL GM, *et al*: Effect of inhaled fusemide on metabisulphite and methacholine induced bronchoconstriction and nasal potentials in asthmatic subjects, 851P
NICHOL GM, *et al*: Effect of neuropeptides on bronchial blood flow and pulmonary resistance in conscious sheep, 884P
NISAR M, *et al*: Reversible chronic obstructive pulmonary disease—one year on, 339P
NISAR M, *et al*: Is irreversible chronic obstructive pulmonary disease irreversible?, 341P
NISAR M, *et al*: Anticholinergics in reversibility testing of chronic obstructive pulmonary disease, 342P
NISAR M, *et al*: Reproducibility of single dose nebulised beta agonist test of reversibility in chronic obstructive pulmonary disease, 845P
Nitric oxide, inhaled, a selective pulmonary vasodilator, 334P
Norway, occupational airborne pollutants and respiratory symptoms in general population, 345P
Nucleolar organiser regions and histological differentiation in squamous cell carcinoma of bronchus, 357P
Nurses, occupational asthma due to chlorhexidine and alcohol aerosol, 344P

O

O'CONNOR CM, *et al*: Bronchoalveolar lavage fluid fibronectin and procollagen peptide reflect inflammation and not early fibrosis in sarcoidosis, 348P
O'DOHERTY MJ, *et al*: Differences in the relative efficiency of nebulisers for delivering pentamidine isethionate, 317P
O'DOHERTY MJ, *et al*: Effect of initial solution volume on pulmonary pentamidine deposition, 891P
O'DRISCOLL BRC, *et al*: Palliative treatment of lung cancer by high dose rate intraluminal radiotherapy, 839P
O'DRISCOLL BRC, *et al*: Home nebulisers: can optimal therapy be predicted by laboratory studies, 844P
O'DRISCOLL MRG, *et al*: Long term prospective assessment of home nebuliser treatment, 845P
O'HICKEY SP, *et al*: Relative responsiveness of leukotriene C_4, LTD_4 and

LTE_4 to histamine and methacholine in airways of asthmatic and normal subjects: evidence for a unique relative hyperresponsiveness to LTE_4 in asthmatic airways, 866P
Occupational airborne pollutants and respiratory symptoms in general population in Norway, 345P
Occupational asthma in nurses due to chlorhexidine and alcohol aerosol, 344P
OLIVER RM, *et al*: Hypoxic pulmonary artery vasoconstriction and right ventricular function in healthy adults, 837P
OLIVER RM, *et al*: Right ventricular function in chronic obstructive pulmonary disease: comparison of two radionuclide techniques, 898P
OLUBOYO PO, *et al*: Significance of glucose tolerance in pulmonary tuberculosis, 325P
OLUBOYO PO, *et al*: Value of overnight ear oximetry as a simplified diagnostic study for sleep apnoea syndrome, 853P
OLUBOYO PO, *et al*: Does the provoking stimulus influence the site of airways obstruction in asthma?, 887P
OPENSHAW PJM, *et al*: Flow cytometric analysis of pulmonary lymphocytes recovered from mice infected with human respiratory syncytial virus, 359P
OPPONG K, *et al*: Effect of salbutamol, propranolol and isosorbide dinitrate on ventilatory responses to constant work rate exercise, 888P
Oral High Frequency Oscillation as aid to physiotherapy in chronic bronchitis with airflow limitation, 350P
ORMEROD LP, *et al*: Variations in pattern of tuberculosis in Indian subcontinent ethnic patients: effects of age, date of first entry, and ethnic group, 324P
Oscillation *See* Oral High Frequency Oscillation
OTULANA BA, *et al*: Home spirometry: a new approach to monitoring pulmonary allograft function, 322P
OTULANA BA, *et al*: Fall in mixed venous oxygen saturation is associated with exercise hyperventilation in heart transplant recipients, 322P
OWEN CA, *et al*: a_1 antitrypsin synthesis by monocyte subpopulation, 874P
OWEN S, *et al*: Lung preservation: evaluation of two perfusion solutions in a dog model of ischaemic lung injury, 849P
OWEN S, *et al*: Methylprednisolone and prostacyclin in lung preservation, 850P
OWEN S, *et al*: Randomised double blind, placebo controlled, crossover study of a potassium channel activator in morning dipping, 852P
Oximeter tracings, home, reproducibility of, 353P
Oximetry, domiciliary, in chronic airflow limitation, 836P
ear: value in diagnosis of sleep apnoea syndrome, 853P
Oxygen: acute pulmonary inflammation following exposure, 875P
concentrator humidifier attachments: bacterial colonisation, 857P
concentrators: factors influencing compliance in long term home oxygen therapy, 900P
concentrators: the patient's view, 338P
radicals, effects of *N*-acetyl cysteine on release of, from neutrophils and alveolar macrophages, 359P
saturation, mixed venous, fall in, associated with exercise hyperventilation in heart transplant recipients, 322P
saturation, pattern of exertion compared, 884P
supplemental: in hypoxaemia in interstitial lung disease, 861P

P

PACKE GE, *et al*: Changes in spirometry during serial admission for infective pulmonary exacerbations in cystic fibrosis, 860P
PAF and LTC_4, generation by human eosinophils stimulated by ionophore or unopsonised zymosan, effect of nedocromil and sodium cromoglycate on, 334P
and peripheral blood lymphocytes, 882P
induced bronchoconstriction and bronchial hyper-responsiveness, effects of thromboxane receptor antagonist (GR32191) on, 337P
PATERSON S, *et al*: Resolution of nocturnal postoperative hypoxia following thoracotomy, 353P
PATIL CP, *et al*: Timing of sighs during spontaneous breathing in man, 329P
PAWLOWICZ A, *et al*: Inhalation and nasal challenge in diagnosis of aspirin inhaled asthma, 840P
Peak expiratory flow at altitude, 862P
expiratory flow: effect of grass pollen exposure in diurnal variation in child asthmatics, 864P
expiratory flow: factors affecting bronchial reactivity and variability, 870P
expiratory flow, FEV_1 and FVC, repeatability of, 328P
expiratory flow: new model for diurnal variation, 864P
expiratory flow/FVC: more sensitive index of both restrictive and obstructive lung disease than FEV_1/FVC, 327P
PENDLETON N, *et al*: Bacterial colonisation of oxygen concentrator humidifier attachments, 857P
Pentamidine deposition, pulmonary, in AIDS, 891P
isethionate, relative efficiency of nebulisers for delivering, 317P
nebulised using Respigard II nebuliser for treating *P. carinii* pneumonia, 318P
PEPKE-ZABA J, *et al*: Inhaled nitric oxide, a selective pulmonary vasodilator, 334P
Peptide, mononuclear cell derived, in bronchial asthma, that enhances granulocytic leukotriene generation, 316P
PERTUZE J, *et al*: Limits to bronchial narrowing in normal subjects, 350P
PHILLIPS GD, *et al*: Comparative protective effect of inhaled salbutamol on bronchoconstriction provoked by histamine, methacholine and adenosine 5'-monophosphate in asthmatic subjects, 335P
Pigeon fanciers, impairment of lung mucociliary clearance in, 349P
fancier's lung, airways manifestation of, 349P
Plasminogen activator and fibronectin degrading activities of leucocytes from acutely and chronically inflamed lung, 330P
Platelet aggregate formation: effect of hypoxia and exercise, 837P
Platelet activating factor. *See* PAF
Pleural effusion, malignant, Denver shunt in, 341P
effusion, persistent: thoracoscopy in diagnosis of, 839P
effusion, TB as cause of, 1980–7, 324P
fluid drainage, radioisotopic method for measuring, 330P
mesothelioma, malignant, in Western Glasgow 1980–6, 340P
Pneumolysin damages human respiratory epithelium *in vitro*, 893P
Pneumonia, community acquired in elderly, hospital based study, 365P
community acquired: indication for convalescent bronchoscopy, 857P
development in surgical wards, 363P
P. carinii, immunofluorescent staining in diagnosis, 891P
P. carinii, in AIDS, sputum induction for diagnosis of, 318P
P. carinii, recovery of lung function after, in HIV, 892P
P. carinii, transmission-emission scans correlate with appearance of chest radiograph, 318P
P. carinii, treated with nebulised pentamidine using a Respigard II nebuliser, 318P
Pneumothorax, inspiratory and expiratory chest films in diagnosis of, 363P
Pollutants, airborne, occupational and respiratory symptoms in a Norwegian general population, 345P
Polysomnography, overnight: Medilog sleep stager in, 854P
POLOSA R, HOLGATE ST: Effect of fluribiprofen on refractoriness following bradykinin induced bronchoconstriction in asthma, 332P
Potassium channel activator in morning dipping, 852P
chloride, inhaled, induced bronchoconstriction is safe, 333P
POULTON SE, *et al*: Optimal time for nebulisation of beta agonists in asthma, 361P
POWER C, *et al*: Cellular source of collagenase in bronchoalveolar lavage fluid from sarcoidosis patients, 348P
Procollagen peptide and fibronectin in BAL reflect inflammation, not early fibrosis, in sarcoidosis, 348P
Propranolol: effects on airway beta adrenergic responsiveness, 865P

Protease, rat mast cell, causes injury to pulmonary epithelial cells, 358P
Protein kinase C inhibition, effect on histamine and methacholine induced constriction of airway smooth muscle, 316P
PRYOR JA, *et al*: Oral high frequency oscillation as an aid to physiotherapy in chronic bronchitis with airflow limitation, 350P
PUGSLEY W, *et al*: Diagnostic mediastinoscopy in superior vena caval obstruction, 339P
Pulmonary actinomycosis in Merseyside, 899P
arterial smooth muscle, effect of cyclosporin on, 337P
arteriovenous malformations, investigation and treatment of, 364P
artery vasoconstriction and right ventricular function, 837P
aspergilloma, complicated, role of limited thoracoplasty, 364P
disease, chronic obstructive, anticholinergics in reversibility testing, 342P
disease, chronic obstructive, determinants of lung neutrophil traffic, 874P
disease, chronic obstructive, does severity of emphysema assessed by CT predict survival?, 342P
disease, chronic obstructive, exercise tests in, 351P
disease, chronic obstructive, is CT irreversible?, 341P
disease, chronic obstructive, patients' beliefs and preferences for drug therapy, 880P
disease, chronic obstructive, reversible—one year on, 339P
disease, chronic obstructive, right ventricular function in, 898P
disease, chronic obstructive, salbutamol by home nebuliser or spacer, 843P
disease, chronic obstructive, serial measurement of atrial natriuretic peptide in acute exacerbation of, 338P
disease, chronic obstructive, severity of emphysema, assessed by CT, does not relate to "blue bloated" or "pink puffing" patterns of, 337P
disease, chronic obstructive, single dose nebulised salbutamol in, 845P
disease, endothelium dependent vasorelaxation in, 876P
epithelial cells, rat mast cell protease causes injury to, 358P
fibrosis: gas exchange and dead space during exercise following single lung transplantation, 849P
functional abnormalities in sarcoidosis, 898P
functional abnormality, due to asbestos pleural plaques, 898P
function in Sjögren's syndrome, 846P
function, isotretinoin in systemic sclerosis may hasten decline of, 346P
inflammation, acute, following oxygen exposure, 875P
inflammatory stimuli, metabolic response to, 895P
lymphocytes, flow cytometric analysis of, in respiratory syncytial virus infected mice, 359P
manifestations of rheumatoid arthritis, 349P
oedema, transmission-emission scans correlate with appearance of chest radiograph in, 318P
tuberculosis. *See* Tuberculosis
vascular changes in heart-lung transplantation, 848P
vascular resistance vessels, effect of endothelin, 895P
vasodilator, selective: inhaled nitric oxide, 334P
See also Lung
Pyoyanin stimulates superoxide generation by human polymorphonuclear leucocytes in vitro, 331P

Q

QUIRK FH, *et al*: Factors influencing distress due to respiratory symptoms and disturbance of daily life in patients with asthma, 886P

R

Radial artery puncture: haemostatic technique comparison, 879P
Radioisotopic method for measuring pleural fluid drainage, 330P
Radiotherapy, endobronchial, in advanced non-small cell bronchial carcinoma, 838P
Radiotherapy, high dose rate intraluminal, in lung cancer, 839P
RAJAGOPOLAN N, *et al*: Salbutamol in chronic obstructive pulmonary disease: home nebuliser or spacer? 843P
RAS GJ, *et al*: Pyocyanin stimulates superoxide generation by human polymorphonuclear leucocytes in vitro, 331P
READ RC, *et al*: *Haemophilus influenzae* attaches exclusively to areas of damaged human respiratory epithelium in vitro, 331P
READ RC, *et al*: Fimbriation of non-typable *Haemophilus influenzae* increases attachment to dispersed buccal cells but not to human ciliated respiratory epithelium in vitro, 893P
READ RC, *et al*: In vitro interaction of activated eosinophils and neutrophils with guinea pig airway epithelium, 896P
Respigard II nebuliser, for treating *P. carinii* pneumonia with pentamidine, 318P
Respiratory activity in man, influence of mastication on, 328P
burst of sarcoid neutrophils and blood monocytes is normal, 336P
epithelium, human, damaged, in vitro, *Haemophilus influenzae* attaches exclusively to areas of, 331P
epithelium, human, damaged, in vitro, pneumolysin may be virulence determinant, 893P
epithelium, human, in vitro, and nasal mucociliary clearance in vivo, effect of ribavirin on, 332P
epithelium, human, in vitro, pneumolysin damages, 893P
heat loss in asthma induced by exercise and isocapnic hyperventilation, differences in time course, 329P
infection in intensive therapy unit, 856P
muscle fatigue chemosensitivity, 861P
pressures, maximal static: new device for measuring, 862P
symptoms and occupational airborne pollutants in Norwegian general population, 345P
symptoms, occupational, in coffee processing, 871P
syncytial virus, human, in mice: flow cytometric analysis of pulmonary lymphocytes, 359P
tract infections, lower, ampicillin and erythromycin in, 857P
tract, upper, natural exposure to allergen in, 894P
Reversibility studies and spirometry: value of direct general practitioner referral, 355P
Rheumatoid arthritis, pulmonary manifestations in, 349P
Rhinomanometry in measurement of nasal airways resistance, 886P
Ribavirin: effect on human respiratory epithelium in vitro and nasal mucociliary clearance in vivo, 332P
ROBERTS CM, *et al*: Effect on distribution of ventilation of small volume saline lavage during bronchoscopy, 890P
ROBERTSON M, SEATON A: Eosinophils kill spores of *Aspergillus fumigatus*, 335P
ROBINSON DS, *et al*: DTPA lung clearance in the investigation of HIV antibody positive patients with respiratory symptoms, 891P
RODRIGUEZ-ROISIN R, *et al*: Ventilation-perfusion mismatching after methacholine challenge in patients with mild asthma, 329P

S

Salbutamol and ipratropium bromide responses in partially reversible airflow obstruction, 361P
controlled release, effect in severe nocturnal asthma, 367P
controlled release in mild asthma, 864P
delivered by breath activated inhaler, bronchodilator efficacy compared with aerosol and "Volumatic", 341P
effect on ventilatory responses to constant work rate exercise, 888P
formoterol inhibits exercise-induced bronchospasm for longer than, 363P.
in chronic obstructive pulmonary disease: home nebuliser or spacer, 843P
inhaled, comparative protective effect on bronchoconstriction provoked by histamine, methacholine and adenosine 5'-monophosphate in asthma, 335P
nebulised, safety in chronic obstructive airways disease, 843P
output from two jet nebulisers, 343P
prevents metabisulphite induced bronchoconstriction, 868P
relation between hyperresponsiveness and bronchodilation, 868P

reproducibility of reversibility in chronic obstructive pulmonary disease, 845P
sublingual, in asthma: efficacy and side effects, 361P
Salmeterol: dose-response study, 850P
SANKARAN R, *et al*: Serial measurements of atrial natriuretic peptide in acute exacerbations of chronic obstructive pulmonary disease, 338P
Sarcoid neutrophils and blood monocytes: respiratory burst is normal, 336P
Sarcoidosis, BAL fibronectin and procollagen peptide reflect inflammation and not early fibrosis in, 348P
bronchoscopic and bronchographic findings, 846P
cellular source of collagenase in bronchoalveolar lavage fluid from patients with, 348P
effect of bronchoalveolar lavage fluid on production of tumour necrosis factor by normal human monocytes, 336P
inhibition of tumour necrosis factor, 873P
pulmonary functional abnormalities, 898P
Saudi Arabia: tuberculosis epidemiology in Western Region, 869P
SCANE A, *et al*: Exercise rehabilitation in patients with fibrosing lung disease, 328P
Sclerosis. *See* Systemic sclerosis
SCOTT F, *et al*: Effect of controlled release salbutamol in severe nocturnal asthma, 367P
SCOTT JP, *et al*: Effect of cyclosporin treatment on pulmonary arterial smooth muscle, 337P
SCOTT JP, *et al*: Pulmonary vascular changes in heart-lung transplantation, 848P
SCOTT JP, *et al*: Value of transbronchial biopsy specimens in children after heart-lung transplantation, 849P
SEDDON DJ, *et al*: Transmission-emission scans in pulmonary oedema and *Pneumocystis carinii* pneumonia correlate with appearance of chest radiograph, 318P
SEDDON PC, *et al*: Long term outcome of ventilated asthmatic children, 840P
SEDDON PC, *et al*: Osmolality and pH of nebulized drug solutions and their effect on airway calibre in asthmatic children, 899P
SELBY C, *et al*: Determinants of neutrophil traffic in the lungs in chronic obstructive pulmonary disease, 874P
SELBY C, *et al*: How well can the general public read Heaf skin test reactions?, 898P
Selenium concentrations in asthmatics in New Zealand, 881P
SHAHZEIDI S, *et al*: Investigation of the development of bleomycin induced lung fibrosis in mice, 875P
SHALE DJ, *et al*: A blood spot assay for IgG antibodies to *Pseudomonas aeruginosa* in cystic fibrosis, 858P
SHALE DJ, *et al*: Circulating neutrophil products in cystic fibrosis, 859P
SHANNON A, *et al*: Outbreak of isoniazid resistant tuberculosis in a secondary school, 323P
SHAPIRO C, *et al*: Dreams and nocturnal asthma, 841P
SHAYLOR JM, *et al*: Pulmonary functional abnormalities in patients with sarcoidosis and respiratory symptoms at presentation, 898P
Shipyard workers, atopy and lung function in, 345P
SHOCK A, LAURENT GJ: Production of factors by human polymorphonuclear neutrophils capable of stimulating fibroblast replication, 336P
Sickle cell disease, homozygous: nocturnal hypoxaemia due to adenotonsillar hypertrophy in, 853P
SIMONDS AK, *et al*: Expandable metallic stents in treatment of bronchial obstruction, 356P
SIMONDS AK, *et al*: Alveolar targeting using a simple nebuliser modification, 860P
Sjögren's syndrome, primary: pulmonary function in, 846P
Sleep: hypopnoeic episodes can be scored accurately, 854P
apnoea, acclimatisation night in investigation of, 354P
apnoea and hypopnoea: relation of sleepiness to sleep disruption, 854P
apnoea, nocturnal erythropoietin levels in, 855P
apnoea, obstructive: relation to neck circumference, 853P
apnoea, overnight ear oximetry in diagnosis of, 853P
apnoea, wrist actigraph assessment in, 855P
disturbance, automated assessment from video recordings, 352P
disturbance, overnight hypoxaemia, and growth in young children who snore, effect of tonsillectomy & adenoidectomy, 353P
hypoxaemia & its correlation in 480 men aged 35–65, 353P
SMITH K, *et al*: Asthma mortality in New Zealand, 1911–86: an unreported epidemic in the 1940s and 1950s, 869P
SMITH SGT, *et al*: Morbidity and mortality associated with endoscopic laser resection for endobronchial lesions, 839P
Smoke inhalation injury, increased airway reactivity to histamine after, 362P
cigarette: effect on neutrophil proteolytic activity in vitro, 333P
cigarette: variations in neutrophil deformability, 874P
Smokers and non-smokers, transferrin levels in bronchoalveolar fluid, 333P
Smoking: allergy, & airways obstruction in elderly, 870P
influence on bronchoalveolar lavage cellular indices in interstitial lung diseases, 347P
variations in neutrophil elastase & lipid peroxidation, 874P
SMYTH RL, *et al*: Distribution of rejection within the transplanted lung, 321P
SMYTH RL, *et al*: Herpes simplex virus infection in relation to cytomegalovirus infection and immunosuppressive treatment in heart-lung transplant recipients, 850P
Snoring children, effect of tonsillectomy & adenoidectomy on overnight hypoxaemia, sleep disturbance and growth in, 353P
Sodium cromoglycate, effect on PAF and LTC_4 generation by human eosinophils stimulated by ionophore or unopsonized zymosan, 334P
cromoglycate & nedocromil sodium in over 50s with reversible airflow obstruction, 362P
SPIRO SG, *et al*: Randomised trial of planned versus "as required" chemotherapy in small cell lung cancer, 340P
Spirometry & responsibility studies, value of direct general practitioner referral, 355P
Spirometry, home: monitoring pulmonary allograft function, 322P
SPITERI MA, *et al*: Characterisation of phenotypically distinct macrophage subsets found in human bronchoalveolar lavage fluid, 360P
Sputum, bronchiectatic, cathepsin B & cystatins in, 892P
eosinophilia & bronchogenic carcinoma: an 11 year review, 357P
induction for diagnosis of *P carinii* pneumonia in AIDS, 318P
induction in *P carinii* pneumonia: immunofluorescent staining in, 891P
Squamous cell carcinoma, of bronchus: nucleolar organiser region & histological differentiation, 357P
Stanozolol corrects haemostatic abnormalities in small cell lung cancer, 883P
STENTON SC, *et al*: Effects of thromboxane receptor antagonist ($GR32191_1$) on PAF induced bronchoconstriction and bronchial hyper-responsiveness, 337P
Stents, expandable metallic, in treatment of bronchial obstruction, 356P
Sternomastoid relaxation rate to assess muscle fatigue, 887P
Steroids, inhaled reduction in airways responsiveness and clinical asthma severity, 851P
Steroids, role in treatment of asthma, 359P
STEWART A, *et al*: Autonomic neuropathy in chronic obstructive airways disease, 899P
STINSON J, *et al*: Epidemiology of tuberculosis in Ireland: 1986 national survey, 324P
STRADLING JR, *et al*: Measures of sleep disturbance in asthma: failure to correlate with indices of disease severity, 852P
Streptococcus pneumoniae, early cessation of neutrophil migration after localized intrapulmonary instillation, 332P
SUMMERS QA, *et al*: Preparation of radiolabelled aerosol for administration by metered dose inhaler that preserves the aerosol size distribution of the drug, 863P
Superior vena caval obstruction, diagnostic mediastinoscopy in, 339P
Superoxide generation by human polymorphonuclear leucocytes in

vitro, pyocyanin stimulates, 331P
Sweat test, improving diagnostic accuracy of, 858P
Sweat tests, "equivocal," measurement of nasal potential difference in, 314P
SWINBURN CR, *et al*: Gas exchange and physiological dead space during exercise following single lung transplantation for pulmonary fibrosis, 849P
SWINBURN CR, *et al*: Effect of supplemental oxygen on breathlessness and ventilation in hypoxaemic patients with interstitial lung disease, 861P
SYKES AP, *et al*: Raised creatine kinase activity in brittle asthma due to subcutaneous terbutaline treatment, 880P
Systemic sclerosis, histopathology of interstitial lung disease in, 346P
sclerosis, isotretinoin may hasten decline of pulmonary function, 346P

T

T cells from human respiratory syncytial virus infected mice, flow cytometric analysis of, 359P
T cell subsets, bronchial, in late asthmatic reaction in guinea pig, 320P
T lymphocytes and eosinophils in bronchial biopsy specimens, 882P
TAYLOR IK, *et al*: Urinary eicosanoids in acute asthma and after allergen challenges to the lung, 866P
TEALE C, *et al*: Time of development of tuberculosis in contacts, 319P
TEALE C, *et al*: Heaf status 12 years after infant BCG immunisation, 843P
TEALE C, *et al*: Nocturnal asthma: influence of adrenergic modulation of vagal tone, 889P
Terbutaline, subcutaneous, raises creatine kinase activity in brittle asthma, 880P
Terfenadine dose-response effect on resting bronchomotor tone in asthma, 346P
Terfenadine effect on exercise induced asthma, 851P
Theophylline and adenosine, effect on eosinophil activation, 360P
Theophylline and enprofylline, comparative assessment in chronic obstructive airways disease in elderly, 361P
Theophylline, oral, potentiates inotropic effect of fenoterol, 877P
Theophylline prediction methods in obstructive lung disease, 879P
THOMAS G, *et al*: Automated assessment of sleep disturbance from video recordings, 352P
THOMAS G, *et al*: Effect of tonsillectomy and adenoidectomy on overnight hypoxaemia, sleep disturbance, and growth in young children who snore, 353P
THOMAS KE, *et al*: Relation between work related respiratory symptoms in a coffee processing plant and castor bean allergy, 871P
THOMAS PS, *et al*: Atrial natriuretic peptide release in response to acute hypoxic and hypocapnic hyperventilation, 837P
THOMAS PS, *et al*: Peak expiratory flow at altitude, 862P
THOMAS PS, *et al*: Mediator release from isolated mast cell granules, 896P
Thoracoplasty, limited, role in complicated pulmonary aspergilloma, 364P
Thoracoscopy in diagnosis of persistent pleural effusion, 839P
Thoracotomy, resolution of nocturnal postoperative hypoxia following, 353P
Thromboxane receptor antagonist (GR32191) effects on PAF induced bronchoconstriction & bronchial hyper-responsiveness, 337P
synthetase inhibitor, CGS12970, effect on response to inhaled allergen, 316P
Tonsillectomy and adenoidectomy, effect on overnight hypoxaemia, sleep disturbance and growth in young children who snore, 353P
TOWN GI, *et al*: Premature guinea pig as an animal model of bronchopulmonary dysplasia, 876P
Trachea, guinea pig, ion transport in, 330P
Transbronchial biopsy specimens: value in children after heart-lung transplantation, 849P
Transferrin levels in bronchoalveolar lavage fluid of smokers & non-smokers, 333P
Transmission-emission scans in pulmonary oedema & *P carinii* pneumonia correlate with appearance of chest radiograph, 318P
TRIGG CJ: Respiratory morbidity and bronchial hyperresponsiveness: a prospective study, 848P
TSANG V, *et al*: Denver shunt in the treatment of recurrent malignant pleural effusion, 341P
Tuberculin test, positive, in health care workers: indication for chemoprophylaxis?, 324P
Tuberculosis as cause of pleural effusion, 1980–7, 324P
epidemiology in Ireland: 1986 national survey, 324P
epidemiology in Western Region of Saudi Arabia, 869P
in England & Wales in 1988, 841P
in Indian subcontinent, pattern of, 324P, 842P
isoniazid resistant: outbreak in secondary school, 323P
mycobacterium: combination chemotherapy for, 842P
notifications, prediction of possible effect of stopping BCG vaccination in 1990, 319P
prognosis in, 842P
pulmonary, antibody levels to purified antigens of *Mycobacterium tuberculosis* in, 325P
pulmonary, glucose intolerance, 325P
time of development of, 319P
Tuberculous meningitis in children in England & Wales, 1983, 323P
Tumour marker: assessment of human milk fat globule antigen as, 897P
necrosis factor inhibition by serum in sarcoidosis & tuberculosis, 873P
necrosis factor production by normal human monocytes, effect of bronchoalveolar fluid from patients with sarcoidosis, 336P
TWENTYMAN OP, *et al*: Effect of lipoxygenase inhibition on late phase bronchoconstriction and increased bronchial hyperresponsiveness after allergen challenge, 867P
TWENTYMAN OP, *et al*: Reproducibility of late asthmatic reaction: comparisons with histamine bronchoprovocation test, 867P

U

U937 cell line, cytokine effect on synthesis of cathepsin B and leucocyte elastase in, 875P
UDWADIA ZF, *et al*: What is optimal duration of hospital stay after acute attack of asthma?, 839P
UDWADIA ZF, *et al*: Bronchoscopic and bronchographic findings in 11 patients with sarcoidosis and severe or progressive airways obstruction, 846P
Urea as marker for epithelial lining fluid volume, 872P

V

Vaccenic acid, increased levels in bronchogenic carcinoma tissue, 358P
Vasculitis, cutaneous and systemic, in cystic fibrosis, 314P
Vasodilator, selective pulmonary: inhaled nitric oxide, 334P
VATHENEN AS, *et al*: Effect of inhaled budesonide on bronchial reactivity in asthma, 350P
VATHENEN AS, *et al*: Effect of inhaled budesonide on bronchial responsiveness to histamine, eucapnic dry air hyperventilation and exercise in asthma, 351P
VEALE D, *et al*: Recovery of lung function after *P carinii* pneumonia in HIV infection, 892P
VENABLES KM, *et al*: Respiratory symptom questionnaire for asthma epidemiology: validity and reproducibility, 871P
VENKATESAN P, *et al*: Prospective hospital based study of community acquired pneumonia in elderly, 365P
Ventilation in severe acute asthma, 840P
Ventilation-perfusion mismatching after methacholine challenge in mild asthma, 329P
VENTRESCA GP, *et al*: Inhaled frusemide reduces cough induced by low [Cl⁻] solutions but not by capsaicin in normal subjects, 835P
Ventricular function, right, & hypoxic pulmonary artery vasoconstriction, 837P

Video improves patient satisfaction with chest clinic, 880P
Vital capacity, forced *See* FVC

W

WACLAWSKI ER, *et al*: Occupational asthma in nurses due to chlorhexidine and alcohol aerosol, 344P
WALLACE WAH, *et al*: Ability of patients with severe airflow limitation to trigger a new breath actuated inhaler, 341P
WALSHAW MJ, *et al*: Bronchial hyperactivity in patients undergoing haemodialysis, 321P
WALSHAW MJ, *et al*: Factors influencing compliance in patients using oxygen concentrators for long term home oxygen therapy, 900P
WARD CJ, *et al*: Effect of cytokines on the synthesis of cathepsin B and leucocyte elastase in the U937 cell line, 875P
WARD K, *et al*: Influence of cigarette smoking on bronchoalveolar lavage cellular indices in interstitial lung diseases, 347P
WATHEN CG, *et al*: Mediastinal lymph node sizing by computed tomography, 340P
WATHEN CG, *et al*: Ventilation in severe acute asthma, 840P
WEDZICHA JA, *et al*: Effect of hypoxia and exercise on platelet aggregate formation and platelet release products in patients with chronic airflow obstruction, 837P
WEIR DC, *et al*: Bronchial responsiveness in non-asthmatic chronic airflow obstruction: prognostic implications and changes with time, 342P
WEIR DC, *et al*: Bronchodilator reversibility in chronic airflow obstruction: can it be independent of FEV_1?, 844P
WEVER AMJ, *et al*: Mortality and morbidity from asthma and chronic obstructive lung disease in The Netherlands, 1980–6, 365P
Wheezing: time trends in prevalence of diagnosis in Nottingham children, 847P
WHITEHEAD B, *et al*: When should children with cystic fibrosis be referred for heart lung transplantation? 859P
WHYTE KF, *et al*: Repeatability of lung function testing using an automated system (Gould 2400) in normal healthy subjects, 327P
WHYTE KF, *et al*: Hypopnoeic episodes during sleep can be scored accurately and may replace the need for oronasal flow measurements, 854P
WHYTE KF, *et al*: Relation of sleepiness to sleep disruption rather than to severity of breathing disturbance in sleep apnoea and hypopnoea, 854P
WHYTE KF, *et al*: Does the severity of emphysema determine exercise hypoxaemia in "pink puffers" with chronic obstructive pulmonary disease?, 863P
WHYTE MKB, *et al*: Investigation and treatment of pulmonary arteriovenous malformations, 364P
WILKINSON JRW, *et al*: Identification and characterisation of a mononuclear cell derived peptide in bronchial asthma that enhances granulocyte leukotriene generation, 316P
WILSON JW, *et al*: Influence of inhaled platelet activating factor on peripheral blood lymphocytes, 882P
WILSON RC, *et al*: Subjects can differentiate between the intensity of their breathlessness and the degree of distress it evokes, 886P
WOLSTENHOLME RJ, *et al*: A survey of patients' beliefs and preferences regarding drug therapy in asthma and chronic obstructive pulmonary disease, 880P
WOLSTENHOLME RJ, *et al*: Video improves patient satisfaction with chest clinic, 880P
Wool textile mills, functional effects of exposure to dust in, 348P
WRIGHT P, *et al*: Sputum eosinophilia and bronchogenic carcinoma: 11 year review, 357P
WRIGHT SC, *et al*: Characteristics of asthmatics who die and the potentially preventable factors in their deaths, 343P
WRIGHT SC, *et al*: Circumstances of death in asthma, 362P
WRIGHT SC, *et al*: Drug prescribing in fatal asthma, 366P
WYATT J, *et al*: ILTARS: an expert system to interpret results of pulmonary function tests, 327P

Y

YUKAWA T, *et al*: Effect of theophylline and adenosine on guinea pig and human eosinophil activation, 360P
YUKAWA T, *et al*: Inhibition of guinea pig and human eosinophil function by corticosteroids in vitro, 883P

Z

Zimbabwe; reversible airways obstruction in children, 848P
Zymosan, unopsonised, PAF and LTC_4 generation by human eosinophils stimulated by, effect of nedocromil & sodium cromoglycate on, 334P